



# 1SD 710



**FREQUENZUMRICHTER GEEIGNET!**  
**FREQUENCY CONVERTER-SUITABLE!**

Maße in mm - unverbindlich.  
Dimensions in mm - subject to modifications.

Typ Type	✓	Frequenz Frequency	Grenzwerte der Drosselkurve Überdruck Maximum performance when used as blower		Grenzwerte der Drosselkurve Unterdruck Maximum performance when used as extractor		Nennwerte des Motors Motor ratings			Schalldruckpegel Sound pressure level	Gewicht (ca.) Weight (approx.)
			$\dot{V}$ max.	$\Delta p_t$ max.	$\dot{V}$ max.	$\Delta p_t$ max.	Leistung Rated output	Spannung Voltage	Strom Current		
			$\dot{V}$ max.	$\Delta p_t$ max.	$\dot{V}$ max.	$\Delta p_t$ max.					
1SD 710	✓	50	5,30	200	5,30	210	2,20	207-253/ 360-440	8,10/4,60	69	30
		60	6,27	200	6,27	210	3,80	220-250/ 415-480	13,00/7,50	72	30
1SD 710	✓	50	5,30	290	5,30	270	3,00	207-253/ 360-440	12,50/7,20	69	36
		60	6,27	230	6,27	250	4,60	220-250/ 415-480	14,70/8,50	72	36
1SD 710	✓	50	5,30	330	5,30	290	4,00	360-440	9,00	69	42
		60	6,27	330	6,27	330	6,00	415-480	10,90	72	42

## Überdruck / Pressure

## Unterdruck / Vacuum

