



Acme Electric

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Acme Electric Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Acme Electric T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

| ¼r¼n | A¼ıklama |
|-------------------------------|---|
| Ae07-0100 | |
| Dm32440 | |
| Ta-1-81212 | |
| Ta83310 | |
| Tf269220s | |
| Ta-69306 | |
| Ptba3150022ss | PANEL-TRAN ZONE POWER CENTERS STAINLESS STEEL 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtga0754s | |
| Mt0600ds | |
| T-2-53311-1s | TRANSFORMER 15KVA 480V PRI 240/120V SEC |
| 100b7h | |

| | |
|---------------------------------|--|
| Ptba3150030ss | PANEL-TRAN ZONE POWER CENTERS STAINLESS STEEL 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Sps-60-6.1 | |
| Sps-70t-5/12/15 | |
| Ta-1-81221 | |
| Ae02-0350-F2 | |
| Alrb200cbc | |
| Alrb-080tbc | |
| Sws152q10 | |
| Ce060100 | |
| Tp-53312-3s | |
| Tb181151 | |
| Dtfa0754s | |
| A201010206 | |
| Cps220-24/28 | |
| Lsws20010 | |
| Ae06-0750-F3 | |
| Fs-3-3000 | |
| T79105sr | |
| Eia-413-9717 | POWER SUPPLY 12AMP 115/230V 47-440HZ |
| Ae060750 | |
| Dtfa0634s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tlv10024s | |
| Gp121000s | |
| Tb-81144-F3 | |
| Tb181143 | |
| Ta-81142 | |
| Tbgr81141 | |
| Dtha6604s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS |

| THREE PHASE, 60 HZ | |
|--------------------------------|---|
| Sps40-12 | |
| T-2-53009-S | |
| Dm124038 | |
| Tdlit2000a | |
| Dtgb-014-2s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tp793744s | |
| Dtgb02204s | |
| 62020 | |
| Ta-69304 | |
| Dthb01184s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Alrb004tbc | |
| Tb-81309 | |
| 100b12ha | |
| Ta-2-81218-F3 | |
| T15024s | |
| Dtga0634s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tpns01792754s | |
| 0010-102958-02 | |
| Dthb3304s | TRANSFORMER |
| Dtha01754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tb-81301 | |
| Ta281203 | |
| Dm1480125 | |
| Ce010075 | |
| Fs32000 | |

| | |
|--------------------------------|--|
| Tb-69303-F3 | |
| T253013ss | |
| T-2-53140-1s | |
| T5hb30s | TRANSFORMER |
| Ta-1-81203 | |
| Ln3533173s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3DB) 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY |
| Tpnc01533173s | |
| Tdmd0250ab | |
| Dr120241 | |
| Dmp11204 | |
| Ae020500 | |
| Ta-2-69303 | |
| Ae07-0350-F3 | |
| T2530105 | |
| Ae070050 | |
| T160802 | |
| T-3-3500075-3s | TRANSFORMER 75KVA 480V 3PHASE |
| Ae070350 | |
| Ln3533433s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3 DB) 480 DELTA PRIMARY VOLTS 240 DELTA/120 TAP SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 V |
| T-2-53110-S | |
| Ta-1-54524 | |
| Tdmd0500aa | |
| Ae06-0500-F3 | |
| Alrc420cbc | |
| Dthb0344s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| PI-1-70608 | |
| 25a1-9100002-A | |

| | |
|--------------------------------|--|
| Ta-2-81212-F3 | |
| Plc85000 | TRUE-POWER PORTABLE MODELS 95-132 PRIMARY VOLTS120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T-798443s | |
| Ta-2-81215-F2 | |
| Tb-1-81149 | |
| 0000-101770-01 | |
| Ta-2-69305 | |
| Tpc3533151s | |
| T-1-13076 | |
| Tpnc21533183s | |
| T179600s | |
| T243571 | |
| L5010 | |
| T253008ss | |
| Alrc016lwe | |
| Tlv50012sc | |
| Scc30-1 | |
| Tdlit2000xm | |
| T-2-53616-1s | |
| Sa3701320 | |
| Ta-2-81327 | |
| E1000wb | |
| Dtqb0344s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ta-81184 | |
| Te2533143s | |
| A-8-1010206-01 | |
| Ln3533123s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3DB) 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY |
| Alrc160lwe | |

| | |
|-------------------------------|--|
| 16-D-1260r | |
| Ce06-0350-F3 | |
| Cps60-24/28 | |
| Tdl0500xm | |
| Alrb420cbc | |
| Tb-81006 | |
| Ln3533133s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3DB) 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY |
| Alrc006tbc | |
| PI-112601 | |
| Pt411150005ls | |
| Tp131023s | |
| Tb81304 | |
| Spw2424 | |
| Ta83300 | |
| Ta81216 | |
| Ae02-0350-F3 | |
| L3020 | |
| Tb181148 | |
| L2040 | |
| Tc535163s | |
| 150c-9122000 | |
| Ln3533453s | |
| T-1-69433 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| A81010206 | |
| Tpns01792734s | |
| Ac-1150 | |
| Gp1215000s | DISTRIBUTION TRANSFORMER 277/480 PRIMARY VOLTS 208/277 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Tb-81210-F4 | |

| | |
|--------------------------------|--|
| T169435 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Tp533143s | |
| 400a-9143316 | |
| 0240-304119-01 | |
| Dr5262i | |
| Aa53002-015 | |
| T3793123s | |
| 10a281212 | |
| Dtga-020-2s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtha0344s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Fs11000 | |
| Ps-175559 | |
| Tp1533473s | DISTRIBUTION TRANSFORMER 480 DELTA PRIMARY VOLTS 240 DELTA/120 TAP SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY THREE PHASE, 60 HZ |
| Ta-1-81328 | |
| Dtqb6604s | 660 KVA 460 DELTA PRIMARY VOLTS |
| A121010206 | |
| Ae120250 | |
| 200b20-M3354 | |
| T75024s | |
| Dthb03304s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Ta-2-53931 | |
| T-2a-53329-1s | |
| Ta-2-81210 | |
| Hf-1-63872 | |
| Tdmd1000xma | |

| | |
|-------------------------------|--|
| PI79921 | |
| Ta-2-81007 | |
| Ce040150 | |
| Dr124025 | |
| T-2-53007-S | |
| T-2-53142-1s | |
| Pt061150015ss | PANEL-TRAN ZONE POWER CENTERS 304 STAINLESS STEEL 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Dtfa0514s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtgb-14-2s-1 | TRANSFORMER 14KVA 270VAC 60HZ 3PH |
| Ln3533423s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3 DB) 480 DELTA PRIMARY VOLTS 240 DELTA/120 TAP SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 V |
| Tb-81001 | |
| T-2-53060 | |
| T-1-69438 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192- 264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Spws-2424 | |
| Ae020300 | |
| Ta-2-81143 | |
| Te2a530213s | |
| Ps-63534 | Power Supply NPSI03, PS63534 |
| Dtha002754s | |
| Ae030350 | |
| Tb-81142-F2 | |
| Dtga5504s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T179615s | |
| Dtfa01454s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| | |

| | |
|---------------------------------|--|
| T-13173-8-Tt | TRANSFORMER 45KVA 3 PH/60 H/PRI 240/SEC 208Y-120 |
| Sps-40t-5.12.12 | |
| Ce01-0150 | |
| T179622s | |
| Tp533943s | |
| Ae010350 | |
| Sws152 | |
| Ts53010s | |
| T150024s | |
| Spw-5-3/Ovp | |
| Dthb0934s | |
| T2a795543s | |
| 15b12h | |
| Tp533121s | |
| Ae06-0050 | |
| Ce02-0050 | |
| T2a79532s | TRANSFORMER |
| Dm11206s | |
| Ta1-81200 | |
| Dtgb4404s | 440 KVA 460 DELTA PRIMARY VOLTS |
| Tpnc01533153s | |
| T-2-5318-3s | |
| T-1-53013-4 | |
| Ae07-0750-F3 | |
| T-2-53515-3s | |
| Sps-85010-B | |
| T213079 | |
| Ce040250 | |
| T-2-53007 | |
| T10012s | |
| T160835 | |

| | |
|--------------------------------|---|
| Sps-85010 | |
| Dmp1504 | |
| Sa6701319 | |
| Dthb01754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Dtgb03304s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtgb08804s | 880 KVA 460 DELTA PRIMARY VOLTS |
| T1-53014 | |
| Dtgb0934s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tb-81142 | |
| 70021 | |
| Pb81214 | |
| Tf220505s | |
| Dtha03304s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T-3-53041-S | |
| Ta-83222 | |
| 0000-304132-01 | |
| Te2530193s | |
| Gp1210000s | DISTRIBUTION TRANSFORMER 277/480 PRIMARY VOLTS 208/277 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Dtfa0142s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ae020250 | |
| Tb-81001-F3 | |
| T-2-53021-3s | |
| Dm32405 | |
| Tpc3533131s | |
| PI79911 | |

| | |
|---------------------------------|--|
| T179101sr | |
| T11687 | |
| Tp1533173s | |
| Ta-1-32405 | |
| T-1-69436 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Ovp-2 | |
| Tpnc11533183s | |
| Ta-2-81210-F3 | |
| Ce030250 | |
| PI-112074 | |
| PI1126011 | |
| Dtgb0274s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| L3005 | |
| T25024s | |
| T-1-69434 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T111687 | |
| Tpc3533161s | |
| Spw2436 | |
| T253012 | |
| Sps-85010-0 | |
| Tlv10012sc | |
| T131423s | |
| T2a533601s | |
| Sps-80t-5/12/15 | |
| Dthb02204s | |
| Sps60-15 | POWER SUPPLY 115/230V 47-440HZ 4AMP |
| Dthb01454s | |

| | |
|----------------------------------|---|
| T3793133s | |
| Tb-81211-F2 | |
| 01-101583-00 | |
| Alrc480cbc | |
| T2536481s | |
| Dtha0634s | |
| Ptba3150009ss | PANEL-TRAN ZONE POWER CENTERS STAINLESS STEEL 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtga-014-Ts | |
| Mt2000ds | |
| 200b20h | |
| Fs250 | |
| Pt061150025ls | PANEL-TRAN ZONE POWER CENTERS 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T-1-53011 | TRANSFORMER 120/480V 1.5KVA 60HZ 1PHASE |
| Ae010500 | |
| PI-79924 | |
| Tpns02533113s | |
| A-20-1010206-01 | |
| Tb-81216-F2 | |
| Dr-1202410 | |
| Alrc012tbc | |
| Dtga-027-4s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ptba3150015ls | PANEL-TRAN ZONE POWER CENTERS , , THREE PHASE, 60 HZ , 480 DELTA PRIMARY VOLTS , 208Y/120 SECONDARY VOLTS |
| Ps-59426 | |
| Sps-30ta-5/12/15 | |
| Dtfa0404s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tdgn7500a | |

| | |
|------------------------------|---|
| Sps60-T2 | |
| Spw15d-1.5 | |
| T-1-69439 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Tb81321 | |
| T-1-13075 | |
| PI-112706 | |
| Ae02-0100-F2 | |
| 70013 | |
| Mt1000ds | |
| A-701758 | |
| Swd | |
| Tb-81149-F3 | |
| T-353312-3s | TRANSFORMER 30KVA 480V PRI 208/120V SEC 3PHASE |
| Dtga002754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T-1-81221 | INDUSTRIAL CONTROL TRANSFORMERS , HARSH ENVIRONMENT TRANSFORMERS , SINGLE PHASE, 50/60 HZ , 240 X 480 PRIMARY VOLTS , 120 SECONDARY VOLTS |
| T379083s | |
| Dtha01184s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Wsb5 | |
| Tb81148 | |
| Dmp1120125 | |
| Ce02-0350-F3 | |
| Ps2I-1000 | |
| L6005 | |
| Y2000 | |
| Sa2701321 | |
| Ta-1-81307 | |
| 500b24 | |

| | |
|-------------------------------|---|
| T3793353s | |
| Dtfa72s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tp35001503s | |
| Ae06-0350 | |
| Dtha0142s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tlv150024s | |
| T-1-37922 | |
| T2795563s | |
| 500b24ha | |
| Fs-3-1500 | |
| Dthb4404s | 440 KVA 575 DELTA PRIMARY VOLTS |
| Ta-2-53929 | |
| T179619s | |
| Dtgb06604s | |
| Ptba3150009ls | PANEL-TRAN ZONE POWER CENTERS , , THREE PHASE, 60 HZ , 480 DELTA PRIMARY VOLTS , 208Y/120 SECONDARY VOLTS |
| T50024s | |
| T-2a-53312-3s | |
| Plc85004 | TRUE-POWER PORTABLE MODELS 95-132 PRIMARY VOLTS120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Te3533153s | |
| Ae07-0100-F2 | |
| Tp533654s | |
| Tp534033s | |
| Plc85003 | TRUE-POWER PORTABLE MODELS 95-132 PRIMARY VOLTS120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Ac-1040 | |
| Ce05-0750-F3 | |
| Spws-2448 | |
| 928053 | |

| | |
|-------------------------------|--|
| Spw512ovp | |
| T73340 | |
| Ln3533463s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3 DB) 480 DELTA PRIMARY VOLTS 240 DELTA/120 TAP SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 V |
| Pt061150007ss | PANEL-TRAN ZONE POWER CENTERS 304 STAINLESS STEEL 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Ta-2-81308 | |
| Ta-2-81216 | |
| Wsa3 | |
| Alrb008lwe | |
| Ta-1-81142 | |
| Dtfa0274s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtha-7-2s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T2a527121 | |
| Ta83306 | |
| Fs-2-300 | |
| Ta-2-81214 | |
| Spws-1217 | |
| Ae030100 | |
| T2a53308ss | |
| 70060 | |
| T2536761s | |
| T-1-69431 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Pt061150010ls | PANEL-TRAN ZONE POWER CENTERS 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Ae06-0350-F3 | |
| Wsb1 | |

| | |
|--------------------------------|--|
| T-60805 | |
| PI79908 | |
| Alrb002tbc | |
| Ae120500 | |
| Dtga-011-2s | |
| 60b24ha | |
| Ovp-11 | |
| Alrc045lwe | |
| Pt061150005ss | PANEL-TRAN ZONE POWER CENTERS 304 STAINLESS STEEL 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Ac-1200 | |
| Ce05-0750-F2 | |
| Alrb055lwe | |
| Dthb5504s | 550 KVA 575 DELTA PRIMARY VOLTS |
| Tb-81200-F2 | |
| Sps-60d-12/15 | |
| Tp533664s | |
| Tlv15012sc | |
| Fs-3-500 | |
| 0005-102272-01 | |
| Tpc3-53316-3s | |
| Alrc160cbc | |
| Tpc533163s | |
| Ae030050 | |
| Tdap0500a | |
| Ln3533143s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3DB) 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY |
| Lug4 | |
| Ta-1-81212-R | |
| Alrc-080tbc | |
| T353545s | |

| | |
|-------------------------------|--|
| Spw15d-.8 | |
| Ce020250 | |
| T2a53315-3s | |
| T-3-53344-3s | TRANSFORMER 75KVA 3PH 480Y/277V 4WIRE |
| Fs-3-150 | |
| Et-83340 | |
| Tb-81143 | |
| T-3-53341-1s | DISTRIBUTION TRANSFORMER 480 DELTA PRIMARY VOLTS 240 DELTA/120 TAP SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY THREE PHASE, 60 HZ |
| Ta-2-81142 | |
| 30b20 | |
| Tp-53315-3s | |
| Tp795223s | |
| Tb-81201 | |
| S-1200 | |
| Dtqb002754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Lug3 | |
| Ta-1-81217 | |
| T253515ss | |
| Dm12420s | |
| Tb-81143-F3 | |
| T179604s | |
| Pt061150005Is | PANEL-TRAN ZONE POWER CENTERS 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T253007ss | |
| Tb-81305-F3 | |
| Tb281212 | |
| Ta-2-81307 | |
| T179609s | |

| | |
|-------------------------------|---|
| Dtgb008804s | |
| PI79905 | |
| Ta-2-81003 | TRANSFORMER 250VA |
| Ae01-0750-F3 | |
| Ovp-21 | |
| Ta-2-81213-F3 | |
| Dr3-2420 | |
| T-1-81054 | |
| Tb-61217 | |
| Plc85001 | TRUE-POWER PORTABLE MODELS 95-132 PRIMARY VOLTS120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| PI-77100 | |
| Eia606211 | |
| Tpc533133s | |
| Tp533161s | |
| Tdap3000xm | |
| Dtga0934s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ac-1010 | |
| Tlv50024s | |
| Tdst1500a | |
| Alrb027lwe | |
| Wsa5 | |
| Tp796944s | |
| Tb81004 | |
| Dtgb-0118-4s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tb-81323-F3 | |
| T-2-53518-3s | FOUR WINDINGS |
| Tdmd0750ab | |
| Cps30-5 | |

| | |
|------------------------------|---------------------------------|
| T2527031 | |
| Dm148025s | |
| Ae02-0750-F2 | |
| T-1-81048 | |
| E52283 | |
| T-2-53340-1s | |
| T353546s | |
| Ce040750 | |
| T-2-53675-1s | |
| T253062 | |
| Ce010500 | |
| Et-83334 | |
| Alrc027lwe | |
| Spw56ovp | |
| 70042 | |
| Tdap0750xm | |
| Ae020100 | |
| Dtgb5504s | 550 KVA 460 DELTA PRIMARY VOLTS |
| Ce04-0500-F3 | |
| T-2-53064 | |
| Spw | |
| Dt651h935 | |
| Ta-1-81220-1 | |
| Sps-302428 | |
| Tdom1500xma | |
| T-3-53342-3s | |
| Alrb006tbc | |
| Alrb055tbc | |
| Ta-2-81322 | |
| T-1-37920 | |

| | |
|--------------------------------|--|
| Alrc130cbc | |
| Tf279264s | |
| Fs-2-1000 | |
| Cps | |
| T-60801 | |
| Ta-2-81304 | |
| Tb-81306 | |
| Dtha0112s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ta-8-3312 | |
| T-2-53000-8s | |
| Ta-2-54523 | |
| Dm1-24025 | |
| T-53518-3 | |
| Sps-30-24/28a | |
| Tpns00533133s | |
| 0003-303093-01 | |
| T2a795171s | |
| Ce04-0350-F3 | |
| T-1-81064 | |
| Ce06-0500-F3 | |
| Dtha0514s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T-2-53014 | TRANSFORMER 5KVA 240/480V PRIMARY 120/240V SEC |
| T153931 | INDUSTRIAL CONTROL TRANSFORMERS , HARSH ENVIRONMENT TRANSFORMERS , SINGLE PHASE, 50/60 HZ , 240 X 480 X 600 PRIMARY VOLTS , 120/100 SECONDARY VOLTS |
| Mt0100ds | |
| Ta-2-53012-S | |
| Tb-81005-F3 | |
| Ta-2-81323 | |

| | |
|---------------------------------|---|
| Dthb0514s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| 1015.1289 | |
| Fs31000 | |
| T179631s | |
| Tpnc11533193s | |
| 200b20 | |
| Ae02-0075-F2 | |
| Ce05-0350-F3 | |
| T3793143s | |
| Dtga-72s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Sps50ta-5/12/15 | |
| Lr-7357-10 | |
| Dtfa02204s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tpns01533171s | |
| 750b48h | |
| Cps120-24/28 | |
| T-31962 | |
| T-2-53013-4s | |
| T-2-53144-1s | |
| Tb-69302-F3 | |
| Pt0611500071s | PANEL-TRAN ZONE POWER CENTERS 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T181223 | |
| Ta-2-81217 | |
| Alrc250cbc | |
| Aa51402-117 | |
| Tp-53021-3s | |
| Sa7701321 | |

| | |
|-------------------------------|---|
| Alrb110cbc | |
| Dtfa0344s | |
| Sps-15-15 | |
| Tf-2-79263-S | |
| Tpc3-53314-3s | |
| Ta-2-8-1197 | |
| T-2a-53309-1s | |
| Ae020350 | |
| Tb-81301-F4 | |
| Ae010050 | |
| Ae02-0500-F3 | |
| Tf279266s | |
| Ae12-0500-F3 | |
| Te2533123s | |
| Ta-81212 | |
| Ta-2-32405 | |
| T-2-53014-4s | |
| 87903012 | |
| Te2530203s | |
| Alrc-130lwe | |
| Ta-81017 | |
| Aa56252-038 | |
| Tp796954s | |
| Ae060150 | |
| Tpns01533161s | |
| Pt061150010ss | PANEL-TRAN ZONE POWER CENTERS 304 STAINLESS STEEL 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Wsa4 | |
| Tpns01792714s | |
| Ae12-0050-F2 | |
| Aa56252-117 | |

| | |
|----------------------------------|--|
| Tb-81009 | |
| Ce020500 | |
| Sls92-12 | |
| Swd-325t-5/12/12 | |
| Kk-10983 | |
| Dtha0754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tp533188s | |
| Ta-1-81218 | |
| Tpns01533143s | |
| Dm14810s | |
| Ae06-0150-F2 | |
| T-1-53344-3 | TRANSFORMER 75KVA 480V PRI 240V SEC 3PHASE |
| Tdmd0500xmb | |
| Ta-1-81149 | |
| Ta-2-54537 | |
| Tb83218 | |
| Dtga6604s | |
| Te3533423s | |
| Ce010250 | |
| Dtfa0202s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ae010100 | |
| T153930 | INDUSTRIAL CONTROL TRANSFORMERS , HARSH ENVIRONMENT TRANSFORMERS , SINGLE PHASE, 50/60 HZ , 240 X 480 X 600 PRIMARY VOLTS , 120/100 SECONDARY VOLTS |
| Plc85002 | TRUE-POWER PORTABLE MODELS 95-132 PRIMARY VOLTS 120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Tb-32406 | |
| Ta-2-81202 | |
| Alrb600cbc | |

| | |
|-------------------------------|---|
| Alrc016tbc | |
| 100b48ha | |
| T279748s | |
| Tdgp0250a | |
| Ta-2-69301 | |
| Tp131033s | |
| PI-112707 | |
| Alrc300cbc | |
| Tc535183s | |
| Tpc3533141s | |
| Spw15-1.5 | |
| Tdlit3000a | |
| Tdgn5000a | |
| Ptba3150022ls | PANEL-TRAN ZONE POWER CENTERS , , THREE PHASE, 60 HZ , 480 DELTA PRIMARY VOLTS , 208Y/120 SECONDARY VOLTS |
| Cps300 | |
| Tb181146 | |
| Tf-2-52520-S | (PRICE/EA) EXPORT MODEL , SINGLE PHASE, 50/60 HZ , 190/200/208/220 X 380/400/416/440 PRIMARY VOLTS , 120/240 SECONDARY VOLTS , * CE MARKED. |
| Ta-1-81150 | |
| T-1-13077 | BUCK-BOOST TRANSFORMERS 120 X 240 PRIMARY VOLT 16/32 SECONDARY VOLT SINGLE PHASE, 60 HZ |
| Tpc3533171s | |
| Ce050150 | |
| Ae020150 | |
| T100012s | |
| Ce06-0150-F3 | |
| Tb-81213-F2 | |
| Tpns01533121s | |
| T179203sr | |
| Wsa53 | |

| | |
|-------------------------------|---|
| Ta-2-81219 | |
| Tp1533213s | |
| T-2-53042-S | |
| Ta-1-81005 | |
| Sws750 | |
| T-3-53314-3s | TRANSFORMER 75KVA 480V PRI 208Y/120V SEC 3PHASE |
| Ce01-0500-F3 | |
| Tb69307 | |
| Ps-63535 | |
| Spw-323d | |
| T-3-53348-3s | |
| Cmt533124s | |
| Wsb3 | |
| Alrb012lwe | |
| Tpc533193s | |
| Ce06-0300 | |
| Ta-81214 | |
| T-53005 | |
| 100b20h | |
| Ta-2-81210-F4 | |
| T-1-53356-3s | |
| A51010206 | |
| Ta-2-81146 | |
| Tp789994s | |
| Ta-2-81241 | |
| Ce020750 | |
| PI-112603 | |
| PI79923 | |
| Ti-53343-3 | |
| T2-53170-1s | |
| Ce060150 | |

| | |
|--------------------------------|---|
| Sps15-5 | |
| Ta-1-81151 | |
| Tlv25012s | |
| 200b24h | |
| Wsa58 | |
| Tdap2000a | |
| Dtkd-045-4s | |
| Dthb0634s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Alrb-008tbc | |
| Spw15-6 | |
| As30331 | |
| PI-79931 | |
| Dthb0142s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Tf279304s | |
| T2a797104s | |
| Tp1533503s | |
| 30b24ha | |
| Alrb080lwe | |
| T-1-48167 | |
| Spw-40wt | |
| 0001-303093-01 | |
| T2a797094s | |
| Tb-32669 | |
| 120563-001 | |
| T-1-69430 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192- 264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Spw-12-1.7 | |
| Ta-2-54536 | |

| | |
|-------------------------------|---|
| Ce030750 | |
| Ce060750 | |
| Tdom2000ac | |
| Tp789884s | |
| Ae02-0150-F3 | |
| Ae03-0500-F3 | |
| T-2-53341-1s | TRANSFORMER 480V 3PHASE 15KVA |
| T-2-52707-1 | |
| T253011ss | |
| Dtga01754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T3527101 | |
| Dmp11502 | |
| T253518ss | |
| T-2-53517-3s | |
| Tf220105s | |
| Tp792734s | |
| Pt061150025ss | PANEL-TRAN ZONE POWER CENTERS 304 STAINLESS STEEL 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Dtga01454s | |
| Sps-15-24/28 | |
| Ta-2-81309 | |
| Ta-2-81301 | |
| T2a527171 | |
| Alrc027tbc | |
| Sps602428 | |
| T3793363s | |
| Tlva60012sc | |
| Tdl0250xm | |
| | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS |

| | |
|--------------------------------|---|
| Dtgb-7-2s | 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Cmt533154s | |
| T-1-53518-3s | |
| Ce020100 | |
| 510227401 | |
| Dtga0344s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tp531193s | |
| T3533943s | |
| Alrb160lwe | |
| T-1-81066 | |
| T335000153s | |
| Dtga0404s | |
| Ta-60304 | |
| Ae07-0500-F3 | |
| Dtgb-020-2s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T253065 | |
| 70023 | |
| Tlva30024sc | |
| Ta-83223-F3 | |
| Ta-2-81151 | |
| Tdmd0250xma | |
| T79203sr | |
| Alrc055lwe | |
| T-1-81052 | |
| Alrb480cbc | |
| 0005-101163-01 | |
| Tb-81324 | |
| Tpns01533151s | |

| | |
|-------------------------------|---|
| 100b20ha | |
| Ptba3150030ls | PANEL-TRAN ZONE POWER CENTERS , , THREE PHASE, 60 HZ , 480 DELTA PRIMARY VOLTS , 208Y/120 SECONDARY VOLTS |
| Gp12250s | |
| T2a797084s | |
| Tdom3000xma | |
| Tdmd0250xmb | |
| Tp533171s | |
| Tdmd1000xmb | |
| Ce01-0150-F2 | |
| Tp79088s | DISTRIBUTION TRANSFORMER EXPORT MODEL 190/200/208/220/240 DELTA PRIMARY VOLTS 400Y/231 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T-2-53114-1s | |
| Tp793694s | |
| Tpns01533193s | |
| Tdom3000xmb | |
| Sps-250-24-28 | |
| Tp789934s | |
| T-3-53043-S | |
| T100024s | |
| Tb32403 | |
| Tb281144 | |
| Fs-3-50 | |
| Ta-2-81144 | |
| L4005 | |
| Hf-75143 | |
| L4015 | |
| Ce02-0250-F2 | |
| Tpns01792744s | |
| Tlv75012s | |
| | PANEL-TRAN ZONE POWER CENTERS STAINLESS STEEL 480 |

| | |
|-------------------------------|--|
| Ptba3150015ss | DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tp79085s | |
| Ta-2-81213 | |
| Pt061150015ls | PANEL-TRAN ZONE POWER CENTERS 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T-1-53007 | |
| Ta-1-81008 | |
| Tb-81307 | |
| Dtga-7-Ts | |
| T279740s | |
| Dthb-020-Ts | |
| Ta-2-81002 | |
| Ce030100 | |
| Sa4701320 | |
| Dtgb-075-4s | |
| T253517ss | |
| T-2-79369-4s | |
| Tb-83219-F3 | |
| Tdgp0250xm | |
| Spwt-40 | |
| Ce050050 | |
| Tdap1500a | |
| Tdom3000ac | |
| 150c-9122400 | |
| Tpns00533183s | |
| Tb81151 | |
| Wsa8 | |
| Ae06-0750-F2 | |
| Dtha5504s | |
| Dthb0754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |

| | |
|-------------------------------|---|
| Tb-81201-F4 | |
| 200b48ha | |
| Ta-2-69-307 | |
| Tlv25012sc | |
| Dm14810 | |
| Sps-15-12 | |
| Tb81305 | |
| Drr-15gfi | |
| Ta-83220 | |
| Ac-1100 | |
| Tdst2000a | |
| Tp533158s | |
| Ta-2-53011 | |
| Tlva-15012-S | |
| Cps30 | |
| Tpc3-53317-3s | |
| T-81061 | |
| 99030a145 | |
| PI79906 | |
| Tdgp2000a | |
| T-2a-53328-1s | |
| Ae02-0250-F2 | |
| Ta-1-81326 | |
| Tb32405 | |
| Spw12-6.8 | |
| T-1-53005 | |
| Ln3533443s | |
| Alrb006lwe | |
| T169437 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192- 264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |

| | |
|-------------------------------|--|
| T-79804-3s | |
| Tpns02533153s | |
| T2531131s | |
| Ta-1-81000 | |
| Ta-2-81008 | |
| T-181055 | |
| Ta-1-81306 | |
| Tb81020 | |
| Dr1-2405 | |
| T-2-11688 | BUCK-BOOST TRANSFORMERS 120 X 240 PRIMARY VOLT 12/24 SECONDARY VOLT SINGLE PHASE, 60 HZ |
| T-1-37921 | |
| Tpc533143s | |
| Sps30-15 | |
| PI-79911-G | |
| Tdmd0750ac | |
| Tpc533123s | |