

Actreg

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Actreg Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Actreg T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
05 F 0021	
216514	
250579	
ADA-200	
ADA-80	
ASR-20	
ASR-200-S10	
ASR-40	
FIG 62S	
DN300	Proportional butterfly valve TTV Body CF8M stainless steel, disc 316SS, seal RPTFE, shaft 316 SS, wafer connection, PN16, Actuator single acting ASR 1200 Actreg supply air 6 barg IP Smart Positioner type YT-3300, automatic calibration, including air regulator.

DN125	Proportional butterfly valve TTV Body CF8M stainless steel, disc 316SS, seal RPTFE, shaft 316 SS, wafer connection, PN16, Actuator single acting ASR 1200 Actreg supply air 6 barg IP Smart Positioner type YT-3300, automatic calibration, including air regulator.
DN200	Proportional Ball Valve Somas (model KVTW-A) PN25, Water short type, body 1.4408 SS, ball 1.4460 SS hard chromed, seat PTFE53 shaft 1.4460SS, packing graphite Actuator single acting, normally closed, power supply 6 barg IP smart positioner type YT-3300, with auottune air regulator.
DN100	ON-OFF ball valve ICP PN16, flanged connection, body stainless 1.4408, ball 316 SS, gasket PTFE, shaft 316 SS actuator single acting, normally closed, supply 6 barg 3/2 way Namur 24VDC with solenoid and mechanical limit switch box
Level Switch (no Atex)	
ASR0130F0507S14FC	ACTREG Model 130 Single acting with 14 springs Fail Close Corrosivity category C3 Metric thread (G1/4, ISO) Temperature design standard (-30°C to 100°C) F0507 and 17mm recording
ACT 200 R	ACTUATED VALVE Actuator is required with On/Off Limit Switch Box
ACT 500R	
Ada40	
Ada-80 (Repair Kit)	
F-F 6.4cm	
Da1-80-An-F05/F07-C17	
Fig. 89 Pn 25	
Ada-80 (Solenoid Valve)	
F-F 5.6 Cm	
F-F 12cm	
F-F 7.3 Cm	
400-1004-1	
S.S (F-F 12cm)4? Ph2-11 1000wog 4-316	
Asr20	
S.S 316 Gg-25 (F-F 7.3cm)6?	
Actreg Asr40	
400-1003-1	

Ada1200	
Asr 130-S12	
Type 130 Å173; Spring N; 14	
Ada-80 (Complete Actuator)	
Asr-1200-S4	
05 F 0021 Obsolete, Replacement Type 300	
Da1-200-An-F07/F10-C17	
Asr200	
2211-1020	
Sr1-80-An-F05/F07-C17-Nc	
Act-850-R	
Piston For Act 1200 R	
Act-850	
Ada-80 (Pneumatic Actuator)	
Type 300 Å173; Spring N; 14	
Exii2gd Lcie05ar022	
630-9999	
400-1005-1 (Actreg Ada200)	Pneumatic actuator DA1-200-AN-F07/F10-C17 • Design: double acting, 90° quater turn • Body: aluminium, hard anodized • Pinion: carbon steel, nickel plated • Piston: aluminium • Flange: ISO F07/F10 • Connection (star): 17mm • Torque: 29,3nm/bar • Seals: NBR • Temp. (min./max.): - 30°C to +100°C • Max. pressure: 8 bar
Wafv-50 Mk2	
S.S 316 Gg-25 (F-F 5.6cm)6?	
Ii 2 Gdc Lcie 05 Ar 022	
S.S Gg-25 (F-F 5.8cm)6?	
O202-0200 Asr-1750	
F-F 5.8cm	
2211-1080 (Asr80nm)	
Sr1-200-An-F07/F10-C17-Nc	
Fig 62s	

[S.S 316 Gg-40 \(F-F 6.4cm\)8?](#)

[Asr40](#)

[Sy01k15s](#)

[Type 130](#)

[Ada-80 \(Repair Kits\)](#)