

Additel

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Additel** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Additel T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
ADT680-25-GP60K-BAR-AM	Digitalmanometer Pressure range: 0 to 4200 bar Accuracy: 0.25% of the final value Connection: Autoclave 1 / 4HP outside
DAkKS initial pressure calibration, including cert	including certificate
ADT927-N2-SET	Hydraulic calibration hand pump Range: 85% vacuum to 700 bar Medium: hydraulic oil Connections: 1/2 "NPT including transport case Country of origin: China
ADT 681	14 to 122°F (-10 to 50°C) operating temp Up to eleven selectable pressure units Large back lit display with 5-digit resolution ATEX certified intrinsically safe is optional Up to 0.02% accuracy IP67 rated, can submerge in 1m of water Panel mount versions available Data logging option NIST traceable certificate included CE mark
ADT 681	
ADT680-25-GP40K-BAR-B2	Pressure range: 0 to 2800 bar Accuracy: 0.25% of final value Connection: G1/2" inside
ADT680-10-GP10K-BAR-N2 Digitalmanometer	Pressure range: 0 to 700 bar Accuracy: 0.1% of final value Connection: 1/2"NPT
ADT927W-N2-SET Hydraulic calibration hand pump	Range: 85% vacuum to 700 bar Medium: deionized water Connections: 1/2" NPT female incl. transport case
ADT946A Hydraulic High Pressure Calibration Pump	Range: up to 1000 bar Medium: oil Connections: G1/2" inside
ADT946A SET Hydraulic high pressure	pump set Range: up to 1000 bar Medium: oil Connections: G1/2" inside

calibration	incl. transport case
DT686 Digitamanometer	Pressure range: 0 to 200 bar Accuracy: 0.02% FS Connection: G1/2" outside
ADT920HV-B2 Pneumatic calibration hand pump	Range: from 95% vacuum to 200 bar Medium: Air Connections: G1/2" inside
927 Ek High Pressure Test Pump	
Adt 680 (Druckbereich: 2800 Bar)	
Adt912-Mk	
Modell Adt 918	
Adt 927	
Adt680w	
209/210	
Automatic Pressure Controller -1 / 25 Barg	
Adt912-N	
Adt 223a	
Additel-Adapter-Und-Anschl3;Sse-Set-Adt103--Istanbul-Turkiye	
Modell Adt 919 A	
Adt681-20-Gp1k	Digital pressure gauge ADT681-20-GP1K Pressure range: 0 to 70 bar Accuracy: 0.2% of the final value Pressure connection: G1 / 4 "(others on request)
Adt102-Npt	
Adt 761-M	
Adt 959	
Adt100-Bspm4-Bspf4q	
Adt 936	
Adt681-20-Gp2k	Digital pressure gauge ADT681-20-GP2K Pressure range: 0 to 140 bar Accuracy: 0.2% of the final value - G1 / 4 "
Adt100-Nptm4-Nptf4rq	
Adt912-Kit	
Pnömatik Pressure Pump 0/700 Bar	
Adt919-B	
104	
Adt938-N	
Optional: Dakks Initial Calibration With 33 Measuring Points	(Procedure B), including certificate per area
Pnömatik Pressure Pump -1/40 Bar	
Adt 210	
Adt 680	

Adt 672	Pressure Range: 60,000 psi (4200 bar) Up to ±0.02% FS accuracy Electrical Measurement Ranges: ±30.0000 V with ±(0.01% + 1.5mV) accuracy ±30.0000 mA with ±(0.01% + 1.5µA) accuracy 14 to 122°F (-10 to 50°C) operating temp NIST traceable certificate included CE mark
Modell Adt 920	
Adt100-Nptm4-Bspm4	
Adt938-Mk	
Adt100-Bspm4-Bspf2q	
Adt100-Htk-4	
Adt949	
Adt 916	
Adt221a	
Adt 209	
Adt103-Npt	
103	
Adt681-20-Gp3k	Digital pressure gauge ADT681-20-GP3K Pressure range: 0 to 200 bar Accuracy: 0.2% of the final value - G1 / 4 "