

Aimco Uryu

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Aimco Uryu Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Aimco Uryu T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Ult-90(Uryu)	PULSE TOOL PISTOL
T70s	INLINE PULSE SCREWDRIVER
Uw-61ek(965t4)	IMPACT OIL BATH 3/8 SQ DR
A-50arbt-1.7	SCREW PRESENTER 2/SECOND 1.7MM SIZE
Ud-80-04g-Assy	DRILL PNEUMATIC INLINE GRIP
Ult40d	SHUTOFF PULSE TOOL
Rh-200	HAMMER ONE SHOT
Atc-250	TORQUE CUBE, AUDITOR
Auet/Mtm-1000-1600	TORQUE TESTER UNIVERSAL
Uw-6sslk	WRENCH IMPACT PNEUMATIC INLINE
Uw-381p	IMPACT WRENCH 1SQ DRIVE
Uw-6slrdk	WRENCH IMPACT PNEUMATIC PISTOL

Atda-Dc	TORQUE ANALYZER, PORTABLE
Adw-10	DIGITAL TORQUE WRENCH AUDITOR
Urw12nb-21-18m-0	RATCHET 1 5/16X18
Ae-5681esd	TOOLS, SCREWDRIVER, OVERALL LENGTH:237MM, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, SCREWDRIVER TYPE:TORX, ROHS COMPLIANT: NO
5118	GRINDER ANGLE GENERAL DUTY
Ug-65eb	GRINDER REAR EXHAUST SLEEVE
Udbp-T70	BATTERY PULSE TOOL 3/8 SQ DR
Adt-Ptm-52-500-F	PNUETORQUE PTM 52 SERIES
Atc-25	TORQUE CUBE, AUDITOR
Urw-12na	WRENCH RATCHET PNEUMATIC
Atc-10	TORQUE CUBE, AUDITOR
Aa55tpr	METRIC:6.35MM, OVERALL LENGTH:180MM, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIAN
Ut-66b-15-Assy	TAPPER PNEUMATIC
3466-16	BEVEL GEAR SET
Us-Lt40b-08	SCREWDRIVER INLINE PNEUMATIC
Uag-50sbl-120	ANGLE GRINDER 5 PAD
Aa60tpr	METRIC:6.35MM, OVERALL LENGTH:180MM, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIAN
Uam-5008	AIR MOTOR GEAR REDUCER
Us-Lt20b-10	SCREWDRIVER INLINE PNEUMATIC
Adt-Ptm-72-2000-B	STALL TYPE BI-DIRECTIONAL
Amtl-1001	LOADER TORQUE WRENCH
Ls4278	BARCODE SCANNER KIT WIRELESS
Atda-D	AUDITOR TORQUE DATA ANALYZER -
Att01110vkir	TESTER, TORQUE, 0 TO 1N-M, 5%, TORQUE RANGE N-M:0 TO 1, TORQUE RANGE FT-LB:0IN-LB TO 8.8IN-LB, ACCURACY %:5%, ACCURACY:+/- 5%, SUPPLY VOLTAGE:110V, NO
Udbp-T60(P)-B	UDBP-T60(P) BATTERY PULSE TOOL
Auet/Mtm-50-250dc	TORQUE TESTER UNIVERSAL

Us-Lt30bl-17	SCREWDRIVER INLINE PNEUMATIC
A100-4b2-R	ACRA FEED UNIT REFURBISHED
2550	WRENCH IMPACT D HANDLE
Itv3050-40n4bl4	SMC VALVE
A100-6b1-R	ACRA FEED UNIT REFURBISHED
A-50c-8	SCREW PRESENTER SYSTEM
A24125	METRIC:125MM, LENGTH:5.906, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIA
Uw-381	WRENCH IMPACT SHORT
Auet/Mtm-10-100	TORQUE TESTER UNIVERSAL
Us-Lt50b-08(09yt1)	CUSTOM TOOL ANGLE HEAD TOOL
Us-Lt30b-17	SCREW DRIVER INLINE PNEUMATIC
Ult-130(098t5)	ULT-130 LH ROTATION PULSE
Auet/Mtm-50-500	TORQUE TESTER UNIVERSAL
Atc-0100	TORQUE CUBE, AUDITOR
Aa50tpr	METRIC:6.35MM, OVERALL LENGTH:180MM, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIAN
Att-01-110vkircal	TESTER, TORQUE, 0 TO 1N-M, 5%, TORQUE RANGE N-M:0N-M TO 1N-M, TORQUE RANGE FT-L
Atm-Ht15-25/1-1000	MULTIPLIER
Ahcts-1000	TEST STAND,1355NM HIGH CAPACTY
Spc-P-12	SIGNATURE PISTOL CORDLESS
Aa45tpr	TOOLS
Ud-60-07	DRILL PNEUMATIC PISTOL
Us-Lt50b-17	SCREWDRIVER INLINE PNEUMATIC
Urd-22rr	DRILL ROTARY
A1685	SOCKET
Ult-180	PULSE SHUT OFF TOOL
Us-Lt40bl-15	SCREWDRIVER INLINE PNEUMATIC
Spc-P-6	PISTOL SIGNATURE CORDLESS
Ult-60s	PULSE TOOL PNEUMATIC INLINE

Td-1000r	TORQUE MULTIPLIER ANTI-BACK
A-50a-0	SCREW PRESENTER SYSTEM
Aroilfilterwren	AR OIL FILTER WRENCH KAIZEN
Fc-Xxffmp-5-E020	CABLE, CONTINUOUS FLEX ENCODER
Us-Lt30b-11	SCREWDRIVER 5/32IN SCREW 9.7-18.5IN/LBS 1100RPM
Att-01-110vkircaldu	TESTER, TORQUE, 0 TO 1N-M, 5%, TORQUE RANGE N-M:0N-M TO 1N-M, TORQUE RANGE FT-L
Adw-75-Dc-Bc	DIGITAL WRENCH AUDITOR
Ad-D1098-S	TOOLS, LOAD CAPACITY:3LB, FEATURES:SINGLE ARM DESIGN ALLOWS OPERATOR CONTROL AND REDUCES FATIGUE, ARM SWIVEL TOOLING ALLOWS FOR MAXIMUM ROTATION OF TO
Ds3478-Sf20005ww	WIRELESS BARCODE SCANNER