

Airtec

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Airtec Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Airtec T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Y 112 ES	Y-fitting 1 1/2"G , PN16, RVS 1.4408
ZS 3211 Sensor	
MG-07-510-HN-C12	
VALVE 1/4 M-97-511-PR-3157-01 X115V	
COIL 23SP016726	
MND 06 511 HN	
MO 07 310 HN	
M 07 530-HN	
2375-01	
KN-05-310-HN-442	electrically operated piston valve KN-05 series 3/2-way, monostable, closed position NAMUR connection diagram Reset with air spring G1/4, NW 6 mm Manual override locking, opposite 1 and 3 24V DC, 4.2W Working pressure: 3... 10 bar Temperature range: -10°C... +70°C

MC-07-510-HN-812	MC-07-510-HN, 24V= 5/2-way solenoid valve, NW 7 for base plate mounting with coil 23-SP-016 with improved Moisture resistance
4HV330-10	
MF-07-530-HN-442	electrically operated piston slide valve MF-07 series 5/3-way, center position closed Reset with mechanical spring Base plate mounting, NW 9 mm Working connections G1/4 Manual override with latching, for 2 and 4 24 V DC, 4.2 W Working pressure: 3... 10 bar Temperature range: -10°C... +70°C This article contains position 1 and position 2
MF-07-530-HN	
182340	
M-07-510-HN-142 24V=	5/2 way valve mono-table, air spring return 1/4"G, 24V= 4.2W NW9, 1580NI/min working pressure 1.5-10bar Emergency manual operation at port 2-4 Temp -10grC to 70grC
NXD-050-020-210	dw short stroke cylinder with internal thread D=50mm, stroke 20mm Internal thread
Mc-20-510-Nh-442	
Mn06310-Hn	
3v1-P31	
Mf-04-510-Hnx-Xxx	
15248404	
Mn-063-Dr	
M06-520-Hn	
3v1-P32	
Bsp-125	BREAK SYSTEM FOR PNEUMATIC CYLINDERS PASSIVE
Kf-10-520-Hnr-442	
23-Sp-011-1-712	
Tpc2312-25	
Mc-07-510-Hn-812	
Dc1212-20	
Cda092-B 24 V	
Bsp-100	BREAK SYSTEM FOR PNEUMATIC CYLINDERS PASSIVE
Tpc2312-20	

M-07-310-Hn-142	
Mc-07-510-Hn	
P-07-311	
4v210-005-P3	
3v31008nog-X0	
Mc-07-510-Hn-712	
Bsp-080	BREAK SYSTEM FOR PNEUMATIC CYLINDERS PASSIVE
Mn-06-510-Hnx-Xxx	
M-06-510-Hn-456 5/2	
Mc-20-510-Nh-142	
Su-25-310	
Mc-20-510-Nh-112	
31-0953-02-0800	
3v1-P30	
Kn-05-510-Hn	
31227931	
Zr40 800 2 Sn17166186	
31 953 1 800	
M-07-520-Hn-142	
Zr40 800 3 Sn17161180	
Kn-05-510-Hnx-Xxx	
M-06-510-Hn-456	
Bsa-125	BREAK SYSTEM FOR PNEUMATIC CYLINDERS ACTIVE
Fp1411-15	
Tpc2212-25	
31-0953-01-0800	
3v31008ncg-X0	