



Alfagomma

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Alfagomma Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Alfagomma T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
1,2 MTR. >SCHLAUCHLANGE OHNE ANSCHLUŐARMATUREN SLT T-509 OE 025 X 037 ACID, CHEMICAL & MULTIPURPOS	
1,2 MTR. 509OE0253755R0 T-509 OE 025 X 037 ACID, CHEMICAL & MULTIPURPOSEKL	
1.1/4 4SH	
1001387	
1001388	
1001389	
1004535	
11/2" 4SH (42L FLAT) L:1120 MM	
11/2'-756AA	

1209407
175AA 1"
175AA 3/4"
175AA025351J30
195AT025331KG0
2005445 472OO020274LS0
2005448 472OO025334LS01
2011503
202AA15266
300 PSI
340AH019310003
340AH02538
340AH025383GB3
340AH025383GB32
350LE DN
352AA
352AA038483WD0
47200 20MM
47200 25MM
47200 50MM
472OO014204LS01
491OO010164JY0
509OE0516355R0
605AA051616MD0
605AA051626MD0
605AA060726MD0
605AA063756MD0
605AA076886MD0
606AE076
606AE102
650AA038486MM0

[655AA025376IC02 T-655 AA 025 X 037](#)
[61M HYDROCARBONS 1 Rolle 61M](#)

[671AA025356PP0](#)

[766 AA 127 X 143](#)

[766AA102187OL0](#)

[805AA016008CA8](#)

[809AA02500ARB8](#)

[855AA025](#)

[8T8AA00600IPB8](#)

[8T8AA01000IPB8](#)

[8T8AA02000IPB8](#)

[8U1AA00600FRB8](#)

[8U1AA01000FRB8](#)

[8U1AA01200FRB8](#)

[8U1AA01600FRB8](#)

[8U1AA02000FRB8](#)

[8Y4AA02000EPP8](#)

[8Y4AA02500EPP8](#)

[976AB025359SU0](#)

[AIR 19MM UND 7511](#)

[AT5K-GS](#)

[DDA400ALFL](#)

[Diverser Schlauch MW](#)

[DN25 x 3000 mm](#)

[DUM_HYD_QR](#)

[DUM_HYD_VALV](#)

[End Caps for 4" T-602](#)

[H1222511-081000](#)

[H1222511-101200](#)

[H1222511-121600](#)

[H1222511-161600](#)

H1222541-04050M	
H1222541-10100M	
H1222541-121400	
H1222541-12160M	
H1222591-121120 S	
L 135 - 20 BAR (300 PSI) - AIR 19 MM - 05411	
I720AA051657W10V	
R1Q-340890	
S-470 DN 3/4 G	
SAE-100-R4	
SAE-100-R5	
T 757 AA	
T-330 AH 1/2	
T-350 AA 040 * 054	
T-753 AA 019 X 033 SANDBLAST 10 BAR	
T-753 AA 032 X 048 SANDBLAST 10 BAR	
T-756 AA 038 X 062 61M	
T-957 LL 019 X 033 30.5M	
T-957 LL 025 X 039 30.5M	
T-957 LL 038 X 054 30.5M	
T-957 LL 051 X 067 30.5M	
YPE S-470 DN 1" G.Purpose	
IH-957LL DN013x025 UNB 61m	2006583
0301957N	
20-16HMLOS	
1/4" 2SN HYDRAULIC HOSE	
	Hose line consisting of: 155AA 3" compressed air 20bar (300psi) heavy duty execution on both sides integrated with FFC75.150 / Fixed flange including pressure test according to PED 2014/68/EU 1 length of 10 meters + 10meter 400800002 155AA 3" compressed air 20bar (300psi) heavy duty execution + 2pcs 201000002 Fixed flange with stainless steel

400900001	hose connector SFC75,150 + 1piece 700200011 Checking a hose line PED 2014/68/EU, NW 75, according to DGUV Information 213- 053 and recommendation the SAT specialist group (VTH), as well as 1 inspection certificate 3.1 according to EN 10204 and 1 inspection sticker + 2pcs 700200035 Labeling tape made of VA, self-sealing, 7.9 x 520 mm, with engraving
400900001	Alternative position: Hose line consisting of: 155AA 3" compressed air 20bar (300psi) heavy duty execution on both sides integrated with SFC75.150 / loose flange including pressure test according to PED 2014/68/EU 1 length of 10 meters 400800002 155AA 3" compressed air 20bar (300psi) heavy duty execution 201000002 Fixed flange with stainless steel hose connector SFC75.150 700200011 Checking a hose line PED 2014/68/EU, NW 75, according to DGUV Information 213- 053 and recommendation the SAT specialist group (VTH), as well as 1 inspection certificate 3.1 according to EN 10204 and 1 inspection sticker 700200035 Identification tape made of VA self-closing, 7.9 x 520 mm, with engraving Weight: 0.060kg
251AA	
OP019048249	Line 3 Air Hose 3/4" - XC1 L:600 CM 1" BSP MALE+STRAIGHT+1" COUNTER NIPPLE+SAFETY ROPE
OP019048244	Line 4 Air Hose 3/4" - XC1 L:1100 CM 1" BSP MALE+STRAIGHT+1" COUNTER NIPPLE+SAFETY ROPE
200 Mtr. 850aa02500peb8 Flexor 4sp En856 4sp-16 Dn 25 Hydraulikschlauch 1quot;	
11/2ã39;-756aa	
H1222511-060800	
1/2 R2	
850aa02000peb8	
H1222511-061000	
11/2quot; 4sh (42l Flat) L:1120 Mm	
1,2 Mtr. 509oe0253755r0 T-509 Oe 025 X 037 Acid, Chemical Amp; Multipurposekl	
1/4quot; Nb Sae 100 R1at Hydraulic Hose X 910 Millimetre O/A Ftd	
11 Meters Bulk P/N: T 720 Aa	
99fam01900 19,8	
Ddc400gm	
845aa00600haa8	

766 Aa 127 X 143 Bulk Materials
Ddc400ss-Bsp
1/4quot; Nb Sae 100 R1at Hydraulic Hose X 370 Millimetre O/A Ftd
855aa02500rfb8
845aa02500haa8
1,2 Mtr. Gt;Schlauchlã196;Nge Ohne Anschluã223;Armaturen Slt T-509 Oe 019 X 031 30.5m Acid, Chemical Amp; Multi
Ddc400gmfl
Ddc400alfl
9007498
Dda400al-Bsp
330ah038523ya32 T-330 Ah 038 X 052 61m Hot Water Amp; Steam
Ddc400al-Bsp
Ddc-M 100-4quot; Al/Vi
1,2 Mtr. Gt;Schlauchlã196;Nge Ohne Anschluã223;Armaturen Slt T-509 Oe 025 X 037 Acid, Chemical Amp; Multipurpos
845aa0324831a8
H1100204-160000
Dda400gm-Bsp
H1100204-100000
655aa025376ic02 T-655 Aa 025 X 037 61m Hydrocarbons 1 Rolle 61m
8n6aa02000dhb8
8t8aa01200isb8
605aa102166md0v T-605 Aa 102 X 116 30.5m Hydrocarbons 1 Rolle 30.5m
T340aa250 - Constant Pressure / 18 Bar(270 Psi)
H1222511-060600
11/2quot; 4sh (42l Flat)+842l-90

Degree) L:380 Mm
845aa02000haa8
850aa02500peb8
Ddc-V 100-F Tw 3 Al/Vi
845aa01200haa8
835ass1095014
8n6aa01000spb8
1000311
845aa01000haa8
Dda400ss-Bsp
Ddc400gm-Bsp
8n6aa01200spb8
Type S-470 Dn 3/4quot; G.Purpose
53707128
H1222511-080800
8u5aa03200mqb8
Ddc400al
1/2quot; Nb Sae 100 R2at Hydraulic Hose X 600 Millimetre O/A Ftd
720aa076927w10v T-720 Aa 102 X 116 30.5m Bulk Materials
Ddc400ssfl
753aa038607sv3
1/4quot; Nb Sae 100 R1at Hydraulic Hose X 600 Millimetre O/A Ftd
H1100204-120000
300 Psi
1,2 Mtr. 509oe0193155r0v T-509 Oe 019 X 031 30.5m Acid, Chemical Amp; Multipurpose
Ddc400ss
957II
H1222511-040500

[Dda400gm](#)

[175aa 3/8ã39;Å39;](#)

[Ype S-470 Dn 1quot; G.Purpose](#)

[Air 19mm Und 7511](#)

[Rhhyd-Dkol-Dkos](#)

[6 Meters Bulk P/N: T 720 Aa](#)