



Allweiler A G

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Allweiler A G Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Allweiler A G Trkiye Distribtr veya temsilcisi deėildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Ntt2/40-250	(unser Kunde mchte diese pumpe als ersatz benutzen zur seinen jetziegen Pumpe)
Afi20r46	Motormennleistung 3,1 kW Motordrehzahl 2900 U / min FlieŐen 35,9 l / min Abgabedruck 40 bar Flssigkeitsdichte 0,871 kg / dm ³ Flssigkeitstemperatur 20 ° C. Ausbeute 77%
Ntt 125-250/01/237 U5a-W4	Spiral casing centrifugal pump 84137059 DE Net weight: 97,000 KG Pump with a free shaft end
Nssv 65-250/.01	
Ds 29-E	
314559	EXTENSION PART AZ42-100 EXTENSION PART AZ42-100 84839081 QW Net weight: 2.560 KG 860.101 Pre-delivery: 0016006836
318741	Coupling half Oesterling AZ42, 24MM 84136070 EN Net weight: 2.200 KG 861.101 Pre-delivery: 0016006836 to the pump: volute casing centrifugal pump
313980	Coupling half Oesterling AZR42, 42MM 84839089 DE E. Net weight: 1.050 KG 861.102 Pre-delivery: 0016006836 to the pump: volute casing centrifugal pump
537238	Clutch pack ring AR42 NBR (ShA78) 84839089 DE E. Net weight: 0.072 KG 867.101 Pre-delivery: 0016006836 to the pump: volute casing centrifugal pump
NTT40-160/02/170 U5A-W4	Pump with bare shaft end We have selected the pump acc. to name plate of the pump. Serial-No. K880.2 is from Allwailer Italia. So we have no chance to get more information about the pump Weight : 34kg 84137059 DE

STATOR 402	0039993211 119 STATOR 402 174834 84139100 DE
AFI20 R56D19US-W226H F CB-NO132S	Self priming 3-rotor-screw pump Hs code : 84136070 DE 26Kg Consisting of : Pump, Foot standart , Valve "" Replacement for AFI20 R56D16US-W196H F CB-NO132S -pumps are same in fit , form & function "" ** without motor (was not scope of supply)
592303	
33999	
AEB 2N 12-DE/021 G0K 443 PP 5FV Pump	ohne Motor
NB 2/25-200/02/198 U3.30D-W135- 38/300	Pre delivery 0018026557 / 2018 Centrifugal Pump Pump with bare shaft end The mechanical seal U3D is now the U3.30D weight31kg HS : 84137075 De
AEB 2 N 0012-DE/021G0K 443P P 5FV	Pump with a separate shaft end 11.5kg
AEB 2 N 0012-DE/021G0K443P P 5FV	weight 12kg 84136080DE pre delivery : 0018027167/2018
PUMP NBT	2-160 U5A-W4 PART NO : 1071667
W58683/001	
NTT 65.160.167-U5A W4 (AR)	TOH CIRCULATION PUMP POLY-NORM COUPLING (Code: AR 42) DRIVING BORE (MOTOR SIDE): 44MM, DRIVEN BORE (PUMP SIDE): 24MM MAKER: KTR GROUP, MODEL: FLEXIBLE JAW COUPLING AR 42
NTT 65.160.167-U5A W4 (AR)	ECONOMIZER CIRCULATION PUMP POLY-NORM COUPLING (Code: AR 38) DRIVING BORE (MOTOR SIDE): 38MM, DRIVEN BORE (PUMP SIDE): 24MM MAKER: KTR GROUP, MODEL: FLEXIBLE JAW COUPLING AR 42
NTT 65.160.167-U5A W4 (AR)	ELASTOMER RING FOR POLY-NORM AR42 TYPE COUPLING (Code: AR42) SEE ATTACHED FILE. MAKER: KTR GROUP, MODEL: FLEXIBLE JAW COUPLING AR 42
NTT 65.160.167-U5A W4 (AR)	ELASTOMER RING FOR POLY-NORM AR38 TYPE COUPLING (Code: AR38) SEE ATTACHED FILE. MAKER: KTR GROUP, MODEL: FLEXIBLE JAW COUPLING AR 38
NIT40-160/22/139 U5A-W4-28/250	Centrifugal pump pre-delivery : 0005046388 / 2005
230.01	impeller 50-200 / 01 NTT GG-20 952074 119
321.01	Groove ball bearing 12062
321.02	Groove ball bearing 659758
400.03	Sealing 72,5x88x0,5
210.01	SHAFT 210.01, 922.01, 932.02/04, 551.04/05, 936.01, 940.01, 940.02
461.01.	Stuffing box packing

400.01	Gasket
TRILUB TRF940 R42U18.6-V-W203	Self-priming three-screw pump inflange mounting design Pre-delivery : 0015030571 /2015 consisting of : Pump , valve Replacement for TRF940R40R42U18.4V-W203-T-X0200L pumps are same in fit , form & function Weight : 130kg
SNH940 ER46LB7.11QT-Y-W72-TEN-ToI3	Self priming 3 rotor Screw pump consisting of : Pump , standart base plate , coupling , coupling guard , valve , motor 630,4kg/each Pump design similat to drawing number 057-821 or 119-714
AFI20 R56D19US-W226H	Self priming 3-Rotor-Screw-Pump consisting of :Pump , Valve weight net : 14kg 84136070 DE
NTT40-250 U5 AW4	Q:35 m ³ /h. NPSH:2,2 m. H:70 m. D:0.8 kg/dm ³ P:8.7 kw. n:2900 1/min. o:227 mm. V:1 mm ² /s
TRILUB TRL80 R46U18US-V-W115	Self priming pump three screw pump inflange mounting design Pre delivery : 0006642664 / 1999 consisting of : Pump , valve without class certification 20kg
ATLS-T1V/2-	252972 CONSISTING OF: 1 x TEMPERATURE SENSOR PT100 50 X 3, 0002 1 x LOCKING TUBE,0003 1 x LOCKING SCREW, 0004 1 x Connection head B 15, 0005
0609990130	GASKET 400.01 308460 0,004kg HS CODE:68151090 DE
0600400119	CASING COVER 161.01 433285 NET: 7KG HS Code: 84139100 CN
0600330103	Wheel 65-160 NT GG-20 230.01 Net:3,1 kg HS Code: 84139100 DE
0600230087	STUFFING BOX PACKING VG 360 NTT KIT 1 KIT= 2 Piece 461.01 Net: 0,316 Kg Hs Code: 68151090 DE
0609990111	DISTANCE WASHER 551.01 21268 Net: 0,030 kg HS Code: 84139100 DE
0600850142	SHAFT 210.01, 922.01, 932.02/04,551.04/05,936.01, 940.01, 940.02 433878 Net:4,2 kg HS Code: 84831095 DE
0600140022	CIRCLIP 932.01 6316 Net: 0,016 kg HS Code: 73182100 DE
0600140001	CIRCLIP 932.02 12100 Net: 0,008 kg HS Code: 73182100 DE
0600220444	GASKET 72,5X88X0,5 400.83 Net: 0,006 kg HS Code: 68159900 DE
0600750001	WASHER 550.01 Net: 0,050 kg HS Code: 84139100 DE
0600610024	GROOVE BALL BEARING 321.02 659758 Net: 1,059 kg HS Code: 84821090 PT
0609990264	DISTANCE WASHER 551.05 6319 Net: 0,026 kg HS Code: 73182200 DE
0600140001	CIRCLIP 932.04 12100 Net: 0,008 kg HS Code: 73182100 DE

0609990264	DISTANCE WASHER 551.04 6319 Net: 0,026 kg HS Code :73182200 DE
0600790062	MECHANICAL SEAL 433.01 38543 Net: 0,440 kg HS Code: 84842000 DE
0600610001	GROOVE BALL BEARING 321.01 12062 Net:1,059 kg HS Code: 84821090 DE
Neue Pumpe	k¼nnen sie uns eine geeignete Pumpe anbieten: HEISS¼LPUMPE 450 M3 - 70 MSS 270C TEMPERATUR .
0039993211	Self priming side chanenel pump SOH 112 W G11E/I.10 Pre delivery : 0015050954 / 2015 Pump with bare shaft end without testings
NTWH 25-160/12/129 U3.3A-K1-W141	Centrifugal pump Pre delivery : 0011036782 / 2011 Pump with bare shaft end Weight net : 30kg 84137059
NT80-160/01/172U3.30D-W10	Centrifugal pump Pred: 15033022/2015 Pump with bare shaft 46kg The old mech. seal U3D is replaced with U3.30D
PUMP TYPE: CNH-B 32-160 G-W21	MEDIUM: 98% SULFURIC ACID HEAD: 18M, Q: 10 M ³ /HR, SEAL: MECHANICAL SEAL MOTOR: 2860 RPM, IMPELLER DIA: 123 MM Neu Bedarf
Ersatzteilliste	K¼nnen sie mir bitte die Ersatzteil liste schicken, unser Kunde m¼chte f¼r die produkte erseztteile bestellen.
Mekanik seal	screw pump double shaft N: 1000 rpm Tmax:80 degrees P pump max.: 10 bar Psuction:-1 bar Liquid to be pumped: sea water 95% + fuel oil waste + solid particles Shaft seal Material: will be tungsten carbide There will be 2 right and 2 left turns or 4 will be independent of the direction of rotation PUMP NO : 34981, TYPE: 2361225
NIT 50-250/01/221 U5A-W4-28/250	Pre-delivery: 0013003544/2013 Pump with bare shaft end
AFI-T20 R46D19US-W226 F-90S	0039993211119 Self priming 3-Rotor-Scre-twin-unit with built in filter Pre-delivery: 0006014388/2006 Consisting of: Pumps, Inermed. bracket, Valve, Motors Weight net: 109 kg Pumps serie ZAS is obsolete and no longer available. Replacement ist ALLFUEL Series Type AFI-T. Complete pump unit has to be replaced and it is necessary to change the pipe work. Please consider attached drawing. As an alternative, we offer the AFI-E insert unit under Pos.2i which fits into the existing pump housing. You don't have to change the pipe work.
AFI-E20 R46D19US-W226E	0039993211 Insert unit with coupling Alternative item for Pos.1 Pre-delivery: 0006014388/2006 Weight net: 7kg/ each Insert unit (ALLFUEL Series Type AFI-E) will fit 100 % to existing pump housing. You don-t have to change the pipe work. New coupling is necessary to fit with existing motor. The pre-delivery ZAS is a twin pump, therefore we are offering 2 pcs of insert units. It is not mandatory to exchange both inserts; it is also possible to exchange only one insert unit,
	0039993211119 Self priming 3-Rotor-Screw-twin-unit with built in filter Pre-delivery: 0012023669 / 2012 consisting of:

AFI-T20 R46D19US-W226 F-90S	Pumps, Intermed. bracket, Valve, Motors Weight net: 109 kg Pump serie AFT-T is obsolete and no longer available. Replacement is ALLFUEL Series Type AFT-T. Please consider attached drawing. As an alternative, we offer the AFI-E insert unit under Pos.4, which fits into the existing pump housing. You don-t have to change the pipe work.
AFI-E20 R46D19US-W226E	0039993211119 Insert unit with coupling Pre-delivery: 0012023669 / 2012 Alternative item for Pos.3 Weight net: 7 kg/ each Insert unit (ALLFUEL Series Type AFI-E) will fit 100 % to existing pump housing. You don-t have to change the pipe work. New coupling is necessary to fit with existing motor. The pre-delivery AFT-T is a twin pump, therefore we are offering 2 pcs of insert units. It is not mandatory to exchange both inserts; it is also possible to exchange only one insert unit.
AFI-T20 R56D19US-W226 F-90S	0039993211119 Self priming 3-Rotor-Screw-twin-unit with built in filter Pre-delivery: 0012037049 / 2012 consisting of: Pumps, Intermed. bracket, Valve, Motors Weight net: 109 kg Pump serie AFT-T is obsolete and no longer available. Replacement is ALLFUEL Series Type AFI-T. Please consider attached drawing. As an alternative, we offer the AFI-E insert unit under Pos.6, which fits into the existing pump housing. You don-t have to change the pipe work.
AFI-E20 R56D19US-W226E	0039993211119 AFI-E20 R56D19US-W226E Insert unit with coupling Pre-delivery: 0012037049 / 2012 Alternative item for Pos.5 Weight net: 7 kg/ each Insert unit (ALLFUEL Series Type AFT-E) will fit 100 % to existing pump housing. You don-t have to change the pipe work. New coupling is necessary to fit with existing motor. The pre-delivery AFT-T is a twin pump, therefore we are offering 2 pcs of insert units. It is not mandatory to exchange both inserts; it is also possible to exchange only one insert unit.
AFI-T40 R38D19US-W226 F-90L	0039993211119 Self priming 3-Rotor-Screw-twin-unit with built in filter Pre-delivery: 0018003816 / 2018 consisting of: Pumps, Intermed. bracket, Valve, Motors Weight net: 128 kg Pump serie AFT-T is obsolete and no longer available. Replacement is ALLFUEL Series Type AFI-T. Please consider attached drawing. As an alternative, we offer the AFI-E insert unit under Pos.8, which fits into the existing pump housing. You don-at have to change the pipe work
AFI-E40 R38D19US-W226E	0039993211119 Insert unit with coupling Alternative item for Pos.7 Pre-delivery: 0018003816 / 2018 Weight net: 10 kg/ each Insert unit (ALLFUEL Series Type AFI-E) will fit 100 0/0 to existing pump housing. You don-it have to change the pipe work. The pre-delivery AFI-T is a twin pump, therefore we are offering 2 pcs of insert units. It is not mandatory to exchange both inserts; it is also possible to exchange only one insert unit.
GASKET (Code: 400.01)	NTT80-160 U5 AW4 Serial 21043590
SHAFT (Code: 210.01)	SHAFT 210.01 , 922.01 , 932.02/04 , 551.04/05 , 936.01 , 940.02

940.01	KEY
GASKET (Code: 400.03)	NTT80-160 U5 AW4 21043590
MECHANICAL SEAL (Code: 433.01)	NTT80-160 U5 AW4 21043590
MODEL: NSB40-250 ø250	SERİ NO: P.58088/013 GE TAG: 88FD-1 TAG NO: 9G-702A/B LIQUID FUEL PUMP / (SIVI YAKIT POMPA) QTY: 1 EA M3408000754 GASKET 592309 (OLD:0000632733)
Komplett	
REPAIR KIT,OIL PUMP,VKFBS 40R49U8.4	
0600310064	597623 SPARE PART SET TRILUB VG 140/210 Enthält folgende Ersatzteile: Part No. Description Quantity 100 Gasket 1 PC 101 Gasket 1 PC 120 O-ring 1 PC 140 Joint washer 1 PC 186 Mechanical seal 1 PC 250 Circlip 1 PC 260 SUPPORTING WASHER 2 PC 281 Valve spring 1 PC 292 Groove ball bearing 1 PC 334 Valve cone 1 PC
0600220581	751183 FLAT GASKET 101
0600790108	626500 MECHANICAL SEAL 186
0600140005	14771 RETAINING RING 250
0609990083	14826 SUPPORT DISC S35X45X2.5 FEDST 260
0600610073	6303 GROOVE BALL BEARING 292
0039993211 -119	TRILUB TRF1300 R46U18.6-V-W203 self-priming three-screw pump inflange mounting design Pre-delivery: 0013009894 / 2013 consisting of: Pump, Coupling, Valve Weight net: 167 kg eplacement pump for: TRF1300 R46U-18.4-V-W203 SN: 13009894 *P re-delivery pump was supplied as bareshaft pump. In this case we cant quote motor for this pump. *P ump quoted for Horizontal installation. P ump serie TRF was modified from E18.5 into U18.6. *T his is only an internal technical modification pump is suitable for application according data sheet. Customer needs a new coupling to fit with original bracket and motor. *D ue to the high start up viscosity of vis > 1990 mm^2s the NPSH theoretical is NPSH th=13,4 m Therefore an inlet pressure of at least P inlet 0,5 bar is required.
AEB1E100-IE/011P01 X 113P P5846	119 ALLWEILER PROGRESSING CAVITY PUMP AEB1E100-IE/011P01 X 113P P5846 Pre-delivery: 0005019328 / 2005 consisting of: Pump, Motor
NIT40-160/22/139U5A-W-28/250	Pred 5046387/2005 pump with Bare shaft end
NIT40-160/22//148U5A-W4-38/300	pump with Bare Shaft end Predel 546391/2005
Sealing Material (Service Kit)	For screw pump Type: SNH-280-R54-D6-W1
Volute Casing Bg 200-250 Nim W3-V5	Art nr. 42946 Pre-delivery: 0004508628/2001 to the pump: K_Pumpe NIM200-250 / 03 U3.1D-S-V5-W84 AGG. NIM 200-250 / 03 U3.1D-W84 IEC 200M no. L.08628 84139100 DE Net weight: 172,500 KG

Relief Valve Ng38 Ds 38 E Gg (3-18bar)	
Aeb1e 50 Eksantrik	TAG No 61-3-001; Nr 11061752
Relief Valve Ng56 Ds 56 E Gg (5-10bar)	
Trf 1700 R46 E18.5- V16-W203	SERİ NR:11048058 Für die oben angegebene Model Nr. benötigen wir folgende Ersatzteile: POZ: 509 A+C+D+E und POZ: 511+511 A
Anh-280-R54-D6-W1	SEALING MATERIAL (SERVICE KIT) FOR SCREW PUMP
Aeb 1 E 0050-Ie/011g0k 142y Y 5fv	Net weight: 20,000 KG paint RAL 5017 84136080 DE
Snfba80 Er36u12.1-W7	Self-priming screw pump 84136070 DE Customer item number 23501984 Pre-delivery: 0007009577/2007 Pump with free shaft end
Aeb1e50-Ie/011g0k 142y Y	Allweiler progressing cavity pump consisting of: pump, base plate, motor