

Almatec

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Almatec Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Almatec T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
E40EEE-W-F3	ALMATEC compressed air diaphragm pump, E series, Type E 40 E E E - W - F3 Housing parts PE, special equipment according to Pump code Materials and connection dimensions Housing parts in contact with the product: Solid PE Diaphragms, valve balls, housing O-rings: EPDM Suction and discharge ports: 1 1/2 "NPT inner thread Flange size: DN 40 / PN 10 (ANSI) Air inlet: R 1/2 internal thread . Further technical data according to the brochure Operating pressure: max. 7 bar The characteristic refers to water (20 ° C). at higher viscosity, the flow rate is reduced. Optional equipment included: Flange connections (code F 3) Flange pattern drilled according to DIN 2501 DN 40 / PN 10, for suction and pressure ports for the size E 40. The connections are without additional Extensions directly into the central housing integrated. Thread inserts in 1.4305. With inserted O-ring in EPDM.
24000184	PERSWING P air control system, cpl., PETP
CXM 20 FES	Almatec
E25ETS-C2	

WT WCM1/750	Revers Ozmoz
34003172	EPDM Diaphragm
E 15	
Almatec E 25 TTT	
F4 flange connection PN10 with PTFE seals	
Repair kit SE25TT	
14002285	
21500184	
E15-Ete-F4	
E25 Ttt F4;Et25 Tft	
E15ttt	
94254072	
12503272	
91222122	
11524434	
E10-Ttt	
14024451	
E15ttz	PUMP
E25ett-F4	
14024434	
Ah40eee	KIT
55021624	
Cx 20 Ets - Atex	
E25etz	PUMP
12504164	
14004164	
12503167	
582 127	
93653972	
24003022	

Ah25ett	
E10ttt	
E40 Ett	
Sfut50t	REBUILD KIT
Futur50t	PUMP
E25ett	
E25-Ttt-W 1" Ptfе	
14003272	
Ad 32 Stt-E-C2-R	
A15eee	
96254372	
Ad32stt-E-R-C2	
Et40efe	
Ahd25ett	
95454272	
22503022	
12503260	
A40ttt-F4	
Artikelnr.: E25eee-F3	ALMATEC compressed air diaphragm pump, E series, type E 25 E E E - F3 Housing parts PE, special equipment according to pump code Goods tariff number: 84135069 Materials and connection dimensions Product contact housing parts: Solid PE Membranes: EPDM Valve balls: EPDM Housing O-rings: EPDM Suction and discharge nozzle: 1 "NPT female thread Flange size: DN 25 / PN 10 Air intake: R 1/4 internal thread Further technical data according to the brochure Operating pressure: max. 7 bar The characteristic relates to water (20 ° C). At higher viscosity, the flow decreases. Included special equipment: Flange connections (code F 3) Flange pattern drilled to DIN 2501 DN 25 / PN 10, for suction and discharge nozzles in size E 25. The connections are without additional extensions directly into the central housing integrated. Threaded inserts in 1.4305. With inserted O-ring in EPDM.
Cx-20-Ets	
Ad32stt-E-C2-R	
14003172	
91622222	

[E08ttt](#)

[12503172](#)

[24000184](#)

[Et25eft](#)

[E40ett-F4](#)