

Armstrong



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Armstrong** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Armstrong T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
11AV1523	11-AV R1 / 2 "-1/2" valve-5/64 " ARMSTRONG stainless steel air vent with tapered female thread BSPT Entry / exit: 1/2 "2-flat sw-26 (wrench size) Materials: - Housing and cover: stainless steel 304L - Valve & seat: stainless steel 17-4PH - Lever system: stainless steel 303/304 - Float: 304 stainless steel max.permmissible differential pressure = 28 bar PMO: 34 bar @ 38 ° C / 30 bar @ 260 ° C
11-AV model Air Vent, SG 0.75, 400psi/28bar	
100-AICF-8 V VB DN50/PN40 (70001)	
1010	
1111	
11LD	
11LD2001	
13-AV R-1" 13AV2509	
1811	
1811 NPT-1/2"	
1811 NPT-3/4"	
1811, 1 "	

1822
1822 NPT-1"
20300000
2033P-50 STEAMIX PREMIUM
203-937-85
212
212 3/4"
26-022D
3/4" INVERTED BUCKET KONDENSTOP (WELDED),
314 R-1 1/4" RV-Ventil-7/32"
314-F-RV DN25/PN100 Ventil-7/32"
314-F-RV DN32/PN100 Ventil-7/32"
416-FW 1.1/2"
570200-215
70001 1822 NPT-1" VENTIL-
70-793
800 NPT-3/4" Ventil-7/64"
881 3/4"
881 NPT-1/2"
881 NPT-3/4"
882 R-3/4"
882-F DN15/PN40
95113
983
983+CV
AICF4HC5
AICF6H01
AICF8H01
ARMC5318-25
Armstrong Model 815 - 1-1/2" 130 psi
C117069
D13965
FAS4050
IK-70 (1000)
MODEL:55L-60 10X8X11MF S/N:745296

MTB102	
SS18H11	
T3140106	
T3150104	
T33AV109 33-AV-MECHANISMUS FUR ARMSTRONG-ENTLUFTER 33-AV OHNE SCHWIMMER	
T33AV200	
T4210102	
U-1010 sw-1/2"	
VRT2520	
HSC 6x5x12MF	Product class: Custom Booster Custom request: Pump model: HSC 6x5x12MF Pump rated flow: 1000 usgpm Pump rated head: 115 psi Rated speed: 2800 rpm Fire pump listing/approval: FM Pump flange rating: ANSI 125lb Suction/125lb Discharge Impeller diameter: 10.69 in Close valve pressure: 132.7 psi Maximum suction pressure: 1 psi Maximum working pressure: 133.7 psi Existing Fire Pump Information: Pump manufacturer: Armstrong Pump model: 6x5x12MF Pump serial number: 671434 Existing Listed Fire Pump Controller: Controller manufacturer: customer Controller serial number: 001 Existing Driver Information: Diesel engine manufacturer: customer Diesel engine serial number: 001 Diesel engine rated hp: 145 hp Diesel engine rated speed: 2800 rpm Options: Testing: Non-Witnessed Certified Fire Pump Performance Test Pump Suction Orientation: Right Shaft and Sleeve: Standard Export Crating: Yes
PN16 DN15 FLOAT TRAILSTOP	YP M 000 000 00865
GD300202	GD-30 R-3/4" 0.5-4 bar ARMSTRONG pressure reducing valve for steam, air and non-corrosive gases with tapered socket thread BSPT with blue pen Materials: - Housing: Cast bronze ASTM B584 - Valve & Seat: AISI 440/304 stainless steel - Bellows: phosphor bronze
MANOMETER 63MM DIA 0-10BAR IP41 1/4IN CONNECTOR	
8975002-375K	
11LD1524	11-LD NPT1/2"-1/2" valve-#38 ARMSTRONG stainless steel dehydrator with free-swinging, guided lever with tapered socket thread NPT Entry/exit: 1/2" 2-flat sw-26 (wrench size) Materials: - Body and lid: 304L stainless steel - Valve & Seat: Stainless steel 17-4PH - Lever system: stainless steel - Float: stainless steel Max. permissible differential pressure: 18 bar PMO: 35 bar @ 38°C / 30 bar @ 260°C
6-AV R-2"	ARMSTRONG cast air vent 95113 with tapered socket thread BSPT Materials: - Housing and cover: Gray cast iron ASTM A48 30 - Valve & seat: stainless steel - Lever system & float: stainless steel - Seal: asbestos-free - Screws: SAE 2 - Nuts: ASTM A563 A max. permissible differential pressure: *** PMO: 17 bar @ 232°C
08812096	881 NPT-3/4" Valve-#38 ARMSTRONG inflatable steam trap for horizontal installation with integrated dirt trap with tapered socket thread NPT Materials: - Housing: Gray cast iron ASTM A48 30 - Internal parts: 304 stainless steel - Valve + seat: stainless steel 17-4PH - Lid plug: carbon steel - Mud flap: stainless steel max. permissible differential pressure: 17 bar PMO: 17 bar @ 232°C
8975000-98201K - seal kit ES 6" 1.250 2A c	Ssc316e Tag; seal kit ES 6" 1.250 2A c-Ssc316epDL
GP202514	GP-2000 main valve 1.1/2" KS-2514 for ARMSTRONG pressure reducing

	valve consisting of: - main valve, seat, spring - strainer - seal
GP202522	Additionally required: GP-2000 seal kit 1.1/4" or 1.1/2" for ARMSTRONG pressure reducing valve KS2522
95113	215 NPT-1.1/2" valve-1/4" ARMSTRONG inverted bucket steam trap for vertical installation flow from bottom to top with tapered socket thread NPT Materials: - Housing: gray cast iron ASTM A48 Class 30 - Internal parts: stainless steel 304 - Valve + seat: stainless steel 17-4PH - Cover plug: carbon steel max. permissible differential pressure: 17 bar PMO: 17 bar @ 232°C
1811 NPT-3/4" Valve-	ARMSTRONG inverted bucket steam trap for horizontal installation with tapered socket thread NPT Materials: - Housing: stainless steel ASTM A240 304L - Internal parts: stainless steel 304 - Valve + seat: stainless steel 17-4PH Max. permissible differential pressure: *** bar PMO: 28 bar @ 427°C
01AVCW21	1-AVCW NPT3/4"-1/2"-1/2" valve-1/8" ARMSTRONG plastic vent for OZONE Inlet: NPT 3/4" Side inlet: NPT 1/2" Outlet: NPT 1/2" Materials: - Cover and connector: polycarbonate - Housing: polycarbonate - O-rings: Aflas - Float, valve lever and screws: stainless steel T316 - Valve and seat: stainless steel T316 - Connector: polycarbonate - Retaining ring: galvanized steel Max. design pressure: 10 bar at 66°C Max. permissible operating pressure: 10 bar Density range: 0.8 to 1.0 kg/l
Armstrong 64-031 1/4quot; Drive Micrometer Adjustable Torque Wrench Ratchet Head, 5-50 In/Lb	
182212-645	
974508-100	
6005676	
A9617	
570109-490	
180200-659	
175a6	
939018-101	
B5048-3-18kw-480v	
R40622-002	
182212-617	
R44999-001	
33ldfloat	
R76769200	
N-8090-5.2in	
18112096 (1811 Npt-3/4quot;)	
64302	
1811 Npt-3/4" Ventil-7/64"	ARMSTRONG bell condensate drain for horizontal installation with tapered socket thread NPT materials: - Case: Stainless steel ASTM A240 304L - Internal parts: 304 stainless steel - Valve + seat: stainless steel 17-4PH with cleaning wire Max. permissible differential pressure: 14 bar PMO: 28 bar @ 427 ° C
1ld12182	

1-Av-1/2
826768-071
Gd-30-1-7/80
R07913b010
Pt408f00
S-25ab/Bi
D16915
B2311c-2
R46259-001
Sc-3464085
110123-010
927213-100
Alpkt574-3
974900-005
182202-657
Eu1p24an-1
A17821
874058-045
R46105-027
C3522-815
806026-001
Z358-20
110123-002
816565-000
A-77342
125ai2m
R45606-101
R76713600
Tavb2000
R76700502
182212-630
571110-355
R47811-104
816304-017
814f2505

R45037-001
R40154b-025
R38863c005
Angkt555-1
182212-675
R47267-008
806168-001
190120-003
110123-008
111d0026
570200-377
R76761500
A9861
R46257-001
971101-684
214, 1 1/4quot;
Fh2089
B1161a
174037lf-143
R37987d001
B1671-1
R01150a007
971101-915
983 Condensate Trap Dn25 Pn40rf Cv Seat 1/4" P. 1.67
975002-001
R47811-108
116536-137
S69-AB3 1HP 3PH ALL BRONZE
R47430-002
911125-414
R38071d220
6852-20
800-3/4-80
703
427159-041
A22181-1

6231299	
Ahsa20a-1a	
816653-000	
983 Condensate Trap Dn25 Pn40 Seat 5/64"	
R47658-007	
Aehbcc07csa-1	
B4480	
T9810200	
D39512	
426771-000	BEARING FRAME ASSEMBLY
R47484-002	
923104-434	
R06428d382	
811	
R45695-005	
Alpkt516-4	
A22450	
426283-041	
816368-000	
105188-011	
110116-305	H-54-3LV PMPL/VOLUTE 3/4HP 3PH
211-1/2-15	
1822-1-250	
R46132-032	
800-3/4	
813-1-80	
R42446-001	
871101-384	
Acv-6-Bo	
B3875	
806074-141	
570218-010	
574114-923	
810120-244	
15b5-Cap-Assy	

R45831-007 81134250	
819299-000	
R45606-001	
R38867b005	
A22020-1	
570095-001	TEST KIT 2 DIALS 0/60 0/135
974515-400	
A18633	
R46105-026	
426990-011	STUFF BOX ADAPTER
D8089	
Ob-2000c131201	
R46105-024	
39840b002	
94w10	
Ca1sc050	
13-Av R-1quot; 13av2509	
975000-980	
125ai4	
B5630	
R42725-006	
Obc77158165	
R76700379	
116975-000	
D59025	
R45592-002	
R40424-001	
106285-133	
08155052	
A10833	
961131-227	
871101-684	
880	
R76793700	
2011-200	

C2043a-1	
Astro-30	
D8561	
R46930-001	
116479-136	H64-3BF 3/4HP 3PH CI BD/BRN IM
1.831021	
426139-001	
R37988d001	
691301-002	
15-B4	
Cap-Assly-15b6	
B3687	
106285-137	S57-AB3 3/4HP 3PH BRNZ BDY/NFI
T8110103 Ex.(881/811)	
Conn-Is2-3/4	
570095-003	CBV BALANCEVLVMETER CBDM-200
116515-136	H67-3BF 1HP 3PH CI BDY/BRN IMP
806617-000	BEARING ASSEMBLY
425869-202	
Ttf112	
R45695-010	
R07579b000	
Gp-2000-1.5-3/21	
410133-200	
4001310-083	
R06428d191	
Mech-15b4	
2033p-50 Steamix Premium	
H200-60-12-10	
Conn-Is2-1/2	
8811230	
426401-006	
180230-011	
182212-629	
939008-212	
1010-1/2inch-Bspt	

D33410	
R38983b001	
182212-661	
R47659-052	
6020382	
T9830200	
A21348-1	
800pc-3/4-125	
182212-635	
11ld34264	
B1669-3	
216654-301	
40-132	
214114150	
815112130	INVERTEDBUCKETTRAP SETAT 130
Gd30150140	
2-Ld-1/2-150	
30b5vb	
Ob300002	
811757-001	
A27	
125a3vb	
180200-654	E16 ALL BRONZE CIRCULATOR
150110	
819359-022	
D502698	
816023-001	
574114	
C3484-14	
Ivs102p7k5t4e66h2	
1011-1/2-125	
570198-006	
R37373b001	
11072-014	
106076-000	

A-78371	
39-762	
A1f18125	
77w08	
R76706200	
R40049b005	
70001 100-Aicf-8 V Vb	
Gd-45-1-7/80	
216-7/16	
R03439b002	
30a8	
425519-000	
R39062b001	
116480-137	
R39232d028	
R39271b001	
R03585d009	
44040	
R100196-03	
Mech-15b5	
800-3/4-150	
911121-412	
B2511-1	
961111-131	
R65047800	
Mech-30b6	
182212-626	
426151-011	VOLUTE
9006897005	
R603306-02	
06428d379	
R46934-004	
131x6417	
116443-136	
427154-041	
A17827	

1ldc
R06409b-000
69623
815-2-225
R100305-01
6232161
6237789
A23517
B2717
R40403-003
310-1/2-250
426401-004
812t34125
11ld.1/8
Ob30c104212
21-718
570200-478
Ob-2000c176260
426401-005
182212-627
B1564
Tvs811-3/4-250
R38977b001
831012-083
174033-113
816304-057
815-1-30
272005-302
816706-021
971101-364
426772-000
GREASEABLE BEARING ASSEMBLY
804301-141
D33178
174031-143
6005693

810119mf-003	
A5780	
207936-300	
R20542001	
570218-002	
Aeah15ca-1	
425869-002	
18222057	
971101-926	
D8025	
Am-92	
Fh-1556	
400205	
3av-1-21	
A-78370	
R99192702	
971101-922	
30ai2	
D32600	
1811, 1 ?	
2010200r60	
R47865-001	
Gd45150140	
R36447b001	
Gd2422575	
88212125	
975000-912	
R45695-009	
B5399	
A6942a	DUCT MOUNT HUMIDISTAT 25-65%RH
975000-803	
C3470	
R44478-001	
881-1-15	
R76700324	
571110-343	

571109-345	
B5044-3-15kw-480v	
D10876	
A8921	
4s4006401	
Ham-92	
D32597	
R40638-001	
B7131	
570201-006	
811t3415	
70001	
Ds-1-2	
4002325-083	7.5HP,1800RPM,460V,3PH,213JP
R08274b000	
R76727900	
C2078	
R43127-001	
110108-717	
R36327b006	
816707-003	
B4028-2	
1812-1-125	
R39008c002	
R46028-002	
A9766	
R43203-002	
Av-11	
180210-605	
110223-327	
961180-262	
D33416	
816009-841	
182212-662	
874112-000	
D2902	

Aicf4hc5	
182212-624	
880-1/2-125	
Mehrwegzylinderbefeuchter Typ: Ehu 602mit Elektroden	
01avcw21	
881-1/2-125-Cv	
826760-001	
Rs41117-007	
217111-300	
C3484-5	
816-2-60	
R76700670	
R45608-001	
4001422-083	
B1sw-1	
B2004c	
18222003	
Ast-210	
Fh2414	
110123-308	
871158-001	
30l8vb	
810120-202	
R101430-01	
10132504	
110108-397	
180210-654	E24B 120V BRONZE CIRCULATOR
961111-125	
3-Ld-1-16	
807436-000	
150csl3	3/4NPT CARBONSTEELFT 150#
R46132-003	
110123-014	
3-Ld-1-250	

871101-683	
116436-133	
881t-3/4-15	
9975000-997	
Alpkt389-2	
1010-1/2-150	
R28947a002	
R100121-05	
R47267-004	
182202-644	
R40406-007	
A8567-10	
426751-011	
142-54052	
810150-145	
R46906-002	
570216-000	
D958164-120	
08811594 881	
D506503	
116117-000	
R06930c003	
816303-317	
827440-002	
813-3/4-180	
570200-378	
432335-064	
08802005 880 R-3/4quot; Ventil-Ä38	
571110-345	
R44777-003	
A21959-1	
180200-656	
15j8	2 15-PSI F T TRAP
181134125drain	
Wse-410-2-3	
110116-304	H-54LV PMPL/VOLUTE3/4HP115/230

570109-333	
816011-241	
516860-030	
110223-242	
R41354-001	
R46105-004	
410133-111	
182202-001	
313sw1\\"vs5/32\"	
D47674	
R06429d295	
31234225	
A-78367	
Gp2000-1/2-15/200	
14800080blk	
116440-133	
965001-190	
571109-354	
02111505	
Ao1450	
B1673-2	
800bvsu	
214-3/8	
426773-000	BEARING ASSEMBLY
427129-041	
214-11/4-15	
Gp210251	
Ahsa05a-1	
21511415	1 1/4 15# INVERTED BUKT TRAP
571109-344	
6229826	
811kit	
R40096b-001	
D12975	
125a3m	
516807-003	

816304-027	
A-78373	
H4txv01-1	
215-11/2-30	
1822 Condensate Drain With Tilted Float Dn25 Dc 3/16	
R32134d003	
R99193002	
816011-111	
961180-384	
182212-652	
174031-013	
R37520b012	
125a4vb	
B5438-2-48kw-480v	
570109-386	
691302-002	
927211-100	
691301-001	
K2384	
110124-201	
D32602	
R47267-007	
883-1-30	
D515601	
110123-007	
Gd-30s-1-7/80	
Cc-12	
911900-119	
Ahsa20a-1	
3/4quot; Inverted Bucket Kondenstop (Welded).	
805188-111	
410133-203	
426485-001	
Gp2000m112	1 1/2NPT MAIN VALVE BODY
40154b006	

882-F Dn15/Pn16	
R33328c014	
Cd33075	
182202-667	
426761-001	
816304-337	
R76733600	
R45831009	
835085-001	
316orificekit	
R46252-003	
Gp20001321	1 MAIN VALVE W/PILOT 3/21
881-1-125-Cv	
106285-132	S57-BF1 3/4HP 1PH CI BODY/NFI
572004-001	
R40654-003	
R06011b015	
R76700667	
406604-000	
880-1/2-150	
R42451-002	
2011-200pc	
174033-043	S35B 1/6HP BRNZ BDY/NFI 115V
Ts-2-1/2-25-Str	
R39597b001	
811-1-125	
42495-001	
116432lf-133	
Fe01a522548	
R35043b001	
75j8hc	
B215	
883-1-125	
927114-100	
Ob202531	

21611215	216 BUCKET TRAP 1 1/2 AT 15#
426993-041	
D4416	
R100324-02	
800-1/2-40	
816397-011	
250ls10	2 1/2 F T TRAP 250# STEEL
923104-440	
570109-478	
R47804-001	
Ao1280	
Gp202531	
R46132-031	
20511601	
116464-133	
R38937b001	
516897-000	
11125035	
R45690-101	
426750-015	
B7048	
570236-041	
214-1-125	
816647-041	
21-Ar-3/4-92	
Eu1p60dn	
Auto Picle 230v,With Tips	
102234200	
R06428d403	
816302-319	
Pt-516	
116439-132	
516914-001	
R100684-01	
11ld0025	
883114125	

800pc3480	
R40049b056	
Fh2026	RETROFIT CAP ASSLY F/SARCO PPF
427130-041	
Mehrwegzylinderbefeuchter Typ: Ehu 600mit Elektroden	
800-3/4-30	
R37570b013	
Lr37479	
116904-001	
Ob-2000p	
216-2-40	
D24529	
A8608	
4600-10x8x14l-125 Hp	
Fh-1691	
1811 Npt-3/4" Ventil-5/32"	for horizontal installation with tapered socket thread NPT materials: - Case: Stainless steel ASTM A240 304L - Internal parts: 304 stainless steel - Valve + seat: stainless steel 17-4PH with cleaning wire Max. permissible differential pressure: 5 bar PMO: 28 bar @ 427 ° C Customs tariff number: 8481 8099 Country of origin: Belgium Weight: approx. 0.9 kg / pc.
R20558402	
427157-041	IMPELLER
T9830105	
B2425	
R76796400	
A22284-1	
816032mf-000	
182212-646	
110116-302	H-53LV PMPL/VOLTUE1/2HP115/230
Rs38299d002	
Cd3312	
182202-648	
R41706-005	
R45697-001	
D24392	
R37670d003	

9975000-993	
13av2509	
15-700	
38758	
T9810107	
180210-676	E33B 3 120V BRNZCIRC
15-B6	
81511270	INVERTED BUCKET TRAP 1.5 70#
R101523-01	
923110-031	
6002509	
08811594	
R45694-008	
D501972	
3018	
A22274	
R76728200	
R100684-08	
R06428d434	
571110-344	
R43271-003	
A21975	
Av-13	
51911	
Aehbcc05csa-1	
A22412	
(70001) 1811 Npt-1/2quot; Ventil-*****Quot;	
D296	
R38867b006	
B2311c-1	
180210-842	
182212-620	
426771-071	INBOARD OUTBOARD BEARING ASS
882-F Dn20/Pn16	
B4481	
R40154b-015	

212 1/2quot;	
R37214d003	
C3484-4	
R44987-001	
871101-703	
182212-651	
R47464-001	
215 1 1/2quot;	
410040	
1013r1\" V53/16\"	
R44994-002	
100110	
Gd241780	
D60518	
312sw3/4\"vs3/16\"	
110116-204	
314sw11/4\"vs1/4\"	
Aicf6h01	
6005735	
110123-006	
11av	
88112125	
A-78365	
R47465-001	
R46934-001	
116535-136	S69-BF3 1HP 3PH CI BODY/BRN IM
574116-935	
D8113	
116536lf-137	
Rs42549-001	
Gp2000m-300-150	
D1550-11/16	
216-2-25	2 216 BUCKET TRAP 25#
816305-028	
R07953b000	
110123-009	

180200-651	
R37520b-014	
110123-005	
Cd6112	
Wt-1	
182202-662	
431528-083	
R48258-002	
806137-001	
250jd8	
Gp-2000-1.5-15/200	
180221-011	
106284-132	S55-BF1 1/2HP 1PH CI BODY/NFI
Gd30112760	1 1/2PRV, BRNZ W/NBR RGE 7/60
6005691	
810120-000	
816011-211	
R07489b006	
570203-006	
116504-137	
215112225	1 1/2 225# INVERTED BKT TRAP
R37883b001	
427734-000	
116451-132	H54-1BF 3/4HP 1PH CI BDY/NFI
816308-012	
106284lf-133	
606159-011	
C4427-2	
Gd6n121560	
Sf-15	
971101-703	
F4sc-2	
213fdn25pn16vs5/16"	
R39842d001	
106284-136	S55-BF3 1/2HP 3PH CI BODY/NFI
1013-250	

R45694-005	
182212-658	
R40923-014	
215t11460	1 1/4 60# BUCKET TRAP T-BUCKT
D4417	
Am-81-M-1	STEAM HUMIDIFIER 1/4IN 20PSI
R02708c024	
815-11/4-30	
427153-041	BRONZE IMPELLER
812lv34125	
D7742	CONTROL VALVE FOR 415 FLO-RITE
A22234	
600/3000	
9975001-817	
Cbv050vscr	
D8102	
Rs38775b-001	
L2b-1050bf	
816999-071	
R44431-001	
571109-351	
425742-003	
Cd-42	
R45831-001	
516891-231	
A6302a	
C5297-46	
R01207b001	
R39228b001	
D52200	
R46105-009	
32559	
125a4	
1811 Npt-3/4quot; Ventil-5/64quot;	
Ob31100	

812-1/2-30	
D262	
Gp-2000-2-3/21	
R45329-001	
811-1-30	
21334125	
182212-655	
426147-011	CASING 4X3X11.5, 125#
C4882	
R76700496	
174035-143	H41AB 1 1/6HP BRNZ BDY/NFI
516860-019	
Rs40828-001	
961131-267	
810150-131	
310075400sw	
182202-647	
660/3000	
913522-100	
516860-025	
816400-000	
D24659	
11-Ld	
426485-002	
R99192903	
18112504	
814-1-30	
106285-136	S57-BF3 3/4HP 3PH CI BODY/NFI
R46132-004	
R41755-001	
R42880-002	
961131-327	
R100997-02	
182202-663	
426760-001	
88311430	

6ld-1-1/16	
250ls8	2CASTSTEEL TRAP
975000-928	
426775-000	
R45694-009	
R100254-11	
50k10	2 1/2 50-PSI F T TRAP
Mech-125a6	
6229869	
Aicf8h01	
4380-150-330	PUMP MOTOR 35L/S 320KPA 3PH 22KW 1470RPM 400-690V
880t34125	
R44777-005	
R46132-005	
125jd8	2 F T TRAP 125#
975000-809	
R04817b001	
B1674-1	
A-78369	
426746-011	
R06428d455	
B5175	MECH LESS FLOAT 250# M-SERIES
Spes100150f	
811f2505	
6005692	
R45694-006	
B1672-7	
182212-610	
A260	
B2311d-2	
02131507	
81411470	INVERTED BUCKET TRAP 1.25 70#
110223-308	
3256a	
975002-334	

R45607-101	
116455-136	H54-3BF 3/4HP 3PH CI BDY/NFI
R20558413	
B2511-3	
Rs8776b001	
D251915-041	
815-11/2-180	
871101-700	
571110-353	
R76747500	
B7116	
R47475-001	
Rd-11u	
935123-054	
R40663-002	
R76700021	
Tn-9015	
Rv4050a	
34-237	
81511215	INVERTED BUCKET TRAP 1.5 15#
21511430	1 1/4 30# INVERTED BKT TRP
174034-043	H32AB 1/6HP 115V BRNZ BDY/NFI
180200-653	
R06930c005	
R40154b003	
9975001-813	
A5824b	ORIFICE 1-7/8 MAX PRESS 250
816305-055	
214-11/4-180	
A-78366	
816012-841	
R06429d294	
R47822-101	
R46132-018	
R41811-001	
R47267-003	

1811sw3/4\"vs3/16\"	
R47546-001	
Gd-30-1-3/15	
R40086b002	
R43518-004	
182202-660	
D33467	
6231125	
215-11/2-130	
D4418	
116432-133	H51-1AB 1/4HP 1PH BRNZ BD/NFI
D501525	
D8175	
570202-007	
D501855	
816302-049	
Mech-30b3	
110140-021	
Ob-2000125	
182212-608	
81134125	
Gd-30s-3/4-7/80	
4001522-083	