


Asco



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Asco Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Asco Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Em70034876	Emerson PILOT OPERATED SOLENOID VALVE-2/2 NC-2-1 ASCO-Catalog: SCG353A051.24/DC 40,500 KG
Em70034748	Emerson PILOT OPERATED SOLENOID VALVE-2/2 NC-1-1 ASCO-Catalog: SCG353A047.24/DC 22,980 KG
Em70034618	Emerson PILOT OPERATED SOLENOID VALVE-2/2 NC-1 ASCO- Catalog: SCG353A044.24/DC 10,560 KG Stat. Waren-Nr.: 84818099 PL
Solenoid "valve + Coil"	ASCO/8551A005 MS + ASCO JOUCOMATIC/SC 8551A005 MS
G353-055	Valve with Diaphragm , DN15 , PN10 ,EPDM ASCO ,pilot control 2/2 pulse valve
WSEM8344.090	
WESM8344.009	
Diaphragm	
54292023	5/2-way valve central component spring return without pilot valve ISO size 2 (replacement for 54290017)
	2/2 angle seat valve, bronze, N.C., externally operated, G3 /

E290B037	4 ", DN20, PTFE, 0-10bar (air, oil, liquids), 0-10bar (steam), - 10 ° C to + 184 ° C, control head Ø63mm, Control connection G1 / 4 ", flow via valve seat Customs tariff number: 84812090 Country of origin: FR Weight: 13.4600 kg / pc
E290B038	2/2 angle seat valve, bronze, N.C., externally operated, G1 ", DN25, PTFE, 0-10bar (air, steam), 0-10bar, Control head Ø63mm, control connection G1 / 8 ", control pressure 2.5-10bar
E290A040	2/2 angle seat valve, bronze, N.C., externally operated, G1½ ", DN40, PTFE, 0-10bar air, 0-10bar steam, Control head Ø63mm, control connection G1 / 4
X290A040.20527	
XE290B037.20527	
XE290B038.20527	
302286 + 302283	
SCG356B002VMS.24DC	3/2 way solenoid valve, G 1/8 "brass NC, DN 1.6, 0-10 bar, 24VDC SCG356B002VMS.24 / DC
I3B-K1-V	REPAIR KIT I34BA-JA-PA / VIT.
400425-117	Magnet (Spule) 230V 50Hz
NFTIS8327B302.24/D	3/2 way solenoid valve, 1/4 "NPT - stainless steel DN 5.7, 0-10 bar, 24 VDC NFTIS8327B302.24 / DC IMPORTANT: Please compare the alternatives offered, regarding the functionality of your application, using the enclosed documentation. The articles are not 1: 1 interchangeable
SCG551A201.AC/DC + 19500036.24/DC	3/2 - 5/2 way valve, NAMUR + 3/2 way solenoid valve, ATEX NC, DN 0.5, 24VDC ATEX product! The operator is obliged to use this product to check the suitability for the corresponding Ex zone!
8222G002LT.240/60.	2/2 Wege-Magnetventil 8222G002LT.240/60.220/50
X29053775100100	
XE290A032.20527	2/2 way solenoid valve, G 1 1/2 "- bronze NO, DN 40
XE290A796.20527	2/2 way solenoid valve, G 3/4 "- stainless steel NO, DN 20
Model No.: 8551A313	Item 1) Body of solenoid valve
SCG551A017MS.48/DC	5/2 way solenoid valve, G 1/4 "aluminum 2-10 bar, electr. pneumatic / spring, 48 VDC
3SV-P231	Pressure,Bar Temperature,°C Operating Design Operating Design 3,5 8 30 80 Open/Close 15 NB NPT (3000#) ASCO-3/2 Way
HT 8320A173-610784	
HT 8345G1-618918	

400425-342	Coil for solenoid valve - Voltage: 24/DC - Power: 19,7W - Size: 30 - Serie: MXX-FF
8320G174.24/DC	
19000006	48 / DC 3/2-way solenoid valve NC, 48VDC, NW 1.6
400137-697	10 W \ 230 V \ 50-60 Hz
G353A046	PILOT OPERATED SOLENOID VALVE-2/2 NC-1-1/2" (DN40)-ORIFICE: 52,0- ALUMINIUM-RESILIENT: CR
SG110A050	1/8" \ 230 V \ 50 Hz
720790	
0A3W	
55102092	DISTRIBUTOR 5/2 1/4 REF. ASCO NUMATICS 55102092
HYDRAMOTOR GAS VALVE AH2D104A	
HYDRAMOTOR GAS VALVE AH2D104S2	
C113684	Replacement kit for ASCO pneumatically operated cleaning valves: - References: G353A048 and G353A049 - Threaded and compression version
C131851	ASCO spare parts set for valve box series 110 Piece weight: 0.0640 kg
MEMBRAN gross G353A047	
MEMBRAN klein G353A047	
Artikelnummer C113827	Description: Spare parts set for G353A047
C117285	Spare parts set for SCE353A831 and SCDUE353A831 ZTN: 84819000
400425-342	ASCO MAGNET FF 24 DC 19.7Watt class F
E290B002	Asco Angle Seat Globe Valve: - Bronze body - PTFE valve packing - PTFE body gasket - Threaded connection - Female-Female in 1/2 " - PN16 - Flow coefficient (Kv): 82 l / min - Allowable differential pressure: min 0 bar / max 16 bar - Operation: 2 ways - Normally closed / - Pneumatic control - Pilot pressure: 2.5 to 10 bar - Control head: 63 mm - Ambient temperature range: (-) 10 ° C to (+) 60 ° C - Fluid operating temperature range: (-) 10 ° C to (+) 184 ° C - With optical position indicator - Anti water hammer
E290A488	PRESSURE OPERATED ASCO VALVE SERIES 290 VALVE 2/2 NC BRONZE ENTRY UNDER DISC G 2"1/2 +65 OPERATOR +125 PILOT PRESSURE 4 BAR Customs code:8481-2090 Weight:9.5 Kg Country:FR
EF8342G003.220/50	ASCO DIRECT OPERATED SOLENOID VALVE-4/2-3/8" (DN10)-ORIFICE: 3/16-BRASS-RESILIENT: PTFE-20,1 W-COIL CLASS:

F901XG04AZ	F WATER SEPARATOR SERIE DELTA G1/2 WITH AUTOMATIC DRAIN Customs code:8481-1005 Weight:1.369 Kg Country:FR
G551C501	Complett
SOCKET AND PLUG FOR G551C501 SOLENOID	
SOLENOID COIL FOR G551C501 SOLENOID	
EXHAUST REDUCER/PROTEC FOR G551C501 SOLENOID	
34900033	PRESSOSTAT MECANIQUE REGLABLE 0.5 A 16 BAR RACCORDEMENT PNEUMATIQUE PAR APPLIQUE CONNECTEUR TAILLE 30 ISO-4400 Customs code:8536-5080 Weight:0.218 Kg Country:PL
G653APJP6GA00HN	The reference 34207090 is obsolete and replaced by G653APJP6GA00HN PARTICULATE FILTER REGULATOR, 653 SERIES, PORT SIZE G1, WITH 25µ FILTER ELEMENT, POLYCARBONATE BOWL WITH PROTECTOR , WITH FLAT GAUGE, SEMI-AUTOMATIC DRAIN, REGULATION ZONE 0,5-10 BAR Customs code:8481-1005 Country:FR
MAXS.004.00012	PRESSURE GAUGE ALONE D=50 .0 TO 12 BAR
P262C202	DIRECT OPERATED SOLENOID VALVE-2/2 NC-1/4" (DN8)-ORIFICE: 5/32-BRASSRESILIENT: NBR
C131851	SPARE PARTS KIT Customs code:8481-9000 Weight:0.06384 Kg Country:PL
WSNFB316E044VCO.24/DC	ASCO solenoid valve - Brass - NBR - 3/2 - NC - 3/4 " NPT - 24 / DC - Without manual control - ATEX
WSNF8327B102.24/DC	Solenoid valve s¼rie 327 - Fonction :3/2 Universal - Flow (Kv):0.45 - Bore Ø /DN (mm):5.7 - Fittingt : 1/4" NPT - For fluids : Air,water,lighr fuel - Pressure : 0 à 10 bar - Sealings : FPM - Command voltage : 24/DC - With ATEX command WSNF - Type of gas protection : II 2G Ex d IIC Gb - Type of dust protection : II 2D Ex t IIIC Db - Electrical protection : IP 66/67 Customs code:8481-8059 Weight:3.543 Kg Country:NL
614357E013110	SentronicPLUS AVENTICS aluminum proportional valve Series 614 - G1 / 4 "- 0- 10 bar - 24 / DC - ATEX Customs code: 8481-2090 Country: DE
G651AR002GA00H0	REGULATOR G1/4 WITH FLAT GAUGE AND REGULATION ZONE 0-10 BAR, NO OPTION
238610-158-D	MAGNET 220/50-240/60
400127-097	400127-097 / (Ersatz für Magnetspule 400125-097)
HIGH VOLTAGE FUSE OUTDOOR MGM	TYPE 292MM IR:2A VR:12KV Kod:ENT12-2
60100047	SENTRONIC PLUS ND. G1/8. DN 3. 0-6 BAR. Customs

	code:8481-2090 Weight:0.687 Kg Country:DE
SCG551A001MS.24/DC	SPOOL VALVE 551 NAMUR 3/2 - 5/2 SPRING RETURN WITH MANUAL OVERRIDE COMPLETE REFERENCE : SC G551A001 MS,24/DC. Customs code:8481-2090 Weight:0.395 Kg Country:PL
SCG551A001MS.AC/DC	SPOOL VALVE 551 NAMUR 3/2 - 5/2 SPRING RETURN WITH MANUAL OVERRIDE WITHOUT COIL REFERENCE : G551A001 MS Y000
DIAPHRAGM SOLENOID VALVE 1" 110V 50HZ	Main Type: SCE353C35 Suggested type 1: SCE353A821 Manufacturer code: 11157 Suggested type 2 : SCG353A044 Manufacturer code: 11178 Suggested type 3 : SCE353A044 Manufacturer code: 11186 Manufacturer : ASCOTEC
NFB327A002	
WSNFETX8327B00.230/50	
SCG353A044.115/50	PILOT OPERATED SOLENOID VALVE-2/2 NC-1" (DN25)-ORIFICE: 27,0-ALUMINIUM -RESILIENT: TPC-ET-6,0 W-COIL CLASS: F-IP65 Customs code:8481-8099 Weight:0.65143 Kg Country:FR
Valve VZWE-E- M22C-M-G1 250-H Festo (1795142)	We need pulse valves that will meet the conditions of atex zone 22 equivalent to festo products.
Coil VACN-H1-A1-1 Festo (8022877)	We need pulse valves that will meet the conditions of atex zone 22 equivalent to festo products.
Socket MSSD-C Festo (34583)	We need pulse valves that will meet the conditions of atex zone 22 equivalent to festo products.
E262K020 + 238213-059	
SCG553A018MS.AC/DC	SPOOL VALVE G 1/2 NON-BREATHING VERSION SERIES 553 BUILT-IN 190 PILOT .5/2 .WITHOUT COIL REFERENCE : SC G553A018 MS Customs code:8481-8059 Weight:0.928 Kg Country:FR
88100143	
E290D1350DA0000	E290B027 no longer available. Is replaced by E290D1350DA0000 ASCO 2/2-way angle seat valve, G3/4, DN20 ZTN: 84812090
1/4", Brass Body, 2 Way, Normally Closed, 125 psi	rated, Air Operated 2/2 Valve, PN:PC262C202 P262C202 ASCO General Purpose Valve ASCO Series P262 General Purpose Valve, 1/4" x 1/4", FPT x FPT, NC, 125 PSI, Brass, Pneumatic Operated, 2-Way, General Purpose Valve with NBR Seat. Manufacturer: ASCO Actuation: Pneumatic Operated Seat Material: NBR Temperature Rating: 200°F (Fluid) Application: General Service, Life Science Body Material: Brass End Connection: Female Threaded x Female Threaded Nominal Size: 1/4 in. x 1/4 in. Pressure Rating: 125 PSI (Air-Inert Gas/Water/Oil) Type: 2-Way
	E290D0210SA0000 (ersetzt E290A792) ASCO 290 SERIES NEXT GEN, CONNECTION TYPE: G/RP (COMBINATION OF ISO

E290D0210SA0000	228-1 & ISO 7-1), PRODUCT SERIES: 2 WAYS, FUNCTION: NORMALLY CLOSED, NOMINAL DIAMETER: 15MM - 1/2", OPERATOR DIA - PILOTING CONNECTION DIA: 32MM PLASTIC - G1/8", PORT TYPE 1-2 + 3RD PO
VANA SELENOİD SS-316L 24V 1/2"	L8210G037E.24/DC CONNECTION TYPE: FEMALE / BRAND: ASCO PICTURES ARE ATTACHED. IT IS REQUESTED AS A SET WITH THE COIL. IT IS REQUESTED AS A SET WITH THE COIL. (24V/DC)
219B6090P001	
219B6090P002	
158A7888P007	
158A7887P010	
pulse valf 1" (CAT NO : SC E353A821) 24 VDC	
S261SG04N3EG5	
PILOT VALVE 6 VALVE GROUP 0-7BAR 230V	NK 1/4" , 230/50 Differential pressure: 0-7 bar Response times: 5-25 ms Fluid Temperature range : -20 to +80 Sealing material : NBR (nitrile) 230 V / 50 H
SOLENOID PULSE VALVE 1 1/2"	Part Description :Pulse Valve,1 1/2",Without Coil 2/2NK , 1 1/2 ,52mm
G531C001MS	
SCG353A047 SELENOID VALF - G1 1/2	
SCE353A821	
SCG551A017MS.AC/DC	SPOOL VALVE G 1/4 NON-BREATHING VERSION SERIES 551 BUILT-IN 189 PILOT 5/2 .WITHOUT COIL REFERENCE : SC G551A017 MS Customs code:8481-8059 Weight:0.297 Kg Country:FR
400425-117	Coil for solenoid valve - Voltage: 230/50 - Power: 10,5W - Size: 30 - Serie: MXX-FT
C113827	Spare parts kit for ASCO uncloggin solenoid valve - P/N: SCG353A047 and SCG353A065 - AC and DC
8210G002 120/60, 110/50 SOLENOID VALVE	
NF8320A202.24/DC	direct operated solenoid valve 3/2 NC - 1/4"(DN8) Stainless steel
SCFBXE210D095.230/50.18109	ASCO PILOT OPERATED SOLENOID VALVE-2/2 NC-3/4" (DN20)-ORIFICE: 19,0-BRASS-RESILIENT: NBR-16,7 W-COIL CLASS: F-IP65-X= FB-COIL & DUAL CYCLE FOR HIGHER RATING
	DIRECT OPERATED SOLENOID VALVE-3/2 UN-1/4" (DN8)-

NF8327B012.24/DC	ORIFICE: 5,7- STAINLESS STEEL-RESILIENT: VMQ-11,2 W - COIL CLASS: HII2GExdbIICGb/ II2DExtbIICDb-T6-IP66/67 Customs code:8481-8059 Weight:2.05686 Kg Country:NL
SCG551A001MS.24/DC	
LPKF8551A303.24/DC	PILOT OPERATED SOLENOID VALVE-3/2 - 5/2-WITHOUT MANUAL OPERATOR- 1/4" (DN8)-NPT (ANSI 1.20.3)-ORIFICE: 6,0-MONOSTABLE-BRASS-RESILIENT: NBR-0,5 W-COIL CLASS: F-II2GEXDBIIB+H2GB/II2DEXTBIIICDB-IP66/67 Customs code:8481-8059 Weight:1.741 Kg Country:FR
DIRECTIONAL CONTROL VALVE 3/2-5/2 NAMUR 1/4"	G551A001 MS
E290A792	Globe valve - Angle Stainless Steel body - PTFE - G1/2" FF - PN16 - 2/2 - 184°C - 4 to 10 bar
SCG551A018MS.24/DC	Spool valve (with gaskets) - 5/2 Bistable - G1/4" - Solenoid Air operated - 24/DC
SCG356B466VMS 24/DC	Solenoid valve 3/2" G1/4
AH2E104A	HYDRAMOTOR VALVE-ALUMINIUM-RESILIENT - LT-NBR-6,3 W-STANDARD ON-OFF - OPENING (26 SECONDS MAX) WATERTIGHT - 240/60 - 220/50
P159A110X1X04CU	!! AH2E104S2 has been replaced by : P159A110X1X04CU - HYDRAMOTOR VALVE-ON/OFF ACTUATOR - SLOW OPENING (18 SEC.) - AUXILIARY SWITCH AND PROOF OF CLOSURE SWITCH
51900001	SOLENOID AIR OPERATED MINI SPOOL VALVE 519 M5 WITH CONNECTOR 5/2 24V DC DIFFERENTIAL RETURN Customs code:8481-2090 Weight:0.089 Kg Country
EF8320G174.24/DC	DIRECT ACTING SOLENOID VALVE-3/2 UN-1/4" (DN8)-ORIFICE: 3/32-BRASSRESILIENT: NBR-11,6 W-COIL CLASS
MODEL 8200,8300&8800	MODEL 8300 SERIES,3-WAY,4-WAY 3/2,24VOLTS,EXPLOSION PROOF WP1S8314 WP1S8314C35 SOLENOID VALVE, MODEL 8314
150 93 02 00300 - S290A800 2/2 PISTON VALVE DN10	(N.C)
614357E013110	Aluminum proportional valve Sentronic PLUS AVENTICS Series 614 - G1/4" - 0-10 bar - 24/DC - ATEX
G551 A017MS ¼ INC 5/2	24VDC
608110110	SENTRONIC D SETPOINT 0-10V FEEDBACK SENS. 0-10V WITHOUT CONNECTOR G1/4 D=4 WITHOUT DISPLAY PRESSURE 0-10 BAR
E909DC32UU7.2	
G353A048V	PILOT OPERATED SOLENOID VALVE - 2/2 NC - 2" (DN50) - ORIFICE: 66,0 - ALUMINIUM - RESILIENT: FPM
C205-221 ZP21005179	

SCG353A047.220/50	Pilot operated solenoid valve 2/2NC-1-1/2"(DN40)
G551A017	
G353A045	PILOT OPERATED SOLENOID VALVE-2/2 NC-1-1/2" (DN40)- ALUMINIUMRESILIENT: TPC-ET
SCG353A047.230/50	ASCO Pilot operated solenoid valve - 353 Serie - With diaphragm - 2/2 - Alu - NBR - G1"1/2 - 230/50 Supplier series 353 Body material Aluminum Sealing NBR Type of connection Threaded Diameter of connection 1"1/2 Full voltage code 230/50 Flow at 6 bar (m ³ / h) 43 Min differential pressure 0.3
L23BA452 BGB1561 1-8 BAR SELENOID VALF	
219-217 A 24VDC PİLOT VALF	
SCE353A831.230/50 ASCO POW PULSE VALF	
SG110A051.24 /DC	Pilot box NC-G1/8" (DN5) ORIFICE 3,6-ALUMINIUM-RESILIENT : NE 22,0W-COIL CLASS F-IP65
833-630762	
I12BA4004026Y61	
I12BB5004026Y61	
I23BB5004026Y61	
I34BB5004026Y61	
SCE210C035.24/DC	
S101003145N24VDC(T-GP103)H3	
SXG110A051.24/DC 22301	
614357D723116	Proportional valve - Aluminum - G1/8"- 4-20mA- 0-16 bar
EF8320G174.24/DC	3/2W-Magnetventil. 24/DC. 1/4 Zoll.
CAT NO. HT8211D4	
CAT.NO. HT8345E11	
CAT.NO. JE2HT8321A5	
CAT.NO. F8340A8	
CAT.NO. EFHT8210C13	
CAT.NO. XJ344A71M0	
NFET8327B102.24/DC	DIRECT OPERATED SOLENOID VALVE-3/2 UN-1/4" (DN8)- ORIFICE: 5,7-STAINLESS STEEL-RESILIENT: FPM-3,6 W

B74G-4GK-QP3-RMN	FILTER REGULATOR EXCELON
E290A793	
SCXG356B001.24/50-60.17777	
SCXG 325B005V 1/8 SELENOİD VALVE	
SCE210C035.230/50	ASCO 2/2W solenoid valve, NO, Rp 3/4", DN 19, 230V/50
608110110	ENTRONIC D SETPOINT 0-10V FEEDBACK SENS. 0-10V WITHOUT CONNECTOR G1/4 D=4 WITHOUT DISPLAY PRESSURE 0-10 BAR
SCG353A47	PULS VALF 1 1/2" 220V. AC
NF6BAN524G00061	
GTG-1/GTG-2, CV,SV	PO-02030-0511 SCG356B014VMS.115/50
02030-05141	02030-05181 PACKAGE -109GT-002B & 109GT-011B SPARE PART LIST MFG.SERIAL NO:100285555, TECH.REQ.NO:P O 02030-05141-05181 TAG NO:109XY-0609 EQUIPMENT TYPE:109K-301C (ZR750), TECH.REQ.NO:P O 02030-0506-Ek, TAG NO:109XY-3311 SOLENOID VALVE 24VDC
K353K212S1A01F1	
43004155 220V AC	
P/N: PC262C202	1/4", Brass Body, 2 Way, Normally Closed, 125 psi pressure rated, Air Operated 2/2 Valve
Solenoid Numatics, MK 10 linear, 12 serisi DSA4410	103-436C 220 V, 50 Hz.)
Solenoid Numatics, MK 40 linear, 33DSA4410A serisi	3/8", , 103-402C 220 V, 50 Hz.)
Mark 8 serisi valf, 082 SS 4 3A O 0 000 40	(spring return, ¼" thread, 220 V, 50 Hz)
Mark 15 serisi valf 153 SS 4 41 O 0 000 40	(fixed, 3/8" thread, 220 V, 50 Hz)
E290B048PDB79 20mm. ¾ SERİ NO: S154126	
E29A064PDB79 40mm. 1" ½ SERİ NO: S145439	
EX8-M21 42mm 800629	
EXV-M60-804665-6M	
D132V23-Z130A G1/2X9 V230/50HZ	SOLENOID VALVE D132 SERIES, 2/2 NC, DIRECT ACTING , G1/2, D= 9MM, FPM SEAL, WITH COIL Z130A V230/5...
E290A792	Body material Stainless Steel Sealing PTFE Type of connection Threaded Female Diameter of connection 1/2" PN

	16 Control pressure 4 to 10 bar Fluid working Temp (-)10°C to (+)184°C Operated NC single-acting air-operated
SC 6353A044	
SXG110A05122301	Asco SXG110A051 TPL 22301 - 5 vannes pilotes 24VDC
SCG551A017MS	
SCG551A017MS.AC/DC	SPOOL VALVE G 1/4 NON-BREATHING VERSION SERIES 551 BUILT-IN 189 PILOT 5/2 .WITHOUT COIL REFERENCE : SC G551A017 MS
VANA EV1 2 SOLENOID VALVE 356 24VDC	
GPV.SCG356A006 SBYZ NO 230VAC	
SOLENOID VALVE BODY (material code 26490026)	
SOLENOID VALVE SPEED ADJUSTMENT (material code 346	(material code 34600109)
SOLENOID VALVE 230V AC COIL	(material code 18900001)
SCE374A016MS.230/50 SELENOİD VALF	
1/4", Brass Body, 2 Way,	Normally Closed, 125 psi pressure rated, Air Operated 2/2 Valve P/N: PC262C202
YA2BA4522G00040	
3/4 - ASCO NUMATICS GENERAL PURPOSE,	HUNG DIAPHRAGM 2/2 NC, 0-10 BAR, BRASS
8227A1NA21A00F1	8227A1NA21A00F1 (227 1/4" 3/2NC AIR 24/DC).
SCG353A051.24/DC	ASCO Pilot operated solenoid valve - 353 Serie - With diaphragm - 2/2 - Alu - NBR - G2"1/2 - 24/DC
SCG353A051 (WITH DIAPHRAGM, TEFLON AND SPRING)	
400904-544	COIL.48/DC.2,5 W.CM22.SC
40B00100P4B0000 4..20MA	
L12BA452B000061 DISTRIBUTEUR	
E908A001	
SCG203B002V.24/DC	PROPORTIONAL SOLENOID VALVE - 2/2 NC - 1/2" (DN15) - ORIFICE: 12,5 - BRASS - RESILIENT: FPM - 11,0 W - IP65
SCG203B002.24/DC	PROPORTIONAL SOLENOID VALVE-2/2 NC-1/2" (DN15)- ORIFICE: 12,5-BRASS-RESILIENT: NBR-11,0 W-COIL CLASS: F-IP65
54191027	Spool valve on subbase - ISO1 - 5/2 Bi - Electro-pneumatic - Electro-pneumatic return - With gaskets

18900001.110/DC	ASCO Solenoid valve Serie 189 - 3/2 - NC - CNOMO Size 30 - 110/DC - With screwdriver operator
SCG353A047.24/DC	Two-stage impulse diaphragm valve, with internal Pilot control, G 1 1/2, DN 52, 24/DC
8320B175	3-WAY SOLENOID VALVE TYPE:8320B175 FOR CONTROL VALVES (GLOBE,BUTTERFLY,BALL,DIAPHRAGM VALVE).
43004471	MAGNET 48V=110V50/60,120/60
G551A002MS	SOLENOID VALVE G551002MS FOR BUTTERFLAY VALVE DN 350
COIL.48/DC.2,5 W.CM22.SC	400904-544
SCG551A001MS.230/50-60	ASCO 3/2-way valve, 1/4", aluminium, Namur, bistable, 10 bar, manual override
G551A001	MS VALVE REPAIR KIT
SCXG327A001.24/50-60.18505	DIRECT OPERATED SOLENOID VALVE - 3/2 UN - ORIFICE: 5,7 - BRASS - RESILIENT: NBR - 12,0 W - COIL CL...
SOLENOID VALVE SERVICE KIT SCXG327A001	
L22BA452BG17G61	NUMATICS 5/2 VENTIL KPL. L2-SERIE 24VDC 1,42W
L22BB652BG17G61	ASCO NUMATICS 5/3 VENTIL KPL. L2-SERIE 24 VDC
833-990983	
833-990983	
SC.B316E034	
MAINTENANCE KIT NUMATICS P01515-KIT	
MAINTENANCE KIT NUMATICS P01515-KIT	
C113444	SPARE PARTS KIT
UG1120283.220/50	Attention, solenoid valve available in 50 and 60Hz !!
UG1120283.220/60	Attention, solenoid valve available in 50 and 60Hz !!
Part Number :C112838	SPARE PARTS KIT
SCE370A0126 230/50	
Direct NAMUR Mount • 1/4" NPT	
SCG353A047	1 1/2" 230 V AC
E290D1350DA0000	2/2-way angle seat valve, G3/4, DN20

NEG551B401MO	
Solenoid valve SCE320B174	
Solenoid valve SCE210C094	
Pneumatic cylinder PES125TA320 R-DM	
Pneumatic cylinder PES125TA300S	
Control valve 5/2 NW6 54191027	
Solenoid valve 19000018	
Solenoid valve 54292027	
Pneumatic cylinder PES160A370 R-DM	
35300049	ASCO DIRECT OPERATED SOLENOID VALVE SERIES SUBBASE FOR POPPET VALVE 3/2 SERIES 261 AND 222 SINGLE WITH SIDE PORTS G 1/4
26190067	SERIES 261 AND 262 POPPET VALVE 3/2 AND 4/2 AIR AND SOLENOID AIR OPERATED 261 VALVE BODY SUBASSEMBLY 3/2 NC SUBBASE MOUNTED G 1/4 REF:DMP 301/O
5218535110	AVENTICS DIAPHRAGM-TYPE CYLINDER RDC-SA-052,5-0040
Part Number :SCG353A047.230/50	PILOT OPERATED SOLENOID VALVE-2/2 NC-1-1/2" (DN40)-ORIFICE: 52,0- ALUMINIUM-RESILIENT: CR-10,5 W-COIL CLASS: F-IP65
MP-C-086	
678A781IQ00A	
Class:ExdIIC T6, PN: NF8327B102	
NF8327B112	
NF8327A608	
SGG353A047.24/DC	Asco Solenoid Valve Successor to SCG353A047
X520513652001F1	
(SCE210D004) 1 ½"	
33904 2	
S353A720	353 Power Pulse, Medium air 0.3-8.5 Bar, Temp -20,+85 °C, Quick Mount connection on inlet & outlet
833-354801025018	
XG353A048V	
" SCG353A051 (WITH DIAPHRAGM, TEFLON AND SPRING)"	repair kit
EF8210G004	

55192120	PILOT ACTUATED SOLENOID VALVE 5/3 1/4 REF. ASCO NUMATICS G551A068S3YZ
ZP21050268	
ZP21050268 repair kit	
0821302705	
B-614357E013110	
833-354700010Z99	XX480152594 ASCO Ventil
SCXB223A103	
catalog no 833-622435-12 V air vacuum bis 2pipe	1/8 orf 2.1
81803-01-03	
WBIS8314A300	
51900090	SELENOİD VALF_5/3_24DC
EFX8320G04123005 3 YO	
WA-V2060002	WA600 1,0 AK
WA-V1015130039	Luftkopf 0,3-1,5 AK
WA-V1015140103	D¼se 1,0 Typ006
WA-V2041030103	Materialnadel 1,0 WA600/610 kpl.
30213130--D.24/DC	MINI SOLENOID VALVE SIZE 15 302 LEADS SERIE 3/2NO D=0,8 0-8B 1W 24/DC WITH SCREW MANUAL OPERATOR DIN PINS ON THE OPPOSITE TO THE PLAN
230VAC,10.5W SOCKET COIL	400425-117
NFB210C088.24/DC	2/2-way solenoid valve 24VDC
EFB210C088.115/50	2/2 way solenoid valve 115/50
HT8321G001.220/60	3/2 NC NPT 1/4 057HT8321G00122060 DIRECT ACTION SOLENOID VALVE REF. ASCO NUMATICS
SCXE353.060	3" repair kit
SCG353A050 C113685-C113686	2" PULSE VALVE repair kit
SC8551A005MS.48/DC	3/2W solenoid valve. 48/DC. monost. NPT1/4 XX480153327
SC8551A005MS.24/DC	3/2W solenoid valve. 24/DC. monost. NPT1/4 XX480153326
X8353A121 24V DC + 22186 SPULE	
SOLENOİD VALF	2/2 NC-ORIFICE: 24.0-DURABLE: TPC-ET- 6.0 W-COIL CLASS: F-IP65 \ ASCO™ SCXG353A043 230/50 03859

AMMS-0-1-2-0	
SCG353.060	"CONTENT= PIN-SPRING-RING-ORING PIN LENGTH:31.55 MM PIN DIAMETER:12.32 MM SCXE353.060 ASCO 3 INCH CORE PURCHASE (ORING-SPRING-RING-PIN)",ASCO
NPB551B418MO	CONTROLS SOLENOID VALVES AND SPARES SOLENOID VALVE, 5/2 W. BISTABLE
WSNF8327B202MO.230/50-60	
G552A017	
PWR,NFX8327B122TPL1855524VDC	
425 series 200kA SCCR 100kA TVSS	4252230YP10AWAJ10
510 series 200kA SCCR 65/130kA surge	510YB06AWAJ2S
420 series 200kA SCCR 50kA surge	420220YP05NWAJ20
54292027	
R432002469	SOLENOID VALVE ISO4 5/2 DS-IL REF. REXROTH NEUMATICA
057RHF204H500	SOLENOID VALVE 2/2 NC PAD FKM-2.0W 5/DC REF. ASCO NUMATICS RHF204H500
SCXE210C094	16BAR, 1/2", 110/50 16,7W Solenoid Valve
DN 50, SOLENOİD VALF	(PETROL/DIESEL)
PSFX8262C002	ASCO DIRECT OPERATED SOLENOID VALVE-2/2 NC-1/8" (DN5)-ORIFICE: 1/8-BRASS-RESILIENT: NBR-1,4 W-COIL CLASS: F-X= OPEN FRAME PANEL MOUNT W/SPECIAL YOKE & COIL, F
SCE210C094.230/50-60	ASCO 2/2W solenoid valve 230V/50-60Hz
SCG353G051	
D13708 G1 ½"x36	
1 1/2" 24VDC	G353K311S1A00F1
1" 24VDC	G353K211S1A00F1
G353A045	single-stage impulse diaphragm valve, for external " Pilot control, G 1 1/2, DN 52.
5811280000	5/2-way valve, series 581
SCG353A047 (220 VOLT)	Spare parts 6,7,8,9,11,12,14 and 15
CONTROL VALVE 52000226	
Sentronicplus B-614357E013110	
VALVE COIL- SCG353A047	

110vac/50hz 10.5watts ip67	Model emxb262b230 TPL 18223 orifice 7.1 pipe 1/4 in
Series 327	
F8327B102	-SELENOID VALVE \ 3/2 WAY \ G 1/4 \ NPT \ 24 V DC \ 3.6 W \ EXPROOF
F8210G002	-SELENOID VALVE \ 2/2 WAY \ NBR \ 24 V DC \ NC \ EXPROOF
F8327B012	SOLENOID VALVE \ 3/2 WAY \ NPT \ 0.25" \ 230 VAC \ EXPROOF
24VAC 3/4" E210D095SCA2	
R481609424	PISTON ROD CYLINDER RPC-DA-032-0160-14-1-2-BAS
JKP8210G88	Valf Seri No: F 280316 Rebuild Kit No: 302328 Air, İ inert Gas (PSI): 150 Water (PSI): 150 LT. Oil (PSI): 125 PIPE: 3/4 WATTS: 17.1
SCXG262C090.220/50.18273	XX480157228 DIRECT OPERATED SOLENOID VALVE-2/2 NC-1/4" (DN8)
8551 G55A409 solenoid valve TYPE 2	
EM70002054	SPULE COIL.24/DC.30,0 W.MXX.EST
Solenoid valve	Solenoid Valve for ballast pump pressure air ejector for potentially explosive atmospheres & stainless steel casing.
8551A409	-SELENOID VALVE \ 3/2-5/2 WAY \ 24 VDC
ULXE257A003	Fluid- Air Min-Max working pressure- 0 - 8.5 bar Body material- Brass Voltage- 24 VDC Power- 16 W Phytinks diameter- 6 mm
SXG110A051	
43004158 ASCO 5 Watt 24VDC	
NFET8327B102.24/DC	DIRECT OPERATED SOLENOID VALVE-3/2 UN-1/4" (DN8)-ORIFICE: 5,7- STAINLESS STEEL-RESILIENT: FPM-3,6 W-COIL CLASS: HII2GExdbIICGb/II2DextbIICDb-T6-IP66/67
HT8321G001.220/60	
SCG551A017MS.110/50-60	SPOOL VALVE 5/2NC,GAZ,ALU,TAPPED SINGLE WITH MANUAL OPERATOR INTEGRATED PILOT WITH COIL AND CONNECTOR NON-BREATHING
C113686	Spare parts kit for ASCO uncloggin solenoid valve - P/N: SCG353A050 and SCG353A051 - DC
SCG353A051.24/DC	PILOT OPERATED SOLENOID VALVE-2/2 NC-2-1/2" (DN65)-ORIFICE: 66,0- ALUMINIUM-RESILIENT: CR-19,7 W-COIL CLASS: F-IP65
LPKF8551A319MO	

[SOLENOID VALF/ 3/2 WAY/ DN 1,6 24
VDC 4,5-6 BAR/ GMV 8466](#)

[8210G Series Solenoid Valf 3/8"](#)

[Sc G 353.50](#)

[8215g20-24vac](#)

[Scg353a043](#)

[Ah2e102s4](#)

[V254785](#)

[Sce210d095](#)

[Wt 8551a001ms 120/60-110/50](#)

[K3a664s](#)

[8353c033](#)

[302-272](#)

[K3a682u](#)

[Pg9a41jtl020](#)

[Ah2e102a4](#)

[8210g02-120v](#)

[Pg9a28jtl024](#)

[Efhcx8308a4013231-125dc](#)

SOLENOID VALVE 125VDC

[8262h002-120vac](#)

[K3a771u](#)

[H0v1b307t171](#)

[K3a651u](#)

[8266d77l-120v](#)

[8210p094-120/240](#)

[K3a782u](#)

[Ah2b104a4](#)

[8210g034](#)

[8215b070](#)

[Hsm2c5-G15](#)

[C23abbvrrjq](#)

K3a774u	
30700001	
302350	
9403-100-49c	TRANSFER SWITCH 100AMP 208/120V 60HZ
Mr1jg59	
S261sg01n3hj7	
8215b060	
V710ncf	
8221g5hw-120vac	
8215b80-120vac	
8210g054	
K3a672u	
400425-201-Z	
8210g2-24vac	
Nfg 551b401 SI 24v Dc	
B60y75	
Ah2d112a4	
8215135-120vac	
S307af15n3bv3	
302-718	
A100ya1d	
K3a551u	
8210b57-120vac	
8210g100-120vac	
Wpb320a202	
K3a661u	
C23abbvrrjgattacco1\"	
8214g010-120vac	
60100204+010539 Obsolete	
V1ae4k01	
Ef8262h232	

8214g20-120vac	
S261sg02n3jk4	
S261sg04n3kk4	
Wpxb307b005u Ms 24vdc	
S262sg04n3eg5	
9cg238c016	
K3a541u	
8223g3-120vac	
C5111b8009	
8215g13-120vac	
302-301	REBUILD KIT 8211 AC
T85a108	
8220g409-120vac	
7atsa3100n5c	AUTOMATIC TRANSFER SWITCH 100AMP 277/480V 3POLE
Valf G553 A018ms ½ Inc 5/2	
8040h6-120vac	
K3a452u	
D40xacghfhc	
H118al122f1	
8210g022 220v Ac	
L221a5520g	
S262sg02n3eg5	
8215g23-120vac	
Ah4e212s4	
S311gf02n9cf5	
Sce370a017vms 110/50	
X1763456-81 X= Tpl 25069	
Sc-G353a044 24/50-60	
60100110	
S211ah02t2dg1	

8215g20-120vac	
8210g73-120vac	
Hov13b167t171	
8215g20	
8266d69v-120vac	
8210b26-208vac	
Sv401a02v9bf7	
Jb8266d169l-120vac	
Scdug353a047	
K3a554u	
H0v1b302t171	
Jkf8221g11-Dc	SOLENOID VALVE SLOW CLOSING 24VDC 2W NC
V710hbsv22	
33300019	
8214g038-120vac	
M14-01xfrlx	
K3r12a4	
43004173 / By 43005655	
B67ah46	
8215g30-24vac	
8210g100-24vac	
8210g15-120vac	
8210g35-120vac	
K10cb227	
0009200302003000	CIRCUIT BREAKER 200AMP 3POLE
8210g30-120vac	
551b401	
Ef8210-103-120	SOLENOID VALVE 1 3/4INCH ORIFICE 120VAC COIL
8210g103-120vac	
Hov13b162t171	

Produktnummer: Sc8551a001ms.24/De	5 / 2-3 / 2-way solenoid valve NAMUR, MS, 1/4 " NPT, 24 VDC
8210g55-120vac	
335508	
Npl8316a54v	SOLENOID VALVE 3WAY 10.5WATT 120/60VAC
V710hbsv15	
8210g004	
H30a2220b20f1	
099257-004d	
V710hbs	
Ah2b114a4	
Ef8215g30-240vac	
8210g95-120vac	
K3a681u	
S261sg02n3gj7	
K3a662u	
H0v1a302t15	
S262sg01n3jk4	
V762lcav16	
D25xfcvhfecq	
S261sg04n3gj7	
Sv311a01n6af5	
S261sg04n3jk4	
Ks211af02n1gj5	
8262h232-120vac	
8221g25hw-120vac	
302-841	
8215a90-120vac	
88143702	
S262sg01n3eg5	
S211gf02n4fg9	
S261sg02n3kk4	

S262sg02n3jk4	
Sv401a02v9cf7	
Ho1a552a15	
302-277	
Ah4e202a4	
8214g013-120vac	
8210g101-120vac	
128-242	
Ah2e202a4	
031sa4250011b	
8266d69l-120vac	
S261sg01n3jk4	
264s1000h03	MANIFOLD 264 3 STATION
S261sg01n3lk4	
H118an132f1	
8210g95-24vac	
R8262c2 , By 8262g002	
H01a552a171	
S303af02v3av1	
C300f02a6	
8221g9-120vac	
S252sa02n3dg5	
302289	REBUILD KIT 8211 AC
K3a454u	
8210g74-120vac	
K3a671u	
Wsemxb210c087	
K10ab173	
S261sg01n3fj5	
8342g1-120vac	

10700013-024ca	
30900003	
C113686	
8215a40-120vac	
K3a542u	
Tq10a11	
8215g020	
K3a544u	
C23-600/1200bvrrjg	
B57ra68e	
8210g094	
Pg1a01tI020	
V710lsv15	
H118bj122f1	
S262sg02n3fj5	
Scg551a005ms	
S271af02n5fg9	
S261sg04n3eg5	
8210g34-120vac	
S211gh02t2dg1	
302302	REBUILD KIT 8211 AC
0708-030004	
7atsa3150c1c	TRANSFER SWITCH 150AMP 208/120V 60HZ
8210g14-120vac	
Sa11d	
K3a532u	
Pcn32a50-43700641	
H117aj112f1	
Ah8b112a4	
K3a684u	
S261sg02n3cg5	

Nf8327b232	
400127-142 24vdc 6,9w	
Fv-113-686	
V710lbs	
K10cb155	
8215b80-24vac	
1/2 Wpg553a465 115/50	
H117ak112f1	
8210103-120vac	
Scg356b053vms - 24vdc	
8215b70-120vac	
Ah2e202s4	
Ef8210g36-120vac	
S262sg02n3dg5	
Va-51c Ndt1-12131	
Sa12d	PRES SW IND ADJ DB
8210g22-120vac	
8210b059-120vac	
Jkf8215g033	
34393103	
Am-4324	
Ah2e112s4	
8221g003	
S261sg02n3fj5	
8215g030	
Ef8215b060	
8222g064-120vac	
V762lca	
K3a562u	
K3a784u	

8221g5-120vac	
8344-A075-M0-120	SOLENOID VALVE 3/4INCH 120VAC COIL 4PORTS
Scg551a017ms	5/2 way solenoid valve G1 / 4 " - 110V / 50Hz Product number: SCG551A017MS.110 / 50-60
S262sg01n3fj5	
524341 -002re	
8215b50-120vac	
Ef8210g9-120vac	
Ak0cl00002nstd	
Ah2e112s	
V710ncfv15	
Hov13a167t171	
8210g54-120vac	
833-354201003694	
F901d-04g	
158-959	
L206380-7rvu-120	SOLENOID VALVE 120V 60HZ
Va-51c Ndt1-12121	
V710gas	
8320a185 120dc	
?14-01g 0d5	
8221-G013-120	SOLENOID VALVE 2WAY 8.1W 150PSI 120VAC COIL
K3a434u	
Wpxb344-082 Mo 24vdc	
Wsg551 A322	
V762jcav16	
Ah2e112a4	
Sce210c006	
Ks301af02t2ad3	
8345g1-120vac	
S262sg02n3cg5	

8210g2-120vac	
H25sfcvhfec	
8210g88-120vac	
8210g008 120/60 110/50	
S109718d	
8221g7-120vac	
302-280	
S107825a	
8215g10-120vac	
Sc8210g2-120vac	
H0v13a162t15	
83775-120vac	
?113825	
G551a017ms 115vac-48dc	
Wptb262b212n 110/50	
Npl8320a-120	SOLENOID VALVE 120V
43005655	
8215g30-120vac	
8210g4-120vac	
222-184-1d	
D25xfcvhfec	
S303af02v2ac5	
8030g83-120vac	
H0v1a307t171	
Jb821483csa	
H10a620b5f1	
G551a201gd	
K3a441u	
Pg9a42jt1020	
Scg353a047 220v 50hz	
8210g009	

K3a464u	
K3a564u	
21200187	
S262sg01n3hj7	
K3a442u	
8211c35-120vac	
Ks261sf02n3gj7	
609262311	
Tm10a42br	TRANSDUCER PRESSURE 75-1500PSI RANGE
435932-6f	CONTROLLER GROUP 7
Schtxs374a017vmo Tpl-20678 115/50	
8263h300-120vac	
Cgt25-75b	
Lp Kf 8551b305mo	
K3a664u	
W1968a3014	
Ee8210p094	
Va-51c Ndt1-12110	
A20pd.666.307 1.1/2quot;	
V710jbsv22	
S262sg04n3dg5	
K3a531u	
V710lbsv22	
Sb23d	
E29oa384pdb67 Cat Dn15 12quot;	
Pcb50tl014l36	
Eic-Hc-8210b-030-120	SOLENOID VALVE 120VAC50/60 BATT CHARGING COIL
Wp8320a184	
8344c37-120vac	
88100140(Obsolete Replaced By	

P494a0021400a00)	
Scq353a051 220v 50hz	
8262g212v-120vac	
8210g75-120vac	
Jb8214240csa	
S261sg04n3lk4	
8320g015	
G262k002s1n00ft	
8215g33-120vac	
8221g13-120vac	
97801552	
10700290	
C117282	
8210g095	
127-332	
19201002	
8344g74-120vac	
S262sg02n3hj7	
8210g93-24vac	
Sce210d32	
S104772eax1	
Asco 551 (24v Dc-Ventilspule)	24V DC-VENTILSPULE
83773-120vac	
619814-002	
9403-150-49c	TRANSFER SWITCH 150AMP 208/120V 60HZ
S261sg01n3kk4	
V710gbsv15	
S262sg02n3gj7	
K3a561u	
H118aj122f1	
Dn40g1.1/2\"	

H10a640b5f1	
S106928a22	KIT, POWER UNIT H10-H11
8040h7-120vac	
S262sg04n3gj7	
V710has	
8316p064	
H117an112f1	
Pcb50tl014l48	
302286	
V710jbs	
S401gf02v9bf5	
126-201	
310422	
8320g174-120vac	
7010345	
Zz-Diversen (Asco Spare Part Kit C302280v)	
Wsemg291a321	
8210g8-120vac	
Gm6 035 A45/110 R30 24vdc/0,85a Max=13bar 2I5e.S.	
127-293	
54100884 5/2	
8210g56-120v	
Wptb316d024 110/50	
Xc205-221 10440	
8214g33-120vac	
8210g94-24vac	
Mg67z1013	
S261sg01n3eg5	
K3a432u	

8210g4-24vac	
Sg110a040.24/Dc	
Jsf8215g20-120vac	
S401gf02v9cf5	
Npl8320a185v	SOLENOID VALVE 3WAY MIN 72INCH 120/30VAC
K10ad1097	
8215c83-120vac	
304610	REBUILD KIT 8211 AC
206-381-3rvf-120	SOLENOID VALVE 3WAY 120VAC
K3a534u	
S262sg02n3kk4	
S261sg01n3cg5	
Ah2e112a	
S262sg04n3lk4	
8320b177 120dc Has Been Superseded By Ef8320g176 120dc	
Ah4e112s4	
S262sg01n3cg5	
8210g3-120vac	
H25ifcvhfec	
10700013-024cc	
V710ncfv22	
8040h8-120vac	
E290a020	
C350f02a18	
8215c63-120vac	
8263h206-120vac	
K3a431u	
8320g194-120vac	
K3a552u	
Jb8266d023l	

9403-70-99c	TRANSFER SWITCH 70AMP 480/277V 60HZ
S261sg01n3gj7	
S311gf02n9af5	
8215b080	
8263g300-120vac	
8214g10-120vac	
Sce210d	
Qd10a4	
8316g064	SOLENOID VALVE 50/60HZ 1/2IN 24VDC 10-125PSI
238610-032-D	
V710kbs	
K3a444u	
8344-C037-120	SOLENOID VALVE 3/8IN 250PSI 110/120VAC 50/60HZ
Dkzor-Aeb-Np-173-S5-10	
83779-120vac	
K3a451u	
Np8321a5v-120	SOLENOID VALVE 120V 60HZ
7atsa370n1c	TRANSFER SWITCH 70AMP 480/277V 60HZ
H117al112f1	
97801399	
G353a042	
11000007 12dc	
Ef8210-G103-120	SOLENOID VALVE 1 3/4INCH ORIFICE 120VAC COIL
Ho1a552a171	
V710eas	
Nf8327b202	
S353a820	
8030g10-120vac	
8215b60-120vac	
K3a654u	

V1ae4h01	
Ah4e212a4	
Ef8345g1-120vac	
8214g054-120vac	
S261sg02n3dg5	
8215b050	
Sv311a01n6bf5	
302296	REBUILD KIT 8211 AC
K3a652u	
031sa4414000061	
1/4 Wpg551b465 115/50	
K3a781u	
S262sg04n3kk4	
Ah2e212s4	
8344g72-120vac	
Pca50l14l48	
H01b252a171	
S262sg01n3dg5	
7atsa3100c1c	TRANSFER SWITCH 100AMP 208/120V 60HZ
8215c73-120vac	
S261sg02n3hj7	
Xnfet-M12-Ii-03 / Oem	
Nf8327b10124vdc	
S261sg04n3fj5	
S261sg02n3eg5	
Ef8344g364(Dc24v)	
8314h036-120vac	
Mk3-K1	
B57af59	
K3a461u	
K3a772u	

[8030a17-120vac](#)

[8316p066](#)

[Ef8262g232-120vac](#)

[Ef8215b70-120vac](#)

[Ah4e112a4](#)

[8210g32-120vac](#)

[8210g93-120vac](#)

[Pg9a37jtl022](#)

[8344g82-120vac](#)

[52100004 Ac230v](#)

[Sce374a017](#)

[Sce238a009-110v](#)

[S261sg04n3hj7](#)

[Sce320a194](#)

[S212gf02n5fg9](#)

[8210g33-120vac](#)

[S212gf02n5hj2](#)

[8215b50-24vac](#)

[Am-4324l](#)

[Ah2e212a4](#)

[97700127](#)

[V2hs2dt166](#)

[S311af02n9bf5](#)

[Pa10a](#)

[S401xf02v9df5](#)

[Ef8342g1-120vac](#)

[H10a620b5f1f26](#)

[Mg67z1012](#)

[B57rh58e](#)

[8215c53-120vac](#)

302-729mo	
Ho1a252a171	
H118ak122f1	
K3a462u	
Scg553a018ms.115/50	Please note the voltage and current type!
V710gbs	
?113826	
S212gf02n5gj2	
Asco Sce374a019ms	