

Aso Safety



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Aso Safety Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Aso Safety T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
Artikel-Nr.:1502-0440	SENTIR edge 25.45 TT Contact profile Bearing length: 25 m Artikel-Nr.:1502-0440
14-1T4.0-NP	Seen from left to right: Mat 1 (860 * 650mm) SENTIR mat 14-1T4.0-NP safety contact mat 14 mm thick as complete potting with Knob surface and cast on Ramp rail, with M8 connector and M8 coupling Height: 0.014m Item number: 1602-2700
14-1T4.4-NP	Mat 2 (240 * 350mm) SENTIR mat 14-1T4.4-NP safety contact mat 14 mm thick as complete potting with Knob surface and cast on Ramp rail, with M8 connector and M8 coupling -additionally 1 x M8 connector with 5m cable and 1 x M8 coupling with 5m line 373.54 373.54 Length: 0.170m Width: 0.280m Height: 0.014m Item number: 1602-2730
14-1T4.3-NP	SENTIR mat 14-1T4.0-NP safety contact mat 14 mm thick as complete casting with Knob surface and cast ramp rail, Color: Black with M8 plug and M8 coupling Length: 0.800m Width: 0.650m Height: 0.014m
14-1T4.4-NP	Mat 2 (240 * 350mm) SENTIR mat 14-1T4.4-NP safety contact mat 14 mm thick as complete potting with Knob surface and cast on Ramp rail, with M8 connector and M8 coupling -additionally 1 x M8 connector with 5m cable and 1 x M8 coupling with 5m line 373.54 373.54 Length: 0.170m Width: 0.280m Height: 0.014m Item number: 1602-2730
ELMON rail 41-322	230 V / 24 V AC / DC single-channel switching device Item no .: 1114-0030
SENTIR edge 25.45 TT 1	Safety contact strip Length: 1,200m Item no .: 1502-0691 1 x KS 4 PRO L 2.5 m (plug) 1 x KS 4 PRO W 8k2 (plug)
SENTIR edge 25.45 TT 2	Passage bar: Safety contact strip Length: 1,200m Item no .: 1502-0692 2 x KS 4 PRO L 2.5 m (plug)
1502-0440	SENTIR edge 25.45 TT Contact profile Bearing length: 30 m
2002-2190	AL 25-14 Alu-C profile by the meter Stock length 4005 mm Item No.:2002-2190 Drawing: 20-000045-00

1804-0571	KS 4 PRO W8K2 - EK 25.45 - SET
1804-0651	KS 4 PRO L0,5m - EK 25.45 - SET
ELMON relay 41-322	230V / 24V AC/DC single-channel switching device Item no.:1114-0030
P/N GP25-30CN-L3545	
ELMON relay 41-322 230 V / 24 V AC/DC	
Al 15-9 Aluprofil Auf Lă196;Nge Geschnitten	
10sk4 Replaced By 41-322	
Artikel-Nr.:1602-2720	SENTIR mat 14-1T4.3-NP safety contact mat 14 mm thick as a complete casting with Nub surface and molded Ramp rail, with M8 plug and M8 coupling In addition, 1 x M8 plug with 8.2kOhm and 1 x M8 coupling with 5 m connection cable Length: 0.500m Width: 1.000m Height: 0.014m
14-1u4.4-Np 500x500	
25-40 Cn 3, Lă196;Nge: 2,000m	
25-40 Ck 1	
1502-0640	
Art.No. 1114-0030 Er41-322	
Sentir Bumper 53-100 U 4.4 Safety-Bumper 3,000m	
103101	
25-40 Cn 3, Lă196;Nge: 2,500m	
41-322	
203122	
Al 25-14, Lă196;Nge: 2,000m	
25.30 Tt 1	
53-100 U 4.3 (105208)	
Gp 25-25 K Obsolete, Replaced By 25.30 Tt 1	
Typ 53/100 Auftrag Nr 2705473/4	
Al 25-14	
Elmon Rail 41332	
Art.No. 203201 41-32 230 V / 24 V Ac/Dc	

Ask-1u4.3-Rf(Exask-1p3-Rf2)
Sentir Bumper 53-100 U 4.4 Safety-Bumper 1,300m
Artikel-Nr.:1602-1540
14-1u4.4-Np 250x500
Al 25-14, Lã196;Nge: 2,500m
15-10 Tt
Artikel-Nr.:1602-1550
SK35.32
Ask14-1u4.3-Np
25-40 Ck 2
Sk41-32 Obsolete/Replacement P/N: 1114-0030 Type: Elmon Rail 41-322
Sentir Edge 245 Tk
125 Tt 1 Sicherheitskontaktleiste
Sk41-32 230v / 24v Ac/Dc / 203201 - Obsolete, Replacement Art.No. 1114-0030 Er41-322
53-100 U
P/N: 1114-0030 Type: Elmon Rail 41-322
Art.No. 105209 Sentir Bumper 53-100 U 4.4 Safety-Car Black / Yellow