

Autonics



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Autonics Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Autonics T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
Proximity Switch [PRT30-15DO	
DISA-RN	Indicator [DISA-RN/AUTONICS],LED,DC12~24V,11Wx22H,WITH SOCKET,DISPLAY UNI
BEN10M-TFR	Photo Switch PHOTO[BEN10M-TFR/AUTONICS],Cooling:NO USE,Air Purge:NO USE,AC24~240V/DC24~240V
Cable Accessories CABLE TIE,W4.8 X L368,WHITE,	100EA/BOX
TK4S-B4SN	
Pr30-15dn	
E40h12-1000-3-T-24 Endlosregler	
Pr30-10dp	
E50s8-120-3-T-24 Endlosregler	
Tk4w-24rr	
E20s2-360-3-N-12-S	
H6300007999	
E58s10-1024-3-T-24 Endlosregler	
E30s4-3000-6-L-5-C	
Pr30-15dp Proximity Sensor 12-24vdc (10-30vdc) M30 3-Wire Cable	
??M-Ds32 Adapter Allyuminieviy	
Pr18-5ao Induktiver Sensorshield Type	
E50s8-500-3-T-24	

Mgam50s8-1013-B-R-S-24	
Cd-620-20h2 Inhaltssensor Glas	
Psnt17-5dc Inductive Sensor17x17x36mm	
E40s6-600-3-T-24 Dc12-24v 3m Sensor Drehgeber	
Cr30-15dn Proximity Sensor	
E20s2-320-3-V-5-R	
Bw20-48p Optobarier /Bw20-48p	
Enc-1-1-V-24 Sensor Winkelverschiebung (Inkrementaler Typ)	
E40h12-1024-3-T-24	
A140k-M599-Gb5	MOTOR, 5 PHASE STEPPING, 85MM SQUARE, GEARED SHAFT TYPE, 1:5 RATIO, 1.4A/PHASE, 140 KGF-CM TORQUE, GEARED+BRAKE BUILT IN TYPE,
E30s4-1000-3-T-5-C	
Pt8-3dp5-5 Connection Box	
A1500001065	
Bw20-28,28p	AREA SENSOR(BW SERIES)
A1050000026	
E30s4-1000-3-N-5-C	
Br400-Ddt	
Ct6s 2p	
At8n Zeitrelais	
E30s4-360-3-N-5	
Pr130-15-Dp	
Pr08-2dp 12 A 30 Vdc	
E30s4-1000-6-L-5-C	
E30s4-360-3-V-24-C	
Bwpk25 05p	
Avgb20-Y/R/G Signal Light 130mm, 220vcolour: Yellow	
T4m-B4rj4c-N Ex.(T4mb3rj4c)	

E20s2-360-3-V-5-S	
Prd18-7dp2 Sensor	
A200k-M599-Gb7.2	5-PHASE STEPPING MOTOR(GEARED-BREAK TYPE)
Pr12-2dp Induktiver Sensor 42 Mm, Mit Indikator Und 2m Kabel	
E40s6-1024-3-E24 Encoder	
Bw20-32,32p	AREA SENSOR(BW SERIES)
E40s8-512-6-L-5	
Bf3rx	
E30s4-3000-3-V-5-C	
E30s4-1024-3-N-24	
A200k-G599-Gb7.2	MOTOR, 5 PHASE STEPPING, 85MM SQUARE, SINGLE SHAFT, 2.8 AMPS, 200 KG-CM TORQUE, GEARED+BRAKE BUILT IN TYPE 1:7.2 RATIO
Enc-1-3-T-24 Encoder12-24vdc	
Pr18-5ao	
E20s2-320-3-N-12-S	
E30s4-360-3-V-24	
Bwc80 14h	
Tzn4s-14r Temperaturregler	
At11dn	
E30s4-500-3-V-24	
Bj1m-Ddt	
Pmc-4b-Pci	MOTION CONTROLLER, 4-AXIS PROGRAMMABLE, CONNECTION TYPE
E30s4-500-3-N-24	
Bf3rx Controller	
E30s4-360-3-V-5	
E20s2-360-3-N-12-R	
E30s4-500-3-V-5	
E20s2-320-3-V-5-S	
E30s4-360-3-T-24-C	

E30s4-360-3-N-24
Ats8-43
E20s2-360-6-L-5-S
Pr12-4dp Sensor
E20s2-320-3-N-5-S
Br20m-Tdtd-P
Mw86t-Fff-Y-S3
Cr30-15dp
E30s4-500-3-N-24-C
Brqm100-Ddta
E40s6-1000-6-L-5
E40s8-1024-6-L-5 Endlosregler
E20s2-360-6-L-5-R
Ben10m-Tdt
E30s4-500-3-N-5-C
E20s2-360-3-N-5-R
E30s4-360-3-N-24-C
E30s4-360-3-V-5-C
Psn40-20dn
E30s4-500-3-T-24-C
E20s2-320-6-L-5-S
Ps12-4dp
E30s4-1000-3-N-24-C
E20s2-320-3-V-12-R
Cr18-8dn Proximity Sensor
Bw20-36,36p
AREA SENSOR(BW SERIES)
Pr1 18-8dp Sensor12-24vdc (10-30vdc) Max 200ma
Cr30-15ao
E30s4-1000-3-T-5
Psa-01p-Npt1/8 Drucksensor

E50s8-800-3-T-24 Endlosregler	
Enc 1-2-T-24	ROTARY ENCODER
Cid4-10t Conection Cable	
E30s4-3000-3-V-24	
E40s6-100-3-T-24	
Pr30-10dp Proximity Sensor 12-24vdc (10-30vdc) M30 3-Wire Cable	
E30s4-1000-3-T-24	
Bw20-44,44p	AREA SENSOR(BW SERIES)
E30s4-500-3-N-24 3m	
E30s4-3000-3-V-24-C	
A200k-M599-Gb10	5-PHASE STEPPING MOTOR(GEARED-BREAK TYPE)
Pr12-4dp Induktiver Sensor	
Encoder E58sc10-8000-3-N-24	
E30s4-100-3-N-24-C	
Cr30-15dn	
Tcn4s-24r	
Fd-420-05	
Br100-Ddt	
Bj300-Ddt-P	
Prt30-15do	
Sensor Autonicstyp Br200-Ddtn Durchm.18mm	
E40h10-1024-3-T-24	
Pr12-2dp	
Cid4-10r Conection Cable	
Tz4st-14r	
E20s2-320-3-V-12-S	
E40s6-1000-3-T-24 Inkrementaler Drehgeber	
Br3m-Mdt-P	
E30s4-500-3-T-24	

Tk4h-24rr	
E30s4-360-6-L-5	
E40s6-256-6-L-5 Rotations-Encoder	
?40?12-1000-3-?-24 Encoer12-24 Mif Lot No:Rd17r	
Bw20-40,40p	AREA SENSOR(BW SERIES)
Pr30-15dp	
E30s4-500-3-T-5-C	
Bjx300-Ddt	
E30s4-3000-6-L-5	
E50s8-8000-3-N-24	
E50s8-1000-3-T-24	ENCODER, INCREMENTAL, 24VDC, 5000RPM; Su
E20s2-360-3-V-12-S	
E40s6-3600-3-N-24	
E30s4-1000-3-V-5-C	
H6300008726	
E20s2-360-3-V-5-R	
E30s4-3000-3-V-5	
Der Optische Sensor Bf4r Mit Lichtleiter Fd-620-10/	
E30s4-360-3-T-5	
Mam-Ds31 Basis Montage	
E30s4-500-3-V-24-C	
E20s2-360-3-V-12-R	
E20s2-360-3-N-5-S	
Ba2m-Ddt Photo Sensor, Long Range Set	
E30s4-500-3-N-24 5m	
Ct6-2p	
Ms86t-Bff-Y Led-Lampe Signal	
La8n-Bf	
Brqm400-Ddta	

E30s4-1000-3-V-5	
Bts30-Ldtl-P	
Tk4l-A4cr - Control Unit - Temperature Control Device	
E20s2-320-3-N-5-R	
Pr12-4dn Induktiver Sensor	
E40s-6-3000-3-T-24	
E30s4-100-3-N-5	
E30s4-1000-3-N-5	
E30s4-360-3-T-5-C	
E20s2-320-3-N-12-R	
E40s6-250-3-T-24 Inkrementaler Drehgeber	
A140k-G599-Gb5	5-PHASE STEPPING MOTOR(GEARED-BRAKE TYPE)
Cid4-10r	
A140k-M599-G5	
Tk4s-14cc	
Ben3m-Pdt	
E40s6-100-3-T-24 Inkrementaler Drehgeber	
Mw86t-Rff-Y-M3	
Tk4m-24rr	
A200k-G599-Gb10	MOTOR, 5 PHASE STEPPING, 85MM SQUARE, SINGLE SHAFT, 2.8 AMPS, 200 KG-CM TORQUE, GEARED+BRAKE BUILT IN TYPE 1:10 RATIO
E50s8 1024 3 N 24	
E50s8-50-3-T-24	
Enc-1-1-T-24	
Ben5m-Mfr	
Byd3m-Tdt	
Bw20-24,24p	AREA SENSOR(BW SERIES)
E30s4-500-3-T-5	
Ps-08 Steckdose Auf Hutschiene	

E30s4-1000-3-N-24	
6300177137 Sensor Ecken Bewegungen E58hb	
4pie Coupling	
E30s4-360-3-N-5-C	
E30s4-500-3-N-5	
Pmc-2b-Isa	PROGRAMMABLE MOTION CONTROLLER
E30s4-360-6-L-5-C	
Tc4y-24r - Control Unit - Temperature Control Device	
Ps 50-30dn Induktiver Endschalter Autonics 10-24 Vdc	
E30s4-1000-3-V-24	
?40s6-200-3-N-24 Endlosregler	
Enc-1-1-N-24	
E20s2-320-6-L-5-R	
E30s4-1000-3-T-24-C	
Cid4-10t	
E40s6-500-3-T-24 Drehgeber	
Tc-4s 14r	
Bw20-48,48p	AREA SENSOR(BW SERIES)
Bj100-Ddt-P	
E20s2-100-6-L-5-S Endlosregler	
E30s4-1000-6-L-5	
E30s4-1000-3-V-24-C	
??P-M750 Strebe Montage	
Bj7m-Tdt-P	
E30s4-100-3-N-24	
E40s6-50-3-T-24 Dc12-24v(5m Inkrementaler Drehgeber	
E30s4-360-3-T-24	
Prm12-4dp	