

Autronica



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Autronica Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Autronica Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

| rn | Aıklama |
|--|--|
| Bhh-500 | Optical Smoke Detector |
| Bn-201 | Monitoring Input Unit |
| Bn-300 Alarm Interface Unit | |
| Bsb-310a Output Module, Monitored | |
| 651-Au-Bbq230ip | |
| 651-Au-Bwa100 Detector Base | |
| Bhh-31a/Ex | Optical smoke detector Head |
| Key For Test (Test Stick) | |
| Bh-31a | OPTICAL SMOKE DETECTOR MAKE : AUTRONICA |
| Bf-31 | MANUAL CALL POINT COMPLETE |
| 116-BWP-40B - CONDUIT BOX BX-BS (OBSOLETE) | |
| smoke detector | |
| BZ500 | |
| FS4E | |
| BHH-31A | |
| 116-BNB-330A | CONVENTIONAL LOOP INT, BN-330, BNB-330 REPLACEMENT,116-6882-031.0008 |

| | |
|-----------------------------------|---------------------------|
| TK4S-B4CC | 100-240VAC 4-20mA 56/60HZ |
| 1 ea 124530-IP | |
| 116-5861-011.4310 | |
| 116-7770-009.0005 | |
| 116-BSR-310C | |
| 116-BSZ-310 | |
| 116-WBJ-140 | |
| 121320LA | |
| 121507A | |
| 121511 | |
| 121673 | |
| 121680 | |
| 121726 | |
| 124344 | |
| 124392 | |
| 124394S | |
| 124395 | |
| 124402 | |
| 124404 | |
| 124406 | |
| 124414 | |
| 124416 | |
| 124418 | |
| 124419 | |
| 124419-4 | |
| 124436B | |
| 124458 | |
| 124464 | |
| 124493 | |
| 124494 | |

| |
|---------------------------------|
| 124510-01 |
| 124530-IP |
| 372474 |
| 372484 |
| 372485 |
| 8110101001 |
| BN-305 |
| BNB-300/32/Ex |
| BPS-410 |
| BSB-310A |
| BSE-310 |
| DZA 521-L |
| GA-3A |
| GA-3B |
| GA-5/A |
| GA-5A/GN-100A |
| GNB-100/E |
| GT 100/100 |
| GT402A3K4V |
| GT420D3G0,6 |
| GT422C3G2,5 |
| MB 158S286 |
| MB1168S186K15 |
| MB1168S186K25 |
| MB1168S186K30 |
| MB1168S186K35 |
| MB1168S186K40 |
| MB1168S186K4065 |
| MB1168S186K45 |
| MB1168S186K50 |
| MB1168S186K55 |

| | |
|--|---|
| MB1168S186K60 | |
| MB-158 S186 K80 | |
| MB293 | |
| MB505S195K20 | |
| MB505S74K20 | |
| MN 1247/2 | |
| MN524/1 | |
| MN524/3 | |
| MN524S125U | |
| MB158-236 K15 | |
| GL-140 | GL-7A/2 ELECTRONIC LEVEL SWITCH |
| OPTICAL SMOKE DETECTOR TYPE | BHH-31A/EX MAKER: AUTRONICA; TYPE OF SMOKE DETECTOR: BH-31A/EX PLEASE FIND REQUIRED SMOKE DETECTORS DATA SHEET IN ATTACHMENTS |
| BH-31A-EX | |
| BHH-500 Smoke Detector | with BWA-100 and BWP-100/20 options |
| BBQ-230/IP Beacon/Sounder | |
| BF-501 Manual Call Point | |
| BN-201 Monitoring Input Unit | |
| BHH-31A / EX | Optical Smoke Detector |
| BBQ-230/IP Beacon Sounder | |
| SW 2-41 | |
| BHH-320 | |
| Bhh-26 (1100559) | |
| Bjh-31 / Ex | |
| Bhh-25 | |
| 116-Wbj-10/03 | |
| Gt5 / A | |
| Bsd-310 (1100006) | |
| 154646 | |
| 16-Bfg-3/Gb | |

| |
|---|
| Ga- 100/E 0-160deg C- Obsolete Replacement -Gn-100/E |
| Bf31 |
| 116-5861-011-4331 |
| Bwa-40a |
| Pt100 Mn 37775125 |
| Gn-100/E |
| Bhh-31 |
| 116-Kit-Bs-420g |
| Bh-31a/Ex |
| 116-Sw-100 |
| Bf-21 (1100106) |
| Bsl-330/2 (44111906) |
| Gt206/2p50c5p |
| Bf35 |
| 37-788-34 - Not A Autronica Product,Not In Our Product Line |
| 116-Bfg-3 |
| 116-Bfh-31a |
| Bhh-500/Ex/X1 |
| Bwa-100 (1100248) |
| Bh-31a |
| Bh - 31a - Optical Smoke Detector |
| Ug396 |
| Bjh-31 |
| Bdh-300 |
| Bhh-31a |
| 116-4860-009.9905 |
| Bhh-26 + Bwa-100 |
| Bd-27 |
| 116-4860-009.9901 |

| |
|---|
| Gt100/10 |
| Gt205/0p60I5c |
| Gt100/16 |
| 116-Wbj-10/02 |
| Bjh-33+bhh-31a |
| Gn-100/A |
| 116-Wbj-10/01 |
| Gt-205/0p16-G5atk |
| Ud-576/ 116-Ud-576 |
| Bwp-100/20 (1100539) |
| Ug731/2 |
| Eau-321 (1101033) |
| Bhh-26 By 116-Bhh-26 |
| Ga- 100/A 0-600deg C-Obosolete Replacement -Gn-100/A |
| Bsd-100 (1100204) |
| Gt402a3I0,6I |
| Be-34 |
| Gt7 |
| Gt-300 |
| 116-Bjh-31a |
| Ug739/1 |
| Type Bhh-31a Id Nr: B99221 |
| Gt10 / 40 |
| Type: Bhh-25, Id No.: C084803-52 / Photoelectric Smoke Detector |
| Bsd-310 |
| Mod¼l |
| Bf510wp-H |
| Bwa-40a/1 |
| 116-Bg-201mrk (516.600.007) |
| Bz-500 (1101390) |
| Bf-33Ia |

| | |
|--|---|
| Bhh-300 | |
| Ug731/1 | |
| 116-Wbj-10/04 | |
| Ug739/2 | |
| 116-Was-2000 | |
| 116bss103a01 | POWER ASSEMBLY |
| Bg-201 | FLAME DEDECTOR |
| 116-Xja-029 | |
| Gt100/6 | |
| 116-Wbj-5/02 | |
| 116-Bjh-20b | |
| Bhh-31a Ex | Autronica BHH-31A/EX Smoke Detector Head Autronica fire dedector coding of dedector with adress switches Type : BHH-31A EX ID no. : B99221 Weight 580g Materials Self-extinguishing polycarbonate Colour Light grey Sensitivity Acc. to EN-54 part 7/9 Voltage 14VDC +-2V Current consumption Stand-by Signal 0,3mA 8mA Environ. requirements EN-54 part 7 Degree of protection IP44D Working temperature -20°C - +70°C Humidity (non-condensing) Max. 90% RH |
| 23496 | |
| Bx-40 | FIRE ALARM CONTROL PANEL |
| Bf-20l-Cxl (1100050) | |
| Bhh-500/Ex (1100661) | |
| P/No:Gt-205/0p16-G5atk | |
| Ass12-Va/T2-Kk6/4-Va54-1v90 | |
| Bhh-31a/Ex (1100066) | |
| Type Gt205/0p60l5c - Obsolete!! Replaced By Quot;Gt402a3l0,6lquot; | |
| Mn-524/3 P1 100? / 00c | |
| Be - 30 - Heat Detector | |