

## Aw Gear Meters

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Aw Gear Meters** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Aw Gear Meters T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">Zhm-01/1</a>	ZHM SERIES GEAR FLOW METERS, RANGE (GPM), 0.003-0.5
<a href="#">Jvs-20slgs</a>	TUNGSTEN CARBIDE, BEARINGS, RANGE (GPM), 0.02-2.0
<a href="#">Jvm-12kg-Ex</a>	0.8
<a href="#">Srzs-100-B2</a>	26
<a href="#">Srzs-400-Stat-B</a>	105
<a href="#">Jvs-01uf-Ex</a>	0.25 , INCLUDES 3.1B CERT
<a href="#">Rt-30sd-S31</a>	RT-30 METER-MOUNTED FLOW MONITORS , SINGLE ACCESS ENCLOSURE
<a href="#">Rt-10l</a>	RT-10 METER-MOUNTED FLOW MONITORS , BATTERY POWERED, FIBER OPTIC INPUT OUTPUT
<a href="#">Rt-30ex-D00</a>	RT-30EX METER-MOUNTED FLOW MONITORS , DUAL ACCESS ENCLOSURE, REMOTE MOUNT, NO PICK-UP
<a href="#">Rt-30sd-S11</a>	RT-30 METER-MOUNTED FLOW MONITORS , SINGLE ACCESS ENCLOSURE

<a href="#">Srz-40stat-Hc-B1</a>	11
<a href="#">Srz-40stat-B2</a>	11
<a href="#">Emo-3000/4</a>	EMO-3000 FLOW COMPUTERS , 4 CHANNEL
<a href="#">Gr-100f</a>	FEMALE GEAR
<a href="#">Jvs-12kgt-N04-Ex-S1</a>	0.8
<a href="#">Proscan3v2</a>	PROSCAN SENSORS, , 3 INCH PROSCAN SENSOR *
<a href="#">Jvhs-20kg</a>	2.0
<a href="#">Emo-3000/4/Pid</a>	EMO-3000 FLOW COMPUTERS , FOUR CHANNEL CLOSED LOOP CONTROLLER WITH NEMA 12 ENCLOSURE
<a href="#">Jvs-30cg</a>	316 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS,RANGE(GPM) 0.1-7.0
<a href="#">Jvs-01uf</a>	0.25
<a href="#">Hpm-15slgf</a>	HPM SERIES- SLG MODEL, RANGE(GPM)0.01-0.5
<a href="#">Emo-3000/2</a>	EMO-3000 FLOW COMPUTERS , 2 CHANNEL
<a href="#">Emo-3000/3/Pid</a>	EMO-3000 FLOW COMPUTERS , THREE CHANNEL CLOSED LOOP CONTROLLER WITH NEMA 12 ENCLOSURE
<a href="#">Rt-30sd-S02</a>	RT-30 METER-MOUNTED FLOW MONITORS , SINGLE ACCESS ENCLOSURE
<a href="#">Fop-30/S/60</a>	FIBER OPTIC SENSOR SYSTEMS , FOP SYSTEM 60FT. CABLE
<a href="#">Jvs-30kg-Ex</a>	7.0
<a href="#">Jvm-20kg</a>	BALL BEARING FLOW METERS, RANGE(GPM)0.01-2.0, 303 SS BODY
<a href="#">Fop-20/S/60</a>	FIBER OPTIC SENSOR SYSTEMS , FOP SYSTEM 60FT. CABLE
<a href="#">Jvm-60cg</a>	303 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS, RANGE(GPM),0.1- 20
<a href="#">Jva-80kl</a>	60, ALUMINUM BODY
<a href="#">Fop-30/S/45</a>	FIBER OPTIC SENSOR SYSTEMS , FOP SYSTEM 45FT. CABLE
<a href="#">Srz-40st.Hr.T-B1</a>	2.0
<a href="#">Jvs-20kg</a>	BALL BEARING FLOW METERS, RANGE(GPM)0.01-2.0, 316 SS BODY
<a href="#">Emo-3000/10</a>	EMO-3000 FLOW COMPUTERS , 10 CHANNEL
<a href="#">Zhm-02/1/D</a>	ZHM SERIES GEAR FLOW METERS WITH DOUBLE PICKUP SENSOR, RANGE(GPM) 0.01-0.5
<a href="#">Rt-30sd-S41</a>	RT-30 METER-MOUNTED FLOW MONITORS , SINGLE ACCESS ENCLOSURE

<a href="#">Srz-400-Stat-B2</a>	105
<a href="#">Rt-30ex-S00</a>	RT-30EX METER-MOUNTED FLOW MONITORS , SINGLE ACCESS ENCLOSURE, REMOTE MOUNT, NO PICK-UP
<a href="#">Rt-30ex-S04</a>	RT-30EX METER-MOUNTED FLOW MONITORS , SINGLE ACCESS ENCLOSURE, HUB-41 PICK-UP ATEX, IECEX
<a href="#">Jvs-60cg</a>	316 STAINLESS STEEL BODY , TUNGSTEN CARBIDE BEARINGS,RANGE(GPM) 0.1- 20
<a href="#">Jvhs-30kg-Ex</a>	7.0
<a href="#">Jvs-80klt-H20-Ex-S1</a>	60
<a href="#">Rt-30sd-S00</a>	RT-30 METER-MOUNTED FLOW MONITORS , SINGLE ACCESS ENCLOSURE
<a href="#">Jvm-60kg-Ex</a>	20
<a href="#">Rt-Ex10f</a>	RT-EX10 METER-MOUNTED FLOW MONITORS,
<a href="#">Emo-3000/1</a>	EMO-3000 FLOW COMPUTERS , 1 CHANNEL
<a href="#">Jvs-60kg</a>	20, 316 SS BODY
<a href="#">Zhm-06/1kl</a>	66
<a href="#">Hpm-20slgf</a>	HPM SERIES- SLG MODEL, RANGE(GPM)0.02-2.0
<a href="#">Srz-40stat-B1</a>	11
<a href="#">Jva-12kg</a>	BALL BEARING FLOW METERS, RANGE(GPM)0.003-0.8, ALUMINUM BODY
<a href="#">Emo-3000/11</a>	EMO-3000 FLOW COMPUTERS , 11 CHANNEL
<a href="#">Srz-100-Stat-B2</a>	26
<a href="#">Rt-30sd-T11</a>	RT-30 METER-MOUNTED FLOW MONITORS , 316SS SINGLE ACCESS ENCLOSURE
<a href="#">Rt-10f</a>	RT-10 METER-MOUNTED FLOW MONITORS , 4-20 MA LOOP POWERED, FIBER OPTIC INPUT
<a href="#">Jvs-12kg</a>	BALL BEARING FLOW METERS, RANGE(GPM)0.003-0.8, 316 SS BODY
<a href="#">Jvhs-12kg</a>	0.8
<a href="#">Zhm-01</a>	ZHM SERIES GEAR FLOW METERS, RANGE (GPM), 0.001-0.25
<a href="#">Gr-40m</a>	MALE GEAR
<a href="#">Emo-500/E*</a>	EMO-500 RATIO MONITORS , INDUSTRIAL ENCLOSURE VERSION (INCLUDES INTRINSIC BARRIERS)
<a href="#">Proscan2v2</a>	PROSCAN SENSORS, , 2 INCH PROSCAN SENSOR *

<a href="#">Jvs-10cg</a>	316 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS,RANGE(GPM) 0.003-0.5
<a href="#">Rt-10j</a>	RT-10 METER-MOUNTED FLOW MONITORS , BATTERY POWERED, HUB NOSE
<a href="#">Zhm-02/1</a>	ZHM SERIES GEAR FLOW METERS, RANGE (GPM), 0.01-0.5
<a href="#">Zhm-07kl</a>	265
<a href="#">Srzs-40st.Hr.T-B2</a>	2.0
<a href="#">Jvhs-20kg-Ex</a>	2.0
<a href="#">Fop-30/S/100</a>	FIBER OPTIC SENSOR SYSTEMS , FOP SYSTEM 100FT. CABLE
<a href="#">Srzs-10-B</a>	HELICAL GEAR, PD FLOW METERS, RANGE( GPM) 0.003-1.0
<a href="#">Jvm-30kg-Ex</a>	7.0
<a href="#">Rt-10p</a>	RT-10 METER-MOUNTED FLOW MONITORS , BATTERY POWERED, HUB NOSE, FIBER OPTIC OUTPUT
<a href="#">Rt-30sd-S81</a>	RT-30 METER-MOUNTED FLOW MONITORS , SINGLE ACCESS ENCLOSURE
<a href="#">Jvm-20kg-Ex</a>	2.0
<a href="#">Jvs-20kg-Ex</a>	2.0
<a href="#">Zhm-06kl</a>	132
<a href="#">Fop-20/S/45</a>	FIBER OPTIC SENSOR SYSTEMS , FOP SYSTEM 45 FT. CABLE
<a href="#">Rt-Ex10j</a>	RT-EX10 METER-MOUNTED FLOW MONITORS,
<a href="#">Jvm-90kl</a>	120, 303 SS BODY
<a href="#">Jvs-01uf-N04-Ex-S1</a>	0.25 , INCLUDES 3.1B CERT
<a href="#">Emo-3000/7</a>	EMO-3000 FLOW COMPUTERS , 7 CHANNEL
<a href="#">Jva-30kg</a>	BALL BEARING FLOW METERS, RANGE(GPM)0.03-7.0, ALUMINUM BODY
<a href="#">Jvm-30cg</a>	303 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS, RANGE(GPM),0.1-7.0
<a href="#">Jvs-10slgfs</a>	TUNGSTEN CARBIDE, BEARINGS, RANGE (GPM), 0.003-0.5
<a href="#">Jvs-30kgt-N08-Ex-S1</a>	7.0
<a href="#">Emo-500</a>	EMO-500 RATIO MONITORS , TWO CHANNEL RATIO AND FLOW INDICATOR
<a href="#">Rt-Ex10d</a>	RT-EX10 METER-MOUNTED FLOW MONITORS,
<a href="#">Jvs-90kl-Ex</a>	120
<a href="#">Rt-30sd-D02</a>	RT-30 METER-MOUNTED FLOW MONITORS , DUAL ACCESS

<a href="#">Fop-20/S/100</a>	ENCLOSURE, WITH HUB-40SD1-S5-H2 PICK-UP FIBER OPTIC SENSOR SYSTEMS , FOP SYSTEM 100 FT. CABLE
<a href="#">Srz-400-Stat-B1</a>	105
<a href="#">Srz-100-B1</a>	26
<a href="#">Rt-30sd-T41</a>	RT-30 METER-MOUNTED FLOW MONITORS , 316SS SINGLE ACCESS ENCLOSURE
<a href="#">Zhm-04</a>	20
<a href="#">Rt-30sd-T42</a>	RT-30 METER-MOUNTED FLOW MONITORS , 316SS SINGLE ACCESS ENCLOSURE
<a href="#">Rt-30sd-T00</a>	RT-30 METER-MOUNTED FLOW MONITORS , 316SS SINGLE ACCESS ENCLOSURE
<a href="#">Rt-Ex10l</a>	RT-EX10 METER-MOUNTED FLOW MONITORS,
<a href="#">Emo-3000/12</a>	EMO-3000 FLOW COMPUTERS , 12 CHANNEL
<a href="#">Jvm-30kg</a>	BALL BEARING FLOW METERS, RANGE(GPM)0.03-7.0, 303 SS BODY
<a href="#">Hpm-30</a>	STANDARD MODEL, RANGE(GPM) 0.1-7.0
<a href="#">Emo-3000/3</a>	EMO-3000 FLOW COMPUTERS , 3 CHANNEL
<a href="#">Srz-400-B2</a>	105
<a href="#">Jvs-20cg</a>	316 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS,RANGE(GPM) 0.02-2.0
<a href="#">Rt-Ex10j-Hp</a>	RT-EX10 METER-MOUNTED FLOW MONITORS, BATTERY POWERED, HUB NOSE, USED WITH JVHS-EX METERS DOWN TO 0.3 GPM
<a href="#">Zhm-03</a>	ZHM SERIES GEAR FLOW METERS, RANGE (GPM), 0.1-7.0
<a href="#">Srz-400-B</a>	105
<a href="#">Zhm-02/D</a>	ZHM SERIES GEAR FLOW METERS WITH DOUBLE PICKUP SENSOR, RANGE(GPM) 0.02-2.0
<a href="#">Jvs-15cg</a>	316 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS,RANGE(GPM) 0.01-1.0
<a href="#">Srz-100-Stat-B1</a>	26
<a href="#">Jvs-10slgs</a>	TUNGSTEN CARBIDE, BEARINGS, RANGE (GPM), 0.003-0.5
<a href="#">Rt-10n</a>	EX METERS
<a href="#">Fop-20/S/30</a>	FIBER OPTIC SENSOR SYSTEMS , FOP SYSTEM 30FT. CABLE
<a href="#">Srz-40-B1</a>	11
<a href="#">Emo-3000/1/Pid</a>	EMO-3000 FLOW COMPUTERS , SINGLE CHANNEL CLOSED LOOP CONTROLLER WITH NEMA 12 ENCLOSURE

<a href="#">Jvm-12kg</a>	BALL BEARING FLOW METERS, RANGE(GPM)0.003-0.8, 303 SS BODY
<a href="#">Jvm-15cg</a>	303 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS, RANGE(GPM),0.01-1.0
<a href="#">Srz-100-B</a>	26
<a href="#">Zhm-02</a>	ZHM SERIES GEAR FLOW METERS, RANGE (GPM), 0.02-2.0
<a href="#">Jvm-80kl</a>	60, 303 SS BODY
<a href="#">Srz-40stat-Hc-B</a>	11
<a href="#">Rt-Ex10h</a>	RT-EX10 METER-MOUNTED FLOW MONITORS,
<a href="#">Rt-30ex-D04</a>	RT-30EX METER-MOUNTED FLOW MONITORS , DUAL ACCESS ENCLOSURE, HUB-41 PICK-UP ATEX, IECEX
<a href="#">Jvhs-30kg</a>	7.0
<a href="#">Proscan2.5v2</a>	PROSCAN SENSORS, , 2 INCH PROSCAN SENSOR *
<a href="#">Rt-30sd-D81</a>	RT-30 METER-MOUNTED FLOW MONITORS , DUAL ACCESS ENCLOSURE, WITH IR-PB
<a href="#">Srz-40w/Vter/Psensor</a>	11
<a href="#">Rt-30sd-T31</a>	RT-30 METER-MOUNTED FLOW MONITORS , 316SS SINGLE ACCESS ENCLOSURE
<a href="#">Jvm-20cg</a>	303 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS, RANGE(GPM),0.02-2.0
<a href="#">Rt-30sd-S42</a>	RT-30 METER-MOUNTED FLOW MONITORS , SINGLE ACCESS ENCLOSURE
<a href="#">Rt-30ex-D01</a>	RT-30EX METER-MOUNTED FLOW MONITORS , DUAL ACCESS ENCLOSURE, HUB-40 PICK-UP CSA
<a href="#">Hpm-15slg</a>	HPM SERIES- SLG MODEL, RANGE(GPM)0.01-0.5
<a href="#">Srz-400-B1</a>	105
<a href="#">Jva-90kl</a>	120, ALUMINUM BODY
<a href="#">Jvhs-12kgt-A06-Ex-S1</a>	0.8
<a href="#">Jvs-20kgt-N04-Ex-S1</a>	2.0
<a href="#">Emo-3000/9</a>	EMO-3000 FLOW COMPUTERS , 9 CHANNEL
<a href="#">Hpm-20</a>	STANDARD MODEL, RANGE(GPM) 0.02-2.0
<a href="#">Jvs-15slgs</a>	TUNGSTEN CARBIDE, BEARINGS, RANGE (GPM), 0.01-1.0
<a href="#">Srz-40stat-Hc-B2</a>	11
<a href="#">Jvs-30kg</a>	BALL BEARING FLOW METERS, RANGE(GPM)0.03-7.0, 316 SS

<a href="#">Srz-20-B</a>	BODY HELICAL GEAR, PD FLOW METERS, RANGE( GPM) 0.01-4.0
<a href="#">Srz-40-B2</a>	11
<a href="#">Proscan1.5v2</a>	PROSCAN SENSORS, , 1 INCH PROSCAN SENSOR*
<a href="#">Jvs-12kg-Ex</a>	0.8
<a href="#">Jvs-60kg-Ex</a>	20
<a href="#">Rt-30ex-S01</a>	RT-30EX METER-MOUNTED FLOW MONITORS , SINGLE ACCESS ENCLOSURE, HUB-40 PICK-UP CSA
<a href="#">Srz-40st.Hr.T-B</a>	HELICAL GEAR, PD FLOW METERS, RANGE( GPM) 0.1-2.0
<a href="#">Jvm-01cg</a>	303 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS, RANGE(GPM),0.001-0.25
<a href="#">Jvk-60-Teflongears</a>	AL2O3 BEARINGS, RANGE (GPM) 0.1-7.0
<a href="#">Srz-100-Stat-B</a>	26
<a href="#">Rt-30sd-T02</a>	RT-30 METER-MOUNTED FLOW MONITORS , 316SS SINGLE ACCESS ENCLOSURE
<a href="#">Jvs-60kgt-N12-Ex-S1</a>	20
<a href="#">Jvs-90klt-H20-Ex-S1</a>	120
<a href="#">Rt-Ex10u</a>	RT-EX10 METER-MOUNTED FLOW MONITORS, BATTERY POWERED, TR NOSE, FIBER OPTIC OUTPUT
<a href="#">Jvs-80kl-Ex</a>	60
<a href="#">Gr-100m</a>	MALE GEAR
<a href="#">Srz-40stat-B</a>	11
<a href="#">Rt-Ex10t</a>	RT-EX10 METER-MOUNTED FLOW MONITORS, 4-20 MA LOOP POWERED, TR NOSE
<a href="#">Srz-40-B</a>	11
<a href="#">Emo-3000/8</a>	EMO-3000 FLOW COMPUTERS , 8 CHANNEL
<a href="#">Rt-10j-Hp</a>	RT-10 METER-MOUNTED FLOW MONITORS , BATTERY POWERED, HUB NOSE, USED WITH JVHS-EX METERS, DOWN TO 0.3 GPM
<a href="#">Jvm-10cg</a>	303 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS, RANGE(GPM),0.003-0.5
<a href="#">Zhm-01/D</a>	ZHM SERIES GEAR FLOW METERS WITH DOUBLE PICKUP SENSOR, RANGE(GPM) 0.001-0.25
<a href="#">Jvm-60kg</a>	20, 303 SS BODY
<a href="#">Rt-Ex10n</a>	EX METERS

<a href="#">Jvhs-30kgt-A06-Ex-S1</a>	7.0
<a href="#">Rt-Ex10p</a>	RT-EX10 METER-MOUNTED FLOW MONITORS, BATTERY POWERED, HUB NOSE, FIBER OPTIC OUTPUT
<a href="#">Rt-30sd-D42</a>	RT-30 METER-MOUNTED FLOW MONITORS , DUAL ACCESS ENCLOSURE, WITH MG-450
<a href="#">Jva-60kg</a>	20, ALUMINUM BODY
<a href="#">Emo-3000/5</a>	EMO-3000 FLOW COMPUTERS , 5 CHANNEL
<a href="#">Jvs-01cg</a>	316 STAINLESS STEEL BODY, TUNGSTEN CARBIDE BEARINGS,RANGE(GPM) 0.001-0.25
<a href="#">Emo-3000/6</a>	EMO-3000 FLOW COMPUTERS , 6 CHANNEL
<a href="#">Emo-3000/2/Pid</a>	EMO-3000 FLOW COMPUTERS , DUAL CHANNEL CLOSED LOOP CONTROLLER WITH NEMA 12 ENCLOSURE
<a href="#">Jvhs-12kg-Ex</a>	0.8
<a href="#">Rt-30sd-T81</a>	RT-30 METER-MOUNTED FLOW MONITORS , 316SS SINGLE ACCESS ENCLOSURE
<a href="#">Hpm-20slg</a>	HPM SERIES- SLG MODEL, RANGE(GPM)0.02-2.0
<a href="#">Zhm-05</a>	40
<a href="#">Jvhs-20kgt-A06-Ex-S1</a>	2.0
<a href="#">Emo-3000h12</a>	RACK MOTHER BOARD ONLY, W/O POWER OR CHANNEL CARDS: 12 CHANNEL