



Azcue Pumps

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Azcue Pumps Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Azcue Pumps T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
2200 Impeller (S/N: 271058)	•HS: 84139100 / CoO: ES
4200.1 Mechanical Seal (S/N: 271058)	
2912 Impeller Nut (S/N: 271057)	•HS: 84139100 / CoO: ES
2200 Impeller (S/N: 271057)	•HS: 84139100 / CoO: ES
1500 Casing Wear Ring - Not In A.M. Pump	1500 Casing wear ring - not in a.m. pump
2100 Shaft (S/N: 271058)	•HS: 84139100 / CoO: ES
2912 Impeller Nut (S/N: 271058)	HS: 84139100 / CoO: ES
2100 Shaft (S/N: 271057)	•HS: 84139100 / CoO: ES
4200 Mechanical Seal (S/N: 271057)	HS: 84139100 / CoO: ES
6544.2 Circlip	HS: 84139100 / CoO: ES Pump type BT-LV100T (S/N: 326499)
7200.1 Coupling Half	
Kit Max (300)	
1680.1 Spacer Bush	
	Pump type MO-36/20 monobloc, cast iron body, br-aluminium impeller, with an electric motor of 2,2 kW at 1450 rpm, 400 V; Capacity: 4 m ³ /h

Mo-36/20	at 40 m.c.a. •HS: 84137045 / CoO: ES Pump type MO-36/20 (S/N: 463804)
Mn-50/160	Pump type Pump type MN-50/160 (S/N: 456861) Pump type MN-50/160 Monobloc, cast iron body, bronze impeller, with an electric motor of 11 kW at 2900 rpm, 380-660 V, 50 Hz; Capacity: 78 m³/h at 32 m.c.a. •HS: 84137045 / CoO: ES
Kl-30s40	replacing for ser. 479858 Pump type KL30S40 with and electric motor of 2,2 Kw at 1450 rpm, 50 Hz Capacity: 5 m³/h at 50 m.c.a •HS: 84139100 / CoO: ES (G)
1036 Rotor	Pump type KL30S-40, s/n 293780
KL30 S 40.0	
1037 Stator	Pump type KL30S-40, s/n 293780
4200.1 Mechanical seal	Pump type CM-EP 250/33A, s/n 293746
1500.2 Casing wear ring	Pump type CM-EP 250/33A, s/n 293746
1500.1 Casing wear ring	Pump type CM-EP 250/33A, s/n 293746
4305.2 Shaft seal ring	Pump type CM-EP 250/33A, s/n 293746
4610.2 O-ring	Pump type CM-EP 250/33A, s/n 293746
4610.1 O-ring	Pump type CM-EP 250/33A, s/n 293746
7414 Coupling bush (9pcs/set)	Pump type CM-EP 250/33A, s/n 293746
4200.1 Mechanical seal	Pump type CM250/33A, s/n 293753
4305.1-2 Shaft seal ring	Pump type CM250/33A, s/n 293753
4610.1 O-ring	Pump type CM250/33A, s/n 293753
4610.2 O-ring	Pump type CM250/33A, s/n 293753
7414 Coupling bush (9pcs/set)	Pump type CM250/33A, s/n 293753
2200.1 Impeller	Pump type CM250/33A, s/n 293753
1500.1 Casing wear ring	Pump type CM250/33A, s/n 293753
3210 Grooved ball bearing	Pump type ZENC 040-160 S/B, s/n 293763
4120 O-ring	Pump type ZENC 040-160 S/B, s/n 293763
4123 O-ring	Pump type ZENC 040-160 S/B, s/n 293763
4330 Mechanical seal	Pump type ZENC 040-160 S/B, s/n 293763
5230 Shaft sleeve	Pump type ZENC 040-160 S/B, s/n 293763
5290 Bearing bush	Pump type ZENC 040-160 S/B, s/n 293763
5400 Bush	Pump type ZENC 040-160 S/B, s/n 293763
2100 Shaft	Pump type ZENC 040-160 S/B, s/n 293763
VM50/16A	Pump type VM-50/16 bronze body, with an 1 Stk 2.799,00 2.799,00 electric motor of 5,5 kW at 2900 rpm, V1; Capacity: 20/45 m³/h at 32/24 m.c.a. •HS: 84137045 / CoO: ES
LN-VP40/160	Pump type LN-VP40/160 (S/N: 372004) Pump type LN-VP40/160 vertical, bronze body, motor 7.5 kW at 2900 rpm, 380-660V, 50 Hz; Capacity: 65 m³/h at 30 m.c.a. •HS: 84137045 / CoO: ES
CA-40/1A	Bronze Body

CA-50/5A	Bronze Body
BT-HM38D4	Pump type BT-HM38D4 (S/N: 390401) Pump type BT-HM38D4 monobloc, with an electric motor of 2,2 kW at 1450 rpm, 220-380 V, 50 Hz; Capacity: 4 m ³ /h at 40 m.c.a. •HS: 84137045 / CoO: ES
LN-VP-125/250	IN BRONZE, WITH MOTOR OF 35 KW, 440-760V, 1750 RPM, 60 HZ, IP55.F SIMILAR TO SERIAL NUMBER 428058
CP-25/130	Pump type CP-25/130 MONOBLOC, cast iron body, with an electric motor of 0,75 kW at 2900 rpm, 220-380 V, 50 Hz; Capacity: 3,6 m ³ /h, 20 m.c.a. •HS: 84137045 / CoO: ES
7200.1 Coupling half	•HS: 84139100 / CoO: ES
7414 Coupling bush (6pcs/set)	
4200.1 Mechanical seal	
Pump type KL30S40.0	Pump type KL30S40.0 (S/N: 405183) cast iron body, with an electric motor of 5,2 kW at 1500 rpm, 380 V-III, 50 Hz; Capacity: 4 m ³ /h, 40 m.c.a. •HS: 84137045 / CoO: ES
BT-LV125T-F	Pump type BT-LV125T-F (S/N: 473058) Pump type BT-LV125T-F cast iron body, with an electric motor of 53 kW at 1750 rpm 440- 760 V, 60 Hz; Capacity: 140 m ³ /h, 70 m.c.a.
WEG W22	LO Pump Electrical Motor / D.No: Electrical Motor: Maker/Model: WEG W22 3 Frame 225S-M-04, 1770rpm, 53 kW Serial No: 1037015655
4610.1 O-ring	
4610.2 O-ring	
4200 Mechanical seal	
CASING WEAR RING CA 50/5A REF NO:1500	
CA80/10A	Type/Model :Azcue Bombas CA80/10A Size:80x65 Capacity: 35meter cube per hour Pressure Head: 30M Serial Number: 364472 , 364473 Power: 10HP Voltage:415V
MO-36/20 RT3-18 4200.1	
MO-36/20 3011	
MO-36/20 7414	
MO-36/20 RT3-18 3300	
MO-36/20 RT3-18 4590.1-4	
VM-65/26A 2200.1 Impeller	
VM-65/26A 4200.1 Mechanical seal	
VM-65/26A 2100.5 Shaft	
VM-80/20A-R 1500.1	1500.1 Casing wear ring
VM-80/20A-R 1500.2	Casing wear ring
VM-80/20A-R 4200.1	Mechanical seal
VM-80/20A-R 4610.1	O-ring
VM-80/20A-R 4610.2	O-ring
VM-80/20A-R 4590.4	Gasket

CM-EP80/26	2200 Impeller
VM-EP80/26A-R	4200.1 Mechanical seal Pump type VM-EP80/26A, s/n 502627, 502632
CA-50/7A	Kit mini (100) -- Pump type CA-50/7A (S/N: 495682)
Pump type LN-32/160 (S/N: 371523)	Pump type LN-32/160 bronze body, with an electric motor of 4 kW at 2900 rpm, 400 V, 50 Hz; Capacity: 20 m ³ /h at 30 m.c.a. •HS: 84137045 / CoO: ES
Seconder Bulkhead Ball Bearing 6308 2z C3 / D.No:	SKF or FEG
Seconder Bulkhead Shaft Oil Seal 52X40X7 / D.No:	
Spare parts	K¼nnen sie uns ihren Angebot f¼r die Ersatzteile schicken. bitte mit ihren besst m¼glichen Angebot
LN-VP65/250	Pump type LN-VP65/250 bronze body, with an electric motor of 8,6 kW at 1750 rpm, 440-760 V, 60 Hz; Capacity: 60 m ³ /h, 30 m.c.a. HS: 84137045 / CoO: ES Pump type LN-VP65/250, s/n 313498
KL-30S60.0	Pump type KL-30S60.0 cast iron body, with an electric motor 5,5 kW at 1450 rpm, 400 V, 50 Hz; Capacity: 15 m ³ /h, 50 m.c.a. HS: 84137045 / CoO: Pump type KL-30S60.0 (S/N: 497608)
B0-31/10 199.178	
CA-50/7 5,5 kW	Pump type CA-50/7 monobloc, horizontal, bronze body and impeller, with an electrical motor of 5,5 kW at 2900 rpm, 400 V-III, 50 Hz; Capacity: 27 m ³ /h at 35 m
CA-50/7 6,8 kW	Pump type CA-50/7 monobloc, horizontal, bronze body and impeller, with an electrical motor of 6,8 kW at 2900 rpm; Capacity: 21 m ³ /h at 41 m
BT-IL45D4-F	Pump type BT-IL45D4-F self-priming, with safety valve, with an electric motor of 3 kW at 2900 rpm, 400 V, 50 Hz; Capacity: 9 m ³ /h at 3 bar
BT-IL45D4-F	Pump type BT-IL45D4-F self-priming, with safety valve, with an electric motor of 3 kW at 2900 rpm, 400 V, 50 Hz; Capacity: 9 m ³ /h at 3 bar
MR-41/30	Pump type MR-41/30, bronze impeller, with an electric motor of 4 kW at 1450 rpm, 440 VIII, 50 Hz; Capacity: 11,5 m ³ /h at 40 m
CP-25/160 (S/N: 496477)	4200 Mechanical seal
MA-80 (S/N: 496479)	4200.1 Mechanical seal
CA-50/7A (S/N: 496482)	4200 Mechanical seal
1037 Stator	Pump type KL-30S40.0
2200	
VM-80/20A-R (S/N: 275712)	Pump type VM-80/20A-R vertical, cast iron body, bronze impeller, with an electric motor of 15 kW at 2900 rpm, 380-660 V, 50 Hz; Capacity: 80 m ³ /h at 34 m.c.a. HS: 84137045 / CoO: ES
Spare set for CA-80/10A (S/N: 388570)	1 CA-80/10A 4200 Mechanical seal 2 Stk 2 CA-80/10A 4610.1 O-ring 0,0 2 Stk 3 CA-80/10A 4610.2 O-ring 0,0 2 Stk 4 CA-80/10A 3011.1-2 Radial ball bearing 2 Stk 5 CA-80/10A 2510 Spacer ring 1 Stk 6 CA-80/10A 2100 Shaft 1,7 1 Stk
Spare Set for CA-80/7A (S/N: 296531)	1 CA-80/7A 1221 casing cover 1 pc 2 CA-80/7A 2510 spacer ring 1 pc 3 CA-80/7A 4200 Mechanical seal 0.1 1 pc 4 CA-80/7A 2100 Shaft 1.7 1 pc
	1 MO-11/20 2100 shaft 1 pc 2 MO-11/20 2200 impeller 1 pc 3 MO-11/20 3011.1 Radial ball bearing 1 pc 4 MO-11/20 4200.1 Mechanical seal 1 pc

Spare Set for MO-11/20 (S/N: 289708)	5 MO-11/20 4263.1-2 Spring plate 1 pc 6 MO-11/20 4590.1-4 Gasket 1 unit 7 MO-11/20 6579.1-2 Socket head cap screw 1 pc 8 MO-11/20 7414 Coupling bush (6pcs/set) 1 set 9 MO-11/20 3011.1 Radial ball bearing 1 pc
1037 Stator	KL30S40 HS: 84139100 / CoO: DE
AN-125/250 with s/n 337494	Kit Max
Pump type MO 36/20 Q-4m3/h, H-40	
VM 80/16 R	
2100 Shaft	
4200.1 Mechanical seal	
2200 Impeller	
4610.1 O-ring	
4610.2 O-ring	
4590.4 Shaft seal ring	
2510 Spacer ring	
1500.1 Casing wear ring	
1500.2 Casing wear ring	
AN-25 , code 4200 AZCUE	
See List	
MN32-160	Steam condensate cooling pump complete with electric motor MARKA: AZCUE TYPE: MN 32/160 Q-20m ³ /h, H-25
CP-25/130-4200	MECHANICAL SEAL Pump type CP-25/130 (S/N: 458704)
CP-25/130-4610.1	O-RING
CP-25/130-4610.3	O-RING
CP-25/130-2912	IMPELLER NUT
Type: VR 200/33	Liste am anhang
Type: VR - 125/33	Ersatzteile
Type: VR - 125/26	Ersatzteile
Type: CM-EP 100/40	ersatzteile
Type: CM-EP 50/26	ersatzteile
BT-DG110T-F-7414	COUPLING BUSH (9PCS/SET)
CA-50/2A	PUMP TYPE CA-50/2 monobloc, cast iron body, bronze impeller, with electric motor of 3 Kw at 2900 rpm, 220-380 V, 50 Hz, Capacity: 10 m ³ /h at 18 m.c.a.
CM-EP50/26-A-1500.1	CASING WEAR RING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-1500.2	CASING WEAR RING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-2100.1	SHAFT Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-2200.1	IMPELLER Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-2510	SPACER RING Pump type CM-EP50/26-A (S/N: 336834)

CM-EP50/26-A-2912	IMPELLER NUT Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-3011.1	RADIAL BALL BEARING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4200.1	MECHANICAL SEAL Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4305.1	SHAFT SEAL RING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4590.1	GASKET Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4590.4	GASKET Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4610.1	O-RING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4610.2	O-RING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-7414	COUPLING BUSH (6PCS/SET) Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-X01	MOTOR BALL BEARING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4200.3	MECHANICAL SEAL Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-X02	MOTOR BALL BEARING PRIMING PUMP Pump type CM-EP50/26-A (S/N: 336834)
CM-EP100/40A-1500.1	CASING WEAR RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-1500.2	CASING WEAR RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-2100.1	SHAFT Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-2200.1	IMPELLER Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-2510	SPACER RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-2912	IMPELLER NUT Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-3011.1	RADIAL BALL BEARING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-3130.1	BEARING BRACKET Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4200.1	MECHANICAL SEAL Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4305.1	SHAFT SEAL RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4590.1	GASKET Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4590.4	GASKET Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4610.1	O-RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4610.2	O-RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-7414	COUPLING BUSH (9PCS/SET) Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-X01	MOTOR BALL BEARING Pump type CM-EP100/40A (S/N: 336827)
VM-125/26A-1500.1	CASING WEAR RING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-1500.2	CASING WEAR RING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-2100.5	SHAFT Pump type VM-125/26A (S/N: 336816)
VM-125/26A-2200.1	IMPELLER Pump type VM-125/26A (S/N: 336816)
VM-125/26A-2510	SPACER RING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-2912	IMPELLER NUT Pump type VM-125/26A (S/N: 336816)
VM-125/26A-4200.1	MECHANICAL SEAL Pump type VM-125/26A (S/N: 336816)

VM-125/26A-4590.4	GASKET Pump type VM-125/26A (S/N: 336816)
VM-125/26A-4610.1	O-RING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-4610.2	O-RING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-X01	MOTOR BALL BEARING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-X02	MOTOR BALL BEARING Pump type VM-125/26A (S/N: 336816)
VR-200/33-1500.1	CASING WEAR RING Pump type VR-200/33 (S/N: 336812)
VR-200/33-1500.2	CASING WEAR RING Pump type VR-200/33 (S/N: 336812)
VR-200/33-2100.6	SHAFT Pump type VR-200/33 (S/N: 336812)
VR-200/33-2200.1	IMPELLER Pump type VR-200/33 (S/N: 336812)
VR-200/33-2510	SPACER RING Pump type VR-200/33 (S/N: 336812)
VR-200/33-2912	IMPELLER NUT Pump type VR-200/33 (S/N: 336812)
VR-200/33-3011.7	RADIAL BALL BEARING Pump type VR-200/33 (S/N: 336812)
VR-200/33-4200.1	MECHANICAL SEAL Pump type VR-200/33 (S/N: 336812)
VR-200/33-4590.4	GASKET Pump type VR-200/33 (S/N: 336812)
VR-200/33-4610.1-2	O-RING Pump type VR-200/33 (S/N: 336812)
VR-200/33-X01	MOTOR BALL BEARING Pump type VR-200/33 (S/N: 336812)
MN-50/160	PUMP TYPE MN-50/160 monobloc, bronze body, with an electric motor of 2,5 kW at 1.750 rpm, 255-440 V, 60 Hz; Capacity: 50 m ³ /h 11 m.c.a. (S/N: 225999)
MN-65/200-2200	IMPELLER Pump type MN-65/200
Mechanical seal 4200 22	N.OSA-325-M pump
O-Ring 4610.1 26	N.OSA-325-M pump
O-Ring 4610.2 27	N.OSA-325-M pump
BT-IL45D4-F	PUMP TYPE BT-IL45D4-F Monobloc, with an electric motor of 2,2 kW, 1.450 rpm, 220-380 V, 50 Hz (S/N: 333531)
LN-80/200-1500.1	CASING WEAR RING
LN-80/200-1500.2	CASING WEAR RING
LN-80/200-4590.1	GASKET
LN-80/200-2200	IMPELLER
LN-80/200-2912	IMPELLER NUT
LN-80/200-6700.1	KEY
LN-80/200-4200	MECHANICAL SEAL
LN-80/200-2100	SHAFT
LN-80/200-6579.1-2	SOCKET HEAD CAP SCREW
LN-80/200-2510	SPACER RING
CP 40/160	
CM - 80 / 26 A	

BV, CM - EF 50 / 20	
VM 50 / 26A	
VAC43	
CA-50/7A	DN50 Outlet chrome 316 Equipment Pump 24V 4 amp 501 or 602 model Suction column is 30 m, self priming is enough: 24 units Note: The pump will be used in the sea water circuit.
CA-50/2A	
BT-MB 25D-F	(Q:2m ³ /h)
CA-50/7A	PUMP TYPE CA-50/7A Monobloc, bronze body, with an electric WEG motor of 5,5 kW at 2.900 rpm, 400 V-III, 50 Hz; Capacity: 30 m ³ /h at 32 m.c.a.
BT-IL45D4-F	PUMP TYPE BT-IL45D4-F Cast iron body, with an electric WEG motor 1,5 kW at 1.450 rpm, 400 V-III, 50 Hz; Capacity: 4 m ³ /h at 30 m.c.a.
CA-50/5A	PUMP TYPE CA-50/5A Monobloc, cast iron body, bronze impeller, with an electric WEG motor of 4 kW at 2.900 rpm, 400 V, 50 Hz; Capacity: 5 m ³ /h at 30 m.c.a.
LN-40/160	PUMP TYPE LN-40/160 Vertical, bronze body, with an electric WEG motor of 5,5 kW at 2.900 rpm, 400 V-III, 50 Hz; Capacity: 25 m ³ /h at 30 m.c.a.
Hand pump No.5, Q=6m³/h, H=10 m	(medium - seawater, body - cast iron, impeller - brass, shaft - stainless steel). - 1 pcs
Drainage pump LN-VP-40-160,	Q=35 m ³ /h, H=30 m, with pneumatic self-priming ejector 7 bar - 1 pc. (medium - seawater, version - monoblock, vertical, "in line", body and impeller - bronze, shaft - stainless steel). The standard power supply is 400 V/50 Hz.
BT-IL52D4	PUMP TYPE BT-IL52D4 Monobloc, cast iron body, with an electric WEG motor of 2,2 kW at 930 rpm, 220-380 V, 50 Hz; Capacity: 5,6 m ³ /h at 50 m.c.a. (S/N: 356416)
VM-125/26A	PUMP TYPE VM-125/26A Vertical Cast iron body with bronze impeller and electric WEG motor of 35 KW 1765 rpm 440-760 V 60 HZ Capacity: 210 m ³ /h 30 m.c.a. * Similar to serial number 338367
BT-IL52D4	PUMP TYPE BT-IL52D4
Coupling Bush A4	7414
Coupling Half	7200.1
Coupling Half	7200.2
1221.1	Casing cover
2,100	Shaft
2912.1	Impeller nut
4,200	Mechanical seal
6579,1-2	Socket heat cap screw
1500.1	Casing wear ring
1500.2	Casing wear ring
LN-65/250-1500.1	CASING WEAR RING Pump type LN-65/250 (S/N: 386275)
LN-65/250-1500.2	CASING WEAR RING Pump type LN-65/250 (S/N: 386275)

LN-65/250-2100	SHAFT Pump type LN-65/250 (S/N: 386275)
LN-65/250-2200	IMPELLER Pump type LN-65/250 (S/N: 386275)
LN-65/250-4200	MECHANICAL SEAL Pump type LN-65/250 (S/N: 386275)
LN-65/250-2510	SPACER RING Pump type LN-65/250 (S/N: 386275)
LN-65/250-2912	IMPELLER NUT Pump type LN-65/250 (S/N: 386275)
LN-65/250-6579.1-2	SOCKET HEAD CAP SCREW Pump type LN-65/250 (S/N: 386275)
LN-65/250-4590.1	GASKET Pump type LN-65/250 (S/N: 386275)
CP-50/130-4200	MECHANICAL SEAL Pump type CP-50/130 (S/N: 496768)
CA-50/4-4200	MECHANICAL SEAL Pump type CA-50/4 (S/N: 468749)
CA-50/5A	PUMP TYPE CA-50/5A Monobloc, bronze body, with an electric WEG motor of 4 kW at 2,900 rpm, 400 V-III, 50 Hz; Capacity: 25 m ³ /h at 25 m.c.a. (S/N: 465803)
LN-50/160-4200	MECHANICAL SEAL Pump type LN-50/160 (S/N: 324846)
Driving spindle	Cat.Ref. 2160
Radial ball bearing	Cat.Ref. 3011
Mechanical seal	Cat.Ref. 4200
Valve piston	Cat.Ref. 5250
Valve spring plate	Cat.Ref. 5252
Spacer bush	Cat.Ref. 1680.1
Spacer bush-2	Cat.Ref. 1680.2
Idler spindle	Cat.Ref. 2170. 1-2
BT-HM32D2-F/4200	SEAL ASSEMBLY,SHAFT
BT-HM32D2/4200	SEAL ASSEMBLY,SHAFT
VCBT2500000	SEAL ASSEMBLY,SHAFT
V00A6362000	PACKING,PREFORMED
New pump	
Spare part -pump discharge flange	
Mechanical seal - AH-25	For Repair pump type AZCUE LN-32-160, LN-32-160R, CP-40-130
BALLAST PUMP NO: 2, AN80-160, S/N 495884 DRWG: N. 0AN-266-M	
An-40/315ht1	2200 Impeller Pump Type: AN-40-315-HT1, S/N: 448747 *****
An-150/250 Rbb3011.1	
4595 Joint Ring Circular	
Model: 4200	
Ca-50/2a-4200	
6m684006mv	MECHANICAL SEAL TYPE AN-43 M/E LT P/P NO.1
Mechanical Seal For Pump Bt-Lv 90t	

Model: 2200	
4610.2 O-Ring	
1500.1 Casing Wear Ring	
Azcue Ca-50-5	40M3/SAAT, 6kW t C DRYING PUMP
??-50-7-?	
O-Ring 4610.1	
4590.1-2 Gasket	
4590.3 Gasket - Not In This Pump	
Vm-100/33 Ms1	
Gasket For Pump Bt-Lv90t2	
Vm-Ep-80/26-A Sr	
An-32/160r-Ht - Å216;135	
An-150/25 T1	
3011.5-6	BALL BEARING
Bt-Lv-100t	SPARES FOR PUMP TYPE: BT-LV-100T, S/N: 326147 BT-LV-100T, CB-A3 Coupling bush set, ref #: 7414 (6 pieces per set) A3
Ln-125/250 Ms	
Vm-Ep-80/26-A Cc1	
Bt-Dg110t-F	
Lloydã39;S	
1500.2 Casing Wear Ring	
Vm/Ep50/26a	
Vm-Ep-80/26-A Cwr2	
7414 Coupling Bush (9pcs/Set)	
An-150/25 T1 (2)	
An-150/250 Rbb3011.2	
Ocm-309-M	BALLL BEARING
Model: 2100	
Pump Type Ca-80/10a (S/N: 355841)	Pump type CA-80/10A Monobloc, bronze body, with an electric motor of 7,5 kW at 2900 rpm, 415 V, 50 Hz; Capacity: 70 m³/h at 25 m.c.a. •HS: 84137045 / CoO: ES
Pump Type Cp-25/130	horizontal monobloc, with an electric motor of 0,55 kW at 2900 rpm, 400V-III, 50 Hz; Capacity: 6 m³/h at 10 m •HS: 84137045 / CoO: ES
4200.3 Mechanical Seal	
Bearing 3011.1	
3011.1 Radial Ball Bearing	
Vm-Ep-80/26-A In	

??-50-3-?	
Type: Mn40-200	
4610.1 O-Ring	
Azcue An-Vp-80-315	70LTR/SAN, H=100MTR C TRANSPORT PUMP
An-Vp-100/400 G1	
4200.1 Mechanical Seal	
Type : Bt-Lv 90t	
Vm-Ep-80/26-A Imp1	
An-Vp-100/400 Ms	
Vm-Ep-80/26-A Cwr1	
Ln-32/160	4200 Mechanical seal •HS: 84139100 / CoO: ES For pump type LN-32/160 (S/N: 307702)
??-50-130	
3011.2 Radial Ball Bearing	
An-150/25 Bc1	
Vm-Ep-80/26-A G4	
??-40-1	
Mechanical Seal 4200.1	
Aoha 1201 Cast Iron+bronze	0.55 kW, AA 001.2H.4 / Including Drip Tray Foun
4610.1	O RING ME FW LT P/P
300744 / Type - KI30s.50.0 - Spare Parts Of Sludge Pump	
Bt-Lv 100t (6 Kupplungselemente)	Spares 7414 COUPLING BUSH 6 PCS (A3 POS)
An-150/250 Ms4200	
Vm-Ep-150/26a 50 Hz	400 m3/h, 15 mwc, 22 kW, 1450rpm, 50 Hz-400 V
4305.1-2 Shaft Seal Ring	
Bt-Mb25d	
Vm-Ep-80/26-A Or1-2	
4590.4 Gasket	
Bt-Lv90t2	
Mechanical Seal 4200.2	
Vm-Ep-80/26-A Vc	