


Bartec

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Bartec** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Bartec T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
07-7331-2305/1000	PROFIBUS Ex d e [ia Ga] IIC Gb Valve control module output Ex i The offer / order includes documentation (CE declaration and operating instructions or installation and assembly instructions) exclusively in German and English Profibus Interface 4 x digital out Ex i/8 x Ex i digital in
07-7331-2307	PROFIBUS Ex d e [ia Ga] IIC Gb 4x RTD in Ex i The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language. no preferential origin
07-7331-2302/0000	PROFIBUS Ex d e IIC Gb 16 digital in The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language. Profibus-interface-16-x-digital-in
07-7331-2301/0000	PROFIBUS Ex d e IIC Gb 16 digital out The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language. No preferential origin! ***** PROFIBUS Interface 16 x Ex e digital out
07-7331-2304/2000	PROFIBUS Ex d e IIC Gb 8x transmitter in (passive) ### The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language PROFIBUS-Interface 8 x 4 to 20 mA in passive
	Miniature switching relay Ex d e IIC Gb UC11.2 - 16V 1 changeover

07-7311-6371/2000	contact The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language.
07-7311-97mtba12	Isolating switching amplifier Ex d e [ia Ga] IIC Gb; 4 channels with display; default The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language
07-7331-23043000	PROFIBUS Ex d e IIC Gb 8x transmitter in (active) The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language.
07-7331-2307/0000	PROFIBUS-Interface 4 x RTD in Ex i
07-7311-6371/.000	
07-7311-97mt/Ba.2	Isolator Amplifier
07-7331-2304/3000	PROFIBUS-Interface 8 Transmitter in (8 x 4 to 20 mA, Transmitter in)
97980	Bad Mergenitheim Profibus Connector
Z104.905	560.1 Single switch path / torque Goldk. with pin contacts with 4 wires
Z104.907	Tandem switch travel / torque Goldk. with pin contacts 560.1 with 8 wires
07-2511-1330/41	
Z104.909	Single switch path / torque Goldk. Ex with wire end sleeves 560.1 with 4 wires
Z104.910	Tandem switch travel / torque Goldk. Ex with wire end sleeves 560.1 with 8 wires
07-3321-1100	Switching module for mounting on mounting rails with terminals 2 NC contacts 122568 Customs number: 85365007 Country of origin: DE
07-7311-97MTBA12	Isolating amplifier Ex d e [ia Ga] IIC Gb; 4 channel with display; default The offer / order includes documentation (CE declaration and operating instructions or Installation and assembly instructions) only in German and English language. Customs number: 85423390 Country of origin: DE
27-2C54-7054110Z5000	PTC heating element HSF 50W (at Ta = 0 ° C) AC / DC120-240V, 5m AL Ex version T4 Customs number: 85162950 Country of origin: DE
07-7331-23042000	PROFIBUS Ex d e IIC Gb 8x transmitter in (passive) ### The offer / order includes documentation (CE declaration and operating instructions or Installation and assembly instructions) only in German and English language. Customs number: 85423190 Country of origin: DE
07-7331-2304/2000	NIS analog input module
07-7331-2307/0000	RTD module
07-7331-230H/1010	AO module
07-7331-2305/1000	DI module
07-7331-2307/0000 with GSD docs	RTD module
8SG1140	
07-7331-23030000	PROFIBUS Ex d e, [ia Ga] IIC Gb, 16 digital in Ex i HS Code: 85423190 COO: Germany NAMUR / standard The offer / order includes documentation (CE declaration and operating instructions or Installation and assembly instructions) only in German and English language. no preferential origin. ***** Customs number:

03-9530-0006	85423190 Country of origin: DE 442424 Strobe light dsLB 20 / red 24 V DC; 15 Ws FHF22486302 Version Funke & Huster Protection class: II 2G Ex d e IIC T5 / T6 Gb II 2D Ex tb IIIC T95 ° C / T80 ° C Db Permit: PTB 99 ATEX 1028 IECEx PTB 09.0062 Ambient temperature: -55 ° C to + 55 ° C (T5) -20 ° C to + 40 ° C (T6) Customs number: 85318070 Country of origin: DE
07-2522-713064H2	Limit switch IP 66 1W; Cont.Ag; Oper. Temp. -25 to + 135 ° C with actuator 64 Cable length: 1m Heat-resistant cable -50 ° C to + 180 ° C
DPA-4	Tag: 147AT-3003 A/B, 147AT-1006 A/B, 147AT-1011 A/B, PUMP incl. metering valve serialNr. 001 and from serialNr. 005 334672
Mini fluid Sensor/IBP sensor serial numer 005	and from serialNr. 018 353296
Z014.903	Referenznr.: 560.1 Single switch path / torque Ex with wire end sleeves
TYP:8SG1140	
HSF 100-T3-5	HEATER FOR DW MOTOR BARTEC
PTB 00 ATEX 1092 X	
07-7311-97WP4010	FO T-Coupler Ex d e [ib] IIC Gb Glass fiber (50µ/62.5µ) ST The offer/order includes documentation (CE declaration and operating instructions or installation and assembly instructions) exclusively in German and English language. Customs number:85423190 Country of origin:DE
07-7331-23043000	PROFIBUS Ex de IIC Gb 8x transmitter in (active) The offer/order includes documentation (CE declaration and operating instructions or installation and assembly instructions) exclusively in German and English language. Customs number: 85423190 Country of origin: DE
ED 100 \ 910-712-332-2 \ 3X0,55mH 1k \	
P/N : 07-3323-3203	
NASP GUB-0 EXPROOF	ATEX: Ex II 2G Ex d IIC T6 to T3 Gb Ex II 2D Ex tb IIIC T85°C to T200°C Db IECEx: Ex II 2G Ex d IIC T6..T3 Gb Ex II 2D Ex tb IIIC T85°C..T200°C Db
Limit Switch 07-2511	
MSL 8202-51	
RVP-4-3050	
NORMAL PUSH BUTON EXII 2 G IIB+H2 Gb EX II2 D EX T	MATERIAL:ALUMINUM CONTACT 1NO+1NC COLOR:RED ISO-M25
07-1501	
02 004191	
05-0003-000900+07-3321-1200	
Order No.27-3833-20321600	
17-25tc-3001	EEx i Terminal BSG 2 Power Supply Module Ex-93.C.2008 X
U89117671812	
07 2581	
05-0003-00900	
M25-Sx-Exe ?25?1,5	
07-3323-4200	

05-0091-0097	
Pt100/8/4 Ftzu	
27-5822-5a6a0480	
05-0003-006600+07-3361-1820	
07-7311-93ta-5350	
07_2911 - Incomplete Model	
Order No. 27-3621-02100101 (Assembled With 77 M Emf Cuni 0250 With Tester Port)	
07-3353-1110	
07-1511	
07-3323-3403	
17-71p1-1443	OPERATOR INTERFACE BAT2
05-0003-001500	
275739	
Order No. 27-3621-02100101 (Assembled With 59 M Emf Cuni 0250 With Tester Port)	
07-05103-9604 Dimensions:220x120x90 Mm Terminals: 25xwdu4+6xwpe4	
05-0020-0472	
07-3323-100	
05-0091-0136	
05-0003-001802	
05-0003-00800	
07-2511-11 30/64	
02 5500 0035	
05-0003-001300	
07-3323-1400-3 - Not Available	
Xcx1301360e-230	
07-2511-1521	
02-5500-0003	
1910012615010	
Pwb 20 W/M 220v / 50 Hz 3000 M	
R20 P07674390760	
07-3323-400	
17-A129-0gk0hjafa600	BARTEC, MC9090EX, UL CL 1 DIV 1, GUN STYLE, IMAGER, 28 KEYS
Order No. 27-3621-02100101 (Assembled With 64 M Emf Cuni 0250 With Tester Port)	
17-28tz-3001	FieldBus Bridge Module SK-FB-L2DP, 200720004000

246644, 3.15 A	
B7-A129-Oku0hjefa600	BARTEC, MC909EX, MOBILE COMPUTER, ATEX ZONE 2, BRICK STYLE, STANDARD LASER SCANNER, 53 KEYS
Psb 33 W/M 220v / 50 Hz 100 M	
5973-104	
07-3363-820	
R302_D94239-0-400c	
05-0003-007000	
07-3363-1820	
07-2511-1530/61	
05-0003-000900	
07-1501	
07-7311-93g58r20	
5673-100	
07-2511-1330xx00 (Ex. 07-2511-1330/49)	
330905-020-04	
07-7311-93wp0000	
27-5822-5a6a1000	
5673-302	
07-3353-3133	
07-1511-1030	
05-0003-000700	
25870-0123	
05-0003-001600+07-3351-1140	
Ptb 03 Atex 1142 X	
17-28tz-7006	Support Rail Housing SKFBL2DP
Order No.27-3833-20440250	
07-5819-7302	
07-0511	
07-3331	
07-2911-1330/30	
07-2511-3033 (118673)	
07-3363-4710	
4220-P025-06	
05-0003-006600	
4220-201	

07-1511-1521	
Wrt400p	TIRE PRESSURE SCAN TOOL
5673-102	
Wrt300psdc	TECH300PLUS-SD COMBO KIT
07-2511 B1138t	
07-3323-4400	
Order No. 27-3621-02100101 (Assembled With 70 M Emf Cuni 0250 With Tester Port)	
07-2511-1	
07-6121-9506	
Ps23in	
05-0003-007701	
07-2511 Switch	
4220-P025-05	
27-563g-Sf7s0i	
07-3323-1200-3 - Not Available	
05-0003-000800	
07-2511-1310/02	
Wrt500	TECH 500 TPMS SERVICE TOOL
Fam07-3511-10n84	
Vbb001rd	
Vbb001yl	
07-7331-2304	Analog Input Module
05-0003-001001	
02 2430 0003	
07-3511-10n84lock	
17-28tz-7005	Support Rail Housing SKFBL2DP
208115 / 00-1081	
07-2511-1330/64	
07-7311-97wp/5410	
05-0003-001300+07-3351-1110	
27-563g-Sf700i	
Radox 9 Gkw-Ax 1.5	
07-2511-1330/63	
Xcx1301360e-110	
02-5500-0014	

02-5500-0035	
07-7331-2301	Digital Output Module
05-0003-000801	
U891176718212a	
A7-2196-2902	Power Supply
05-0003-001000	
05 0003 000801	
232258	
05-0003-000801+07-3321-1100	
02 5500 0014	
07-2501-6420	
17-71v1-9037u000	
07-3353-1120	
07-3353-1140	
05 0003 000800	
07-31a2-2006	
Vbb001bl	
05-0020-0091	
05-0020-0492	
07-3353-3123	
07-3323-1400	
Set Pair Connection For Cable 11fsme2-??	
Oda 17-584d-200d/0001	
Emk0101by	
07-6121-9507 (Ex 07-6121-9503) + 07-6121-9506	
07-1511-1530/61	
02-2430-0003	
07-31a2-1606	
07-7311-97wp5000	
05 0003 000700	
Psb Heating Tape 33w	
Order No. 27-3621-02140101 (Assembled With 26 M Emf Cuni 1600 With Port Tester)	
231494	
05-0003-006700	
05-0003-00700	

[07-7311-97wp6000](#)

[07-3353-3113](#)

[07-3353-3143](#)

[27-5824-5a6a3000](#)

[Krm16a](#)

[07-3323-1100-3 -2nc - Not Available](#)

[07-2511-15xx/62](#)