

Bauer



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Bauer Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Bauer Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Bs04-84/P05la32-G/E003b9/Sp	Basic type worm geared motor Make BAUER Type BS04-84 / P05LA32-G / E003B9 / SP Engine power (kW) 0.18 Painting 1K primer Article no. 188S1407 brand new This product is licensed by STEINLEN Elektromaschinenbau GmbH manufactured. Weight / piece approx .: 8.300 kg
Paint 45.74 Optional	Painted in RAL 1016
Bf60-05a/Dpe13xa4/RI/Sp	(7.5 kW , 14.8 A, 1460 d/dk, 400 V)
BS06-62U/D06LA4/SP	worm geared motor Motor power (kW) : 0,25 Mounting : H1 Output shaft speed (rpm) : 9,2 / 11,5 Terminal box position : II / A Torque (max. allowed) (Nm) : 106 / 106 Dimensional drawing : BS06 Service factor fB : 1,0 / 1,0 Catalogue : DG 07 Corrosion protection : Standard net weight per unit : ca. 12 kg
BAU2577542	Materialnummer 30404584
BG06-31/DHE05LA4-TOF-ST/AM	189E8908
BF10-04/DPE08XB4	Materialnummer 30674339 BCAS Artikelnummer 189F5829 Flat gear motor BF10-04 / DPE08XB4 Motor power: 0.75 kW Speed of the AW: 188 r / min Torque: 38.0 Nm Service factor fB: 4.0 Installation: H3 Terminal box position: IV / A Corrosion protection: standard Painting: RAL 7031 Dimension drawing: BF10-BF10Z Catalog: B 2010 Net weight per piece: approx. 30 kg Additional / special designs: Rating plate also stamped with: Customer ID no. E07100.7518801 With 2nd rating plate loose in the terminal box Design of the gearbox: Type: BF10 2-stage flat gear Execution code number 04 Cast on with torque arm Hollow shaft with keyway (d: 25 mm) Total reduction i: 7.58 Additional / special designs: 2 rubber buffers are supplied loose. With mounting aid -Holding- loose as an accessory pack Please note: engine The motor is connected via CAGE-CLAMP (cage clamp spring technology)! CAGE CLAMP is a registered trademark of WAGO
BG10-71/DV08MA4	

BG30-11/DHE09LA4/SP	
BAU2519704	Description WORK SHAFT BK30-32-A3 OUTPUT SHAFT BK30-32-A3 REAR TAP Net weight 14.211 KG
BAU2503140	Description WORK SHAFT BG40-30-A3 OUTPUT SHAFT BG40-30-A3 Net weight 4.620 KG
BG30Z-37/DHE08MA4-TOF-ST-K/ESX010A9/AM	<p>Material number 30669180 BCAS item number 189F1499 Article number: 189F1499 Spur gear motor with single-disc spring-loaded brake BG30Z-37/DHE08MA4-TOF-ST-K/ESX010A9/AM Motor power: 0.37 kW Speed of the AW : 19.5 r/min Torque: 181 Nm Service factor fB: 1.65 Lineup: B5 Terminal box position: IV / B Corrosion Protection: Standard Paintwork: RAL 7031 Dimension drawing: BG30-BG30Z-AM Catalogue: B 2010 Net weight per piece: about 34 kg Additional/special versions: Rating plate additionally stamped with: 460VY;60Hz;0.99A;IE2-77.8%;147Nm;24r/min Customer ID no. 24377517 With 2nd rating plate loose as an accessory pack Version of the gearbox: Type: BG30Z 3-stage spur gear Version code 37 with standard flange on front side (d: 200 mm) PTO shaft on gear side V for flange version (d: 30 mm) Total gear reduction i: 73.51 Additional/special versions: with oil-resistant seal between gear housing and screwed-on flange Engine design: Type: three-phase squirrel-cage motor DHE08MA4-TOF-ST-K Rated speed: 1430 rpm Voltage: 230/400V Stator circuit: D/Y Frequency: 50Hz Rated current: 1.91/1.10 A Power factor cos phi: 0.65 Efficiency: IE2 - 75.9% (according to EN 60034-2-1) Heat class: F IP protection according to EN 60529: IP 65 IC cooling type according to EN 60034-6: IC 411 Terminal box: TBS112 Additional/special versions: Harting plug connection HAN 10 ES according to dimensional drawing TBS11.-06-A3 and connection diagram HS21100000/01: Add-on housing 09 300 100 301 - 2 brackets Pin insert 09 330 102 616 sleeve housing - socket insert - Cover 09 300 105 407 With built-in thermostats "opener" for shutdown according to insulation class F according to additional connection diagram Z010.1030-13. Design of the brake: Working brake under the fan hood Type: Single-disc spring-loaded brake ESX 010 A 9 Setting value: 10.0 Nm IP protection class according to EN 60529: IP 65 Coil Voltage: 24V Coil Current: 1.45A Additional dimension drawing: N-BR Connection voltage DC: 24 V Additional/special versions: Please note: engine Execution according to regulations DIN VDE 0530-1, IEC 60034-1 Three-phase asynchronous motor with electrical design according to NEMA and CSA regulations NEMA MG1, CSA C22.2 No. 100 (as far as applicable to geared motors), with squirrel cage rotor, with roller bearings; surface-ventilated, completely closed, Dust-tight and jet-proof according to NEMA MG1, Part 5. Rating plate with international symbols. However, the motors are not NEMA C</p>
BF40-65RA/DV09LA 4-TF-K/E008B9HN/SP	
KPL 2800 BC 35	
BF40-65RL/DPE11LA4-TF-K/ES027A9/SP	189H6695

gear-box Bauer BK80-50VO-C/IEC160 IM H4	
brake Danfoss Bauer E075B7 1954309-2 BE	
motor BK50-84W/D09LA4-S/ESX027A9HN	
motor BF40-65RL/D08MA4-TF-K/E008B9/SP	
motor BF90-04W/DSE18XA4-TF-G-FV	
motor Bauer BF40-04W/DPEU11LB4C/C5-M-SP	
motor Bauer BF20-04/DSE09LA4-TF	
gear-box Bauer BF80-00W-C/IEC180 IM H4	
motor BF30-35/DSE09LA4-TF/C2	
brake Bauer ZS500A9HA	
DNF11SA4-SP	3 Phase,2.2kw 1400 RPM(round per minute) IP65(Protection class) 50 Hz(Frequency)
PE200-TE	
BF70-05A gear motor	
189H9594	BF70-05A/DPE18XB4/SP
BF50-0.4/D11 SA4-TF	m:104
CFG17G71-111/D5A6-429M with Brake GBR 500 WS	
CFG17G71-111/D5A6-429M 7.5 kw n2: 4.9 dev/dak	
GBR500 WS	
BRAKE SOLENOID FOR MOTOR	3NMDANFOSS BAUER
BRAKE DISC HS EH040 D09/ES040-D11 D13	Material number 30404642 BCAS item number BAU2581574 BRAKE DISC HS EH040 D09/ES040-D11 D13 ALUMINUM FDW15 T2701 ITEM.2.4
BRAKE DISC HS EH027-D08/ES027-D09	Material number 30404640 BCAS item number BAU2581558 BRAKE DISC HS EH027-D08/ES027-D09 dia.19,ALUMINUM FDW13 T2701 ITEM.2.2
BRAKE DISC HS ES070-D11-D13	Material number 30404643 BCAS item number BAU2581582 BRAKE DISC HS ES070-D11-D13 ALUMINUM FDW17 T2701 ITEM.2.5

BRAKE DISC HS EH125-D11/ES125-D13-D16	Material number 30404644 BCAS item number BAU2581604 BRAKE DISC HS EH125-D11/ES125-D13-D16 ALUMINUM FDW20 T2701 ITEM.2.6
BG06-31/DHE07LA4-TOF-K/E003B4	189L4231
Helical gear	motor type:BG70-11/DH13LA4 motor configuration:rated power 7.5 kw 1460 RPM,49 NM 400 v, 15A rated voltage:380 v AC/50 HZ 4 POLE OUT PUT SPEED:37.5 RPM
BK90-54VL/D18XA4S/Z100B9/SP 30KW T	
BS06-84/D06LA8-TOF	189L9301
BK90-54VL/DPE20XA4-TF-S/ESX250A9/SP	BCAS Artikelnummer 189M2929
BG20Z-37W/DHE05LA4-D/SP	189M3927
30767241	189M4170 Description ETG BG20Z-37W/D06LA4 i=157.00 V1 ETG transmission part complete with wheel 1 ETG BG20Z- 37W/D06LA4 i=157.00 V1 with preliminary stage (Replacement for #10983380-2, A/ 188P6656)
BK80Z-14U/D11MA4-TOF-K-Z015B9/C2-SP	
0,28kW;9,2/11,5 1/min	BS06-82/D06LA4/MG 574631
BAU2577542	Material number 30404584 Description RECTIFIER, W.HOUSING SG 3.575B RECTIFIER W.HOUSING SG 3.575B
HMB5-1.8-1-T-3-Y-N B51T0101	HYDRO MOTOR COMPLATE
U1=MAX.575VAC + %5	
BG10Z-11/D06LA4W-TF/C3-SP 0,06KW	
BRAKE DISC	BRAKE DISC GBR56/1-A4 (C915) GBR56/1-A4 (C915)
30787057	189N6293 ETG BK30-31V/DPE11LB4C i=9.63 H2/H4 ETG transmission part complete with wheel 1 ETG BK30- 31V/DPE11LB4C i=9.63 H2/H4 (Replacement for #11767599- 1, A/ 189H8257)
B50-R2-6-05/02	GEAR REDUCER
ZAHNRAD BM2-6-16 15 - 2	
ZAHNRAD B50-R2-6 48 - 2	
ZAHNRAD BM2-6-28 15 - 2	
188x8164	
Z 400 (Laufscheibe Für S 320) Laufscheibe	
1025414	

Dk94-241
Bsã216;4- 84/Dã216;4la4-Tof 0.09 Kw
D1a6-283
Dk812d372/200
659410
Zks025a2ws
Bg30-11/Dhe11la4-Tf-G- K/Esx070a7/Ht1-Av-C1-Sp
Obsolete No Replacement - Dk840h/200
Bau188j2075
188m8570
56x28,5x2,5
1038648
188p1395
Bk50-Bk50z
Dk6406/163 0,18 Kw U:220-380v N:88min-1 F:50hz Fa.Bauer M2 ,3 Phase Reductor Motor
216-3
E075b9
Bg80-11/D18xa4/Rr
Bs02-34v-D04la4
188s5186
24117031
Bf50-04/Du13la4-Tf/C4-Sp
Ebs04-61
188b8830
188u0775
G12-10/Npk830-240 /B3-6-7
173z8727
G132(Ex.Fdr71a/2nco)
Dk 812 Ez 22/200 By Sk 573.1 - 63s/4

Bs02-71 V/P04la32/Dsg-Sp
E075b6hn
Bk50z-24v/D08ma4-Xxx
Bf40-04/Dhe09xa4-G-Fv-S/Es010a9hn
Bg30-11w/Dhe11ma4-G/Ht1-Av-C1-Sp
25760069-2
Bk80-32h/Dhe16lb4-Tx-D-G-Fv-M/Esx200ax/Sp
188r7255
090100-Eu
2b-70-13-26-02
393051
188n5123
Bg20-11/D09xa4-Tf
Bk30-14u/D11sa4w
Bk70-14u/D16la4w
Cfg13 R1,R2 10/39
Bk30-Bk30z
Dkp8420/200I
1017144
E075b9ha
Bk50-34v/D09xa4-S/Z008b8ha/Sp
188j422300
Bg05-11/P04la32/Em
Bg50-11/D11ma4w-Tf
40x20,4x2,25
84,5x60,5x0,9
Cfg 7g-214/Dk84-200
Obsolete Bg30-11/D08la4-K/Z008b5/Sp Replaced By Bg30-11/Dse08la4-K/Esx010a9/Sp
Esx125a9

Bg 60 -11/D13/Ma4
131h3934
Bau2512564
1051300 Seal 3760
G32-11/D1a6-283-W
Etb E008b9
173h7052
39,6x25,5x0,5
Bk40g10-34v/D06la4-D-S/E000389/Sp
188n2414
Bk80-Bk80z
G22-10/Dk 94-216
Bs06-81/D06la4/Mg (Artikel-Nr.: 188h478700)
Dk Ez 11a/163 Obsolete, Replaced By Bg10-11/Dhe08la4/Sp
Gbr513-A4
Bg06-11/Dxs05la4-Tb-S
216-1
Bs04-71v/P04la25-G Motor
188m6808
Bg40-11/D11la4-Tf-G/UI-C2-Sp
Bk80g40-74h/D09xa4-Tf/C1 Old Version, New Version Bk80g40-74h/Dpe09xb4c- Tf/C1
Bk60-74v/D11ma4-Tf-D/C1 Old Version, New Version Bk60-74v/Dpe11la4c-Tf- D/C1
219221-15 Oem For Stoll
188n5121
Bg10-37/D06la4
Bf 70-04/Dr16 Ma4-Tof K/E 075 B7 Ha
Bk70-Bk70z
Dnfk88/200l

Bs06-34v/D07la4
Bk80g40-74h/Dpe09xb4c-Tf/C1
188n5119
188b0247
Bau2506441
188w9660
173f728500
Bg60-11/D13lc84-S/Esx125a9
216-5
171z9390 Etb Eks075b6hn
188b0245
Bg60z-11/Dse09la4-S/Esx010a9/Sp
Dp6a84fqu15v-214/499
188m7429
Sve220-0-Ex
173f5766
Bg30-11/Ma4-Tf-G/Ht1-UI-C2-Sp
1011090/60x80x10mm
188u0781
1304453 Seal
Bau2580551
Bk30-35va/Dpe09xa4c
25492002-1
Bg80-11/DI16la4w-Tf-G/UI-C2-Sp
Eks0085b5ha
136324
Bg 70-11/D16xa4
Do44-141l-S
1025392
Bf50-04w/Dhe11la4c/C1

188n5122
D-7300 A-134520 Essling Gbzs 50 Ws No: A-13452 380 Vac
D04la4
Bg30-11/D09xa4w-Tf
Bg40z-11/Dv06la4
25492054-2
011430
188t9303
25492049
188u0782
Bs0671v/Dv06la6-T0fst/Am-Sp B6 913943046 188k137300
133696
71,5x50,5x0,7
Bau2507846
Bs30z-34v/D06la4-Tf-S/E003b9/Ha/Am
188s8252
(188m188900) Bf80-04/D11la8-D- M/Esx070a9/Sp Gear Motor
173u3230
Dkf880h/200
N33530
034575
173f198800
Bk40-Bk40z
Bs06g04-54vl/D04la4/C1-Sp
Bg04-31/P04la32/Emv - Obsolete/No Replacement
Bk10-21uw/D09la4w
173l1377
Bs06-72h/Dv06la6-Tof-Stá; Am-Sp
Dia67v/283

25492020-1
188j5060
25491943-2
393 080
Dk54g062sz5-2122/143l
Bs06-71v/Dv06la6-Tof-St Am-Sp
188f220800
Bg30-11/Dse08la4-K/Esx010a9/Sp
173l6016
Bg50-11/Dr11la6/C2
Dk 68 Ez 11a/163
Bg 70 -11/D16la4
Disc Brake Pad For Type: Abr 25dc
Dl6a411/499l
Sr-A-S-230-004
G22-10/D2a4-309k-W
5g3.575a Obsolete, Replaced By Bau2577542
04496/85x120x12mm;Din 3760
188u6518
Bg60-11/D11 La4/Rr
188b2919
124x90,5x1,25
Bg10x-11/D09sa4-Tf
Tf-D/Ht1-C3-Sp
Bk60-74v/Dpe11la4c-Tf-D/C1
1025376
188k0457 Etm Bf50-04/Dhe11la4-Tf
T0034469
2577542
35,5x18,3x2

188g4360
Gv-247v/345b
Bs06-74v/Dv05la4/Sp
1576490 , By Ste1700043
188p0471
E 2077808-1 !! By Bk30-35va/Dpe09xa4c
1778875-07
Bk60-Bk60z
Bs0671v/Dv06la6-Tofst/Am-Spb6 Nr:25976371-9
72935
Cooling Fan C/W Impeller For Cv3a-Cv3c
31,5x16,3x1,75
216-4
D2a4-309
188u0773
E008b8
188n2036
188n5120
Bau2508427
Bg05-11/D04la4-Tf-G-/E003bhn/Sp
188n2399
1017233
G02-20/Dk 64-163 L Obsolete/ Replaced By Bg10-37/D06la4
Bk90-Bk90z
Bs06-81/D06la4/Mg
G12-10/Npk 830-240 , No
Q1000351
Cbzs250gs-HI Obsolete,Replaced By Zkk025a4ha (Ste1700135)
Bg10-11/Dhe08la4/Sp

Bs02-38h/D05la4/Sp
25491891-1
61,5x40,5x0,7
188w7603
Bg20z-11/D06la4-Tf
B28.2-55-Sz
188k7592
Dnf13ma4w/Sp S/No:E2070581-1
173z7035
171z8895
Bf20-04/Dhe08xa4
216-2
N33525
71 605 24 C 07
Z015b9 M.Bohr
50x25,4x3
Bf60 04 D09a4
Bs06-34v/Dv05la4/Am
Omp315-151-0617
Bg 80-11/D18la4
25x12,2x1,5
Bau2506491
188g6470
Bf80-04/Dhe13ma4-Tf-Fv- K/Es070a8ha/Ht1-Sp Gear Motor
Esx010a5
Bg 80 -11/D16la4/R
188s2074
Bg40-11/Dhe11la4c-Tf
Bf 20-04/Dse 09 La 4-Tf
Bk30q06-24v/D05la12-Tf-S/E003b4/Sp

188m6066 Etm Bs06-81/D08ma4-Tf-K307
Bs06-74v/D06la4/Mg
25988373-1 / By Tf-D/Ht1-C3-Sp
Bf90-04/Dr18xa4-Tf
Dk84-200
Bg04 11 Du04la4
Zkk025a4ha
Bg06-31/D04la4-Tf
41,6x25,5x0,45
Bau188s2585
Cfg13g22-111/D1a4-283m
393080
1025163
3021408
188u0778
Bs10-74h/D05la4
173f9566
Bg10x-11/D09sa4
188r7308
Bg30-11/D09la4w-Tf
173n567000
Bg10-37/D08xa4-Tf-
Bau2540801
Bk20-Bk20z
Bg10-11/D05la4-E/E003b9
188u0770
Bs03-74vh/Dv05la4
188m3565
Bk10-Bk10z
Bf20-04/D09la4

[Etb E008b9hn](#)

[189a0104](#)

[Bs06-71v/Dv06la6-Tof-St/Am,Artikel-
Nr.: 188k137300](#)