

Baumer



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Baumer Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Baumer Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Msa 42cb3e-G42/405132	
Msia 68cbaf-N83200p181	
Fvdm 15p5103/S14	Materialnr 10239451 Origin Switzerland (CH) Customs tariff number 85365019
Mhga 400 K-5 S-10 S-256	
O300.RI-Gw1j.72n Materialnr 11172769	Label on product O300.RL-11172769 Product O300 optoelectronic sensor Reflection barrier function R Light source laser class 1 L Output circuit push-pull G Switching function light / dark switchable W Number of outputs 1 output 1 Local, external and IO-Link J setting Degree of protection IP 67 7 Housing material plastic class 2 2 Connection type connector M8 (4-pin) N
Om70t-P0070.Hh0065.Vi Materialnr 11195786	Brand name MESAX Label on product OM70T-11195786 Product Optical distance sensor Beam shape laser point P Measuring range (distance mm) 0070 High H resolution High H measurement rate Focus distance [mm] 0065 Output circuit RS-485 and analog V Connection type connector M12 (8-pin) I
Eal580-Bnc.5wpt.18130.A	Materialnr 11188087 Absolute encoder multiturn with PROFINET I / 0 Mechanics: hollow shaft Ø 12mm open on one side, Clamping ring on the A side Degree of protection: IP 65 Voltage: 10 - 30 VDC Connection: radial 1 x M12 connector 4 pol. (Pin, A coded) 2 x M12 plug 4 pol. (Socket, D coded) Resolution: 31 bits 18 bit single turn, 13 bit multiturn Interface: Profinet without GSDML file
En 837-1 Dn 75 0-15 Bar	
En 837-1 Dn 75 -1 - 24 Bar	
En 837-1 Dn 100 -1 - 9 Bar	
En 837-1 Dn 100 0-39 Bar	

MaterialNr 10143924	Magnetrotor 64P
Yted Pressure Switch 0...25bar	KAYTEDB3B26R/0604 (YTED-B.3.B26.R/0604)
Connections Electrical: Ted6- Ted7	and YTED: M12-5 pin connector male Shielded moulded M12-5 pin cable, length 2 m Code: 0604 G1/4 DIN 3852 M12-5 pin mounted on NBR (nitrile) standard seals.
Sick Pbt 6043580 600 Bar B.	
Nbrce-440-1	
6sl3054-4ag00-2aa0 Modul	
E2b-M12ks04-Wp-B1-2m Sensor	
6gk5 615-0aa00-2aa2	
6es7 972-0bb52-0xa0	
6gk 1500-0fc10	
Lovato Dmg800	
Gfmmw.A203p32	MaterialNr 11135125 Absolute encoder multiturn stainless steel V4A Mechanics: clamping flange with shaft Ø 10 mm Degree of protection: IP 67 Voltage: 10 - 30 VDC Connection: bus cover with 3 cable glands Resolution: 29 bit 13 bit single turn, 16 bit multiturn Interface: Profibus-DP without GSD file
MaterialNr 11191971	Z 121.G03 Bellows coupling stainless steel Bore 10mm / 10mm
Z 150.022	MaterialNr 10146710 Accessories for the Multivo IVO variant CD with EDS / GSD / XML files and User guides
MHRM 12G5501/S14	MaterialNr 10146622 Origin Switzerland (CH) Customs tariff number 85365019 Product Magnetic Hall Sensor MH Housing shape cylindrical R Housing metal M Case size 12mm 12 Output push-pull G Output function square wave signal 1 channel 5 Measuring direction axial scanning 5 Sensor family 5 VDC 01 Variant connector M12x1 (4 pin) / S14
ESG 34AH0200	Origin European Community / Union (Germany - DE - Baden-W¼rttemberg) Customs tariff number 85444290 Product cable socket straight ESG Connection head 1 thread M12x1 straight 34 Number of poles head 1 4-pole A Material halogen-free cable H , 0200cm
FRDK 26R 7101/S27	
IFRM 12N1701/S14L	MaterialNr 10214923
DI 12.82.01/1	MaterialNr 10257959
10143924	Magnetrotor 64P 90319000 Switzerland
FHDM 12P5001/S36A	MaterialNr 10124787

FHDK 14P6901/S35A	
ITD 21 A 4 Y58 2048 T NI KR1 S 14 IP65	
IF08.D02S-F16.UA1Z.7WLV	Materialnr 11173266 Brand name AlphaProx Labeling on product IF08.D02S-11173266 Product inductive sensor with 08mm width for Front mounting IF08 Function of distance measuring sensor D Measuring range 2 mm 02 Characteristic standard S Installation type Flush F Sensor length 16 mm 16 Output circuit voltage U Switching function analog A Number of outputs 1 output 1 Setting Not adjustable Z Protection class IP 67 7 Housing material zinc W Connection type connector M8 (3-pin) L. Cable type Cable PVC V
GBAMW .020EPA6	Materialnr 11086756 Absolute rotary encoder singleturn Mechanics: clamping flange with shaft Ø 10 mm Protection class: IP 54 Voltage: 10 - 30 VDC Connection: bus cover with 3 x M12 plugs 1 x M12 plug 4-pin. (Pin, A cod.) 2 x M12 plug 4-pin. (Socket, D cod.) Resolution: 18 bit singleturn Interface: EtherCat without XML file
ITD 21 A 4 Y58 2048 T NI KR1 S 14 IP65	Rotary encoder 2048 pulses / revolution A, B, N track + inversion TTL UB = 5 VDC ± 5% LD output stage Connection cable: 1.00 m radial Bore Ø14 mm through Degree of protection: IP65 Mounting kit 008 Temperature range: -20 ... + 70 ° C
PBMN-25B15AA11441211000	Product Fully welded pressure sensor PBMN Housing material stainless steel 1.4404 AISI 316L 2 Accuracy ± 0.10% FS 5 Measuring range 0 ... 1 bar (EN) B15 Pressure type absolute (against vacuum) A Output signal 4 ... 20 mA A1 Electrical connection M12-A, 4-pin 14 Process connection G 1/2 A DIN 3852-E (G51) 41 Process connection material stainless steel 1.4404 AISI 316L 2 Seal NBR standard 1 Oil filling standard oil 1 Display without display 0 ATEX standard version 0 Approvals Standard approvals 0
BMSH 58S5S24K12/00P25	
EIL580-TT12.7FN.01024.A-11115128	Materialnr 11115128 Product information Incremental Rotary Encoder EIL580 EIL580 Installation size Ø58 mm Shaft type Through hollow shaft T Flange (hollow shaft) With stator coupling ø63 mm T Through hollow shaft ø12 mm, clamping ring A-side 12 Protection class IP 67 7 Radial flange socket connection, M23, 12-pin, pin contacts, CCW F. Operating voltage / output 8 ... 30 VDC, HTL / push-pull, 6 channel N Pulses per revolution 01024 Operating temperature -40 ... + 85 ° C A
LBFS-13121.C	Materialnr 11121201 Origin European Community / Union (Denmark - DK) Customs tariff number 90261029 Brand name CleverLevel Product level switch LBFS Conformity and approvals ATEX II 1G Ex ia IIC T5 Ga 1 Electrical connection M12-A, 4-pin, stainless steel (without LED display) 3 Process connection G 1/2 A ISO 228-1 (G07) 1 Process connection material stainless steel 1.4404 - AISI 316L 2 Output configuration PNP output 1 Customized

	configuration C
HOG28 DN 1024 CI 130H7	Clamping element KLK Material no. 11075463 Hollow shaft rotary pulse encoder Version with terminal box Fastening via clamping element and pressure ring Sea air / tropical protection A4 shaft bore 130H7 IP 54 Logic level: HTL; UB = +9 ... + 26 VDC Rectangular outputs: K1, K1 ', K2, K2', K0, K0 ' Imp./rev .: Z = 1024
FEG 14.24.35 SENSOR mit kabel	
A5S07B50 Sensor und kabel L3A22BO-5m	
FPDM 12P5101/S35A	Materialnr 10234192 Origin Switzerland (CH) Customs tariff number 85365019 Product photoelectric retro-reflective sensor with polarization filter FP Housing shape Rectangular side. Sampling D Housing metal M Case size 12mm 12 Output PNP P Output function complementary 5 Version With setting aid 1 Variant connector M8x1 (4 pin) / S35A
LBFS-01111.0	Material no. 11044623 Brand name CleverLevel Product level switch LBFS Conformity and Approvals Standard 0 Electrical connection M12-A, 4-pin, polycarbonate (with LED display) 1 Process connection G 1/2 A ISO 228-1 (G07) 1 Process connection material stainless steel 1.4301 - AISI 304 1 Output configuration PNP output 1 Configuration of factory settings 0
DNGA 230 100	Materialnr 10262701 DNGA 230 100 level control and monitoring 4 resistance inputs 2 relay outputs
EIL580-TN10.5\$E.01024.A/11129637	Materialnr 11129637 Product information Incremental Rotary Encoder EIL580 EIL580 Installation size Ø58 mm Shaft type Through hollow shaft T Flange (hollow shaft) Without stator coupling N Through hollow shaft ø10 mm, clamping ring on A-side 10 Protection class IP 65 5 / Connection See option Operating voltage / output 5 VDC, TTL / RS422, 6 channel E. Pulses per revolution 01024 Operating temperature -40 ... + 85 ° C A Option connection type cable tangential Option cable length m 0.150 Option connection coupling, M23, option 3105 Coupling, M23, angled, 12-pin, Pin contacts, CCW, sensor, central mounting, with Shims for fan cover inside diameter 121 mm
ITD 40 B10 1024 H NI KR2 S 11	CODE: 11062273
IWRM 12U9704/S14	Materialnr 10145778 Brand name AlphaProx Product inductive distance sensor IW Housing shape cylindrical R Housing metal M Case size 12mm 12 Output voltage output U Output function analog 9 Flush installation type (see data sheet) 7 Sensor family Standard 0 Variant connector M12x1 (4 pin) / S14
	Product Fully welded pressure sensor PBMN Housing material stainless steel 1.4404 AISI 316L 2 Accuracy ± 0.10% FS 5 Measuring range 0 ... 2 bar (EN) B17 Pressure type absolute (against vacuum) A Output signal

PBMN-25B17AA14444201000	4 ... 20 mA A1 Electrical connection DIN EN 175301-803 A (DIN 43650 A), 4-pin 44 Process connection G 1 A hygienic (A04) 44 Process connection material stainless steel 1.4404 AISI 316L 2 Seal Without 0 Oil filling standard oil 1 Display without display 0 ATEX standard version 0 Approvals Standard approvals 0
POG 10 DN 1024 I	
0052.6255	
10003729	
10101469	
10107687	
10117264	
10117731	
10118863	
10119195	
10119241	
10119452	
10120283	
10123379.BAUM	
10124308	
10124771	
10124952	
10125053	
10125327	
10125918	
10126038	
10126562	
10126626	
10126627.BAUM	
10126631	
10126834	
10127712	
10127795	

[10127797](#)

[10127801](#)

[10128029](#)

[10128111](#)

[10128566](#)

[10128892](#)

[10129076](#)

[10129303](#)

[10130163](#)

[10130678.BAUM](#)

[10130740](#)

[10130826](#)

[10130970](#)

[10131270](#)

[10131282](#)

[10131284](#)

[10131772](#)

[10132204](#)

[10132220](#)

[10132331](#)

[10133583](#)

[10134310](#)

[10136035](#)

[10136428](#)

[10136501](#)

[10136785](#)

[10137861](#)

[10138745](#)

[10138760.BAUM](#)

[10138763](#)

10138815
10139455
10139543
10139709
10139965
10140588
10140876.BAUM
10141052
10141132
10141515
10141516
10141536
10141538
10143969.BAUM
10144143.BAUM
10144367
10144584
10144587
10144599
10144637
10144737
10144961
10145962
10146052
10146073
10146077
10146079
10146080
10146088
10146174
10146710

[10146813](#)

[10147166](#)

[10147538](#)

[10147603](#)

[10147642](#)

[10148215](#)

[10148792](#)

[10148822](#)

[10148903](#)

[10148997](#)

[10149127](#)

[10149160](#)

[10149511](#)

[10149512](#)

[10149559](#)

[10150008](#)

[10150467](#)

[10151720](#)

[10151802](#)

[10151937](#)

[10152355](#)

[10152820](#)

[10152822](#)

[10152823](#)

[10152994](#)

[10153222](#)

[10153305](#)

[10154499](#)

[10154700](#)

[10155280](#)

[10155311](#)

[10156223](#)

[10156471](#)

[10158111](#)

[10158143](#)

[10159413](#)

[10159579](#)

[10159712](#)

[10160262](#)

[10160298](#)

[10160316](#)

[10160445](#)

[10161124](#)

[10161452](#)

[10161496](#)

[10161652](#)

[10162412](#)

[10162447](#)

[10162723](#)

[10162787](#)

[10162791](#)

[10165157](#)

[10165257.BAUM](#)

[10165977.BAUM](#)

[10166774](#)

[10167243](#)

[10167404](#)

[10167411](#)

[10210252](#)

[10212284](#)

[10212301](#)

10212471
10213236
10214647
10214930
10216308
10216777
10217001
10217050
10218482
10218694
10218950
10224048
10224126
10224524
10224601
10225889
10228685
10230046
10230288
10230289
10230453
10231715
10232763
10232784
10233767
10234166
10234167
10234439
10234440
10234641

10235253
10236459
10236806
10238397
10238397.BAUM
10238884
10242042
10242153
10242208
10243639
10251037
10251113
10258823
10281882
10296615
10296832
10319469
10323301
10329665
11000232
11000891
11000891.BAUM
11001032
11001038
11001116
11001138
11001165
11001171
11001177
11001178

11001246
11001254
11002147
11002193
11002223
11002446
11003252
11003664
11003837
11004223
11007212
11007920
11009594.BAUM
11009817
11013637
11013916
11013945
11014497
11014632
11016706
11016706 / MSFS AA03X08
11017727
11029393
11029708
11029720
11029950
11030034.BAUM
11030074
11030318
11030499
11030537

[11030584](#)

[11030639](#)

[11030647](#)

[11030909](#)

[11031222](#)

[11031483](#)

[11031573](#)

[11031605](#)

[11032064](#)

[11032084](#)

[11032128.BAUM](#)

[11032186](#)

[11032210](#)

[11032452](#)

[11032466](#)

[11032485](#)

[11032546](#)

[11032561](#)

[11032702](#)

[11032706](#)

[11032708](#)

[11032709](#)

[11033166.BAUM](#)

[11033290](#)

[11033747](#)

[11034154](#)

[11034355](#)

[11039656](#)

[11042586](#)

[11042716](#)

[11044623](#)

[11045445](#)

[11045447](#)

[11045790](#)

[11046259](#)

[11048267](#)

[11051795](#)

[11053392](#)

[11053810](#)

[11054950](#)

[11058776](#)

[11058807](#)

[11058809](#)

[11058912](#)

[11059191](#)

[11059672](#)

[11059728](#)

[11059801](#)

[11060016.BAUM](#)

[11060732](#)

[11061055](#)

[11061200](#)

[11061631](#)

[11061787](#)

[11061812](#)

[11062088](#)

[11062192](#)

[11062258](#)

[11062290](#)

[11062438](#)

[11062443](#)

11062930
11062930.BAUM
11063143
11063144.BAUM
11063145
11063146
11063148
11067317
11067345
11067650
11069359
11070696 / 28689-9-9-002 HEK-8
11070731
11070747
11071188 / mg02 K21BG8/A 65-SL NIO-01000
11071189
11071528
11071531
11075328
11075692
11075859
11076114
11076211
11076211 / ET.30.1003 L
11076211 / ET.30.1003L (set)
11076313
11077122
11078427
11080112

11080122
11080301,BAUM
11080552
11082387
11082595
11082677 / ET.51.1004-2
11082842
11082874
11083380
11084515
11085071
11087133
11087239
11087889
11090965
11091967
11092396
11092680
11092733
11093333
11095581
11096706
11096798.BAUM
11100198
11100792
11103889
11105637
11106741
11106970
11106983

11107323
11110450
11110492.BAUM
11110577
11110943
11111724
11112093
11113534
11113990
11114635
11114965
11115148.BAUM
11115944
11115944.BAUM
11116269
11121821
11121855
11124581
11124733 / MIR10-P.032.0.031.A006S
11125227
11125420
11125850
11126092
11126443
11127905.BAUM
11128348
11129692
11130374
11135184
11135775
11136046

[11141423](#)

[11145379](#)

[11145882](#)

[11146324](#)

[11147006](#)

[11148573](#)

[11148685](#)

[11148741](#)

[11148768](#)

[11152342](#)

[11153207](#)

[11153691](#)

[11154564](#)

[11157225](#)

[1115769 + 112056393](#)

[11163237](#)

[11164019](#)

[11164052](#)

[11164054](#)

[11164086](#)

[11165159](#)

[11165900](#)

[11177118](#)

[11182972](#)

[11185166](#)

[11186692](#)

[11188976](#)

[11199462](#)

[11203203](#)

[11203783](#)

11206651
132124
13642693
16.05A 1024-E2A
16.24k50-5-5
266491
3017210.TURCK
3035349.TURCK
58G1P24P13/16KAD
90318020
AFI4-5630.4002.0100
AFI4-5830.4002.0110
AFI4-6630.4002.0100
AFI4-6810.4002.0100
AFI4-6810.4002.0310
ASIA 56A2411
ATD 2A B14 Y 1 180A IS D2SR12 S 6
ATD 4S A4 Y15 12/12 SS GR H34SK17 S 25
BDK 16.24K180-5-5
BDK 16.24K50-5-5
BDK 16.24K50-5-9
BHF 16.05A1024-E2-A
BHF 16.24K50-12-A
BHF 16.24K60-12-A
BHK 06.24K500/K548
BMMH 42S1N05C12/13B25
BMMH 58S1N24P12/16B2D
BMMV 58K1N24P12/16C0D
BMSH 58S1N24H12/00P2E
BRIH 40D3617K00256E25
BRIH 58S5624K01024P25

CH-8501 Frauenfeld BDT 16.24K1000-L6-B
CH-8501 IFRM 08N17A1/L
DSRT 22DD-S5-0250
DSRT 22DJ-S5-0250
EAL360SNCST
EAM300-SM5.5L4G.12000.A
EAM360R-KW6.7LC4.A3601.A
EEXOG9 DN 1024 I
EF6-3.0.B31.R.A1.0
EIL580-BT10.5QN.01024.A / 11226373
EIL580-BT15.7LE.04096.A
EIL580P
EIL580P-SC10.5BF.01024.B
EIL580P-SC10.5PQ.00360.BP
EIL580P-SC10.5PQ.02500.BP
EIL580P-SC10.5PQ.25000.BP
EIL580P-SY06.5PF.00256.BP
EIL580P-SY06.5PF.00600.BP
EIL580P-SY06.5PF.01000.BP
EIL580P-SY06.5PQ.00180.BP
EIL580P- T\$12.7\$F.01024.B/MT0048 3002 +++
EIL580P- T\$12.7\$F.01024.B/MT0048 3002 +++ / 11124542
EIL580P- TN10.5\$F.01024.B/3002 0.150 +++++ / 11127591
EIL580P-TN15.5\$F.01024.B/3010 3233 / 11143126
EIL580P-TT12.5PQ.00100.B
EIL580P-TT12.5PQ.02500.B
EIL580P-TT12.5RQ.01024.B

EIL580P-TT12.5RQ.02048.B
EIL580P-TT14.5PF.02048.B
EIL580P-TT14.5PQ.00720.B
EIL580P-TT15.7PQ.00250.B
EIL580-SC10.5LN.01024.A
EIL580-SC10.5RN.05000.A
EIL580-SY06.5FE.01024.A
EIL580-TN10.5\$E.01024.A / 11129637
EIL580-TN10.5\$N.01024.A / 11129636
EIL580-TT12.5RE.02500.A
ES 14A PG7
ES 21A gerade
ES 22A gewinkelt
ESG 05SP0200
ESG 32AH0500G
ESG 34AH0500
ESG 34FH1000G
ESG 34SH0500
ESW 33AH0200
ESW 33SH0200
F 514.650AA8B
F 524.650DA3B
FE319-550AA9B
FEDK 10P5101/S35A
FEDM 08P1001/S35L
FEDM 12P5101/S35A
FGUM 080P8001/S35L
FHDK 07P6901/KS35A
FHDK 10P5150/S35A
FHDK 14P5101/S14

FHDK14P6901	
FHDM 12P5003/S35A	
FHDM 16P5001/S14	Materialnr 10231715 Product Diffuse mode sensor Photoelectric with background suppression FH Housing shape cuboid lateral. scan D Case metal M Case size 16mm 16 Output PNP P Output function antivalent 5 Version without spec. function 0 Variant connector M12x1 (4 pin) /S14
FHDM 16P5004/S14	
FLDM 170G1011/S42	
FPDK 14P5111/S35A	
FRDK 14P6901/S35A	
FSDK 10D9601/S35A	
FSDM 08D9001	
FSDM 12D9601/S35A	
FUF150A1003	
FZDM 08P1001	
G0MMH.0203P32	
G0MMH.0205P32	
G1MMH.5203P32	
GA240.A10C102	
GBA2S.021A105	
GBAMS.4202PA2	
GBAMS.W205P32-T / 11171876	
GBMMW.A203VA2	
GBMMW.B20EPA2	
GEMMH.3203P33 / 11030416	
GI330.0704130 / 11030909	
GI330.070C341 / 11030940	
GI330.L22C322	
GI331.070C313	
GI331.L70C313	
GI332.170C329	

GI332.170C350 / 11030647
GI333.170C313
GI333.M70R022000
GI355.070C315
GI355.070R015000
GI355.A703126
GI355.A70C313
GI355.A70C348
GI355.A72C315
GI357.A70M323
GM400.A20.A102
GM400.Z20 / 11032084
GNAMG.0213P32
GT 7.08L/420 15H7 Kab 0.6
GT7.16L/460 14H7
GTB 9.06L/420 16H7 / 11067336
GTB 9.16 L/460 16H7 / 11075945
GXA1W.010B102
GXAMS.020EPA2 / 11032257
GXLMW.A20EPA2
GXLMW.A20EPA2
GXM7W.B10A101
GXMMS.0203EA2 / 11082737
GXMMS.2203EA2 / 11135184
GXMMS.2205P32
GXMMS.E08 / 11032495E08
GXMMS.W 203EA2 / 11125617
GXMMW.A202PA 2
GXMMW.A203EA2
GXMMW.A203P32 / 11032548

GXMMW.A203P33 / 11032550
GXMMW.A205EA2 / 11082387
GXP1H.22041C1 / 11032706
HMG161 P29 Z0 60H7 / 11152329
HOG 10 DN 1000 I LR 17K KLK-AX
HOG 10 DN 1024 I //
HOG 10 DN 1024 I LR 16H7 KLK / 11070325
HOG 10 DN 1024 I LR 16H7 KLK-AX / 11070362
HOG 10 DN 1024 TTL LR 17K KLK / 11080016
HOG 10 DN 2048 I
HOG 10.2 DN 500 TTL (SR 12H7 KLK)
HOG 10M DN 1000 R SR 16H7 KLK
HOG 10M DN 200 R SR 16H7 KLK
HOG 12 DN 1024 CI 45H7
HOG 161 DN 1024 I 70H7
HOG 163 DN 1024 TTL 60H7
HOG 60 DN 1000 CI 12H7
HOG 60 DN 10000 CI 12H7
HOG 71 DN 1024 CI 12H7 / 11043658
HOG 71 DN 1024 CI 14H7 / 11077561
HOG 71 DN 1024 TTL (SN700000378544)
HOG 75 D1C/D2C 26H7 KLR B / 11086143
HOG 8 DN 1024 CI 16H7
HOG 9 DN 1024 I 16H7
HOG 9 DN 1024 I 17K / 11088964
HOG10 DN 1024 I LR 16H7 KLK
hog10 dn 1024 ttl lr 16h7 klk-ax
HOG-16-DN-1024-I
HOG70 DN 5000 CI 12H7

HOG71 DN 1024 CI 12H7
HOG71 DN 1024 CI 14H7
HOG9D1024I
HS35F 01024 T ABZC MI10 B E 100 5 T3 / 11219442
HS35F 20000 H ABZC MI10 B E 100 5 T3 / 11243432
IFFK 10E9101
IFFM 04P1501/O1L
IFFM 06P15A3/O1S05L
IFFM 08N17A6/L
IFFM 08P1702/O1KS05L
IFFM 08P1702/O1L
IFFM 08P17A1/O1S35L
IFFM 08P3701/O1L
IFFM 08P3701/O1S35L
IFFM 08P37A6/L
IFFM 20P17A3/S35L
IFFM 20P37A3/S35L
IFRD 06N17A1/S35L
IFRM 04P15A3/S35L
IFRM 04P35B1/L
IFRM 05P17A1/S35L
IFRM 06P1713/L
IFRM 06P17A4/KS35L
IFRM 08P 1701/L
IFRM 08P3701/PL
IFRM 08P37A1/L
IFRM 08P37A3/S35L
IFRM 08P37A4/S35L
IFRM 12N1701/PL
IFRM 12N1703/S14L

IFRM 12P1704/L
IFRM 12P1704/S14L
IFRM 12P3701/S35L
IFRM 18P17A4/L
IFRM 30P1601/L
IFRP 12P1504/S14
IFRR 12P17T1/S14L-9
IGYX 08N17B3/L
ILFK 12P1101/I06
IL-LAA-N+IL-001 (220 VAC)
IR06.P06S-N40.PO1Z.7SCV
IR08.D03S-Q46.UA1Z.7SL / 11123873
IR08.P06S-N40.PO1Z.7SCV / 11148768
IR12.D06S-Q40.UA1Z.7BCV / 11130476
IR18.P15S-N45.PO1Z.7BO / 11149140
ISI30.013AA01
ITD 01 B14 1000 T NI KR1 S 4 IP54
ITD 21 A4 Y29 1024 H NI D2SR12 S 12 IP65 06
ITD 21 B14 2500 R NI K4BK9 S 6 IP65 / 11058807
ITD 21 H00 00100 H NI S21SG8 E 14 IP65 021 / 11110492
ITD 21 H00 01024 H NI S21SG8 E 14 IP65 021 / 11063145
ITD 21 H00 01024 T NI S21SG8 E 14 IP65 021 / 11063144
ITD 21 H00 01024 T NI S21SG8 F 14 IP54 / 11106371
ITD 21 H00 02048 T NI S21SG8 E 14 IP65 021 / 11063146
ITD 21 H00 2048 T NI S21SG8 E 14 IP65 021 / 11063146
ITD 21 H00 512 T NI S21SG8 F 14 IP65

[ITD 23 A4 Y2 128 H BX K10SK4 S 14 IP54
019 / 11127554](#)

[ITD 27 A4 Y11 0004 H BX KR1 S 14 IP40 021
/ 11053366](#)

[ITD 2L H00 1024 T NI KT0.6 E 14 IP65 021](#)

[ITD 40 A 4 Y153 1024 H NI H33SK12 S 25](#)

[ITD 40 A4 Y114 512 H BX KR1.5 S 20](#)

[ITD 40 A4 Y124 1024 H NI KR3 S 20 IP55
027](#)

[ITD 40 A4 Y153 1024 H NI H33SK12 S 25 /
11013945](#)

[ITD 40 A4 Y27 1024 H NI H2SK12 S 25 /
11059768](#)

[ITD 40 A4 Y27 1024 H NI H2SK12 S 25 /
11059806](#)

[ITD 40 A4 Y27 1024 H NI H2SK12 S 25 /
11060661](#)

[ITD 40 A4 Y27 1024 H NI H2SK12 S 25 /
11062324](#)

[ITD 40 A4 Y27 1024 H NI H2SK12 S 25 /
11062407](#)

[ITD 40 A4 Y27 1024 H NI H2SK12 S 25 /
11078346](#)

[ITD 40 A4 Y27 1024 H NI H2SK12 S 25 /
11112806](#)

[ITD 61 H00 01024 V NI KR1 S 50 IP54 058 /
11192167](#)

[ITD 69 H00 2048 H NI KR1 E 40 IP67 /
11128247](#)

[ITD21H00 1024 T NI S21SG8 E 14 IP65 021](#)

[ITD22H00](#)

[IWFM 12L95/076317](#)

[IWFM 20U9503/S35](#)

[IWRM 04U9701/S05](#)

[IWRM 06U9501](#)

[IWRM 08I9501/S35](#)

[IWRM 18U9511/KS34](#)

IWRM 30I9501
KSG 34A/KSG45AP1000G/E
KTD 3-4 A 4 Y53
LBFH-21.010.A03020.1.0003.0
LBFI-21.010.G07020.3.0000.0
LBFS-42G21.0
LBFS-B3421.0
LFFS-011.0
LFFS-031.0
LSK-220.010.1
LSP-051.110.1.000
LWL-EHR TTL
MA7-P60.B16G/0678 0751
MDFK 08T7101/101/1000 c443
MDFM 20I9424/C270
MDRM 18U9501
MEX5-D30-B22
MEX5-D30-B22/0751 0078
MEX5-D30-B77/0751 0078
MHAP 100 B5 G60 S G 13 N P2048 D
MHRM 12ND5501/M1401
MIR10-P.032.0.031.N006S
MIX7-D30-N18/2155
MJX7-P60.B18/0678 0693 D000
MJX7-P60.B19/0678 0693 D000
MJX7-P60.B20/0678 0693 D000
MJX7-P60.B22/0678 0693 D000
MJX7-P60.B29/0678 0693 D000
MJX7-P60.B35/0678 0693 D000
MQ7-P60.B18H/0678

MR261.10A / 11033290
MR542.07D
MR552.07A
MR752.10A
MY COM A50/80
MY COM D250/G75P/500
MY COM E100P/200/L
MY COM F30/S35
MY COM F75/80
MY COM G75P80/L
MY COM M75/80
O500.GP-GW 1B.720 / 11096064
OADM 12I6430/S35A
OADM 13I6475/S35A
OADM 13U6475/S35A
OADM 2016592
OADM 20I2472/S14C
OADM 20I5471/S14C
OADM 20I5570/S14C
OADM 20I6480/S14F
OADM 20I6572/S14F
OADM 20U5471/S14C
OADM 20U5570/S14C
OADM 260I1101/S14C
OG 6 DN 500 TTL
OG 60 DN 600 CI
OG 71 DN 1024 CI 6mm
OGS 71 DN 1024 R
OHDM 16P5012/S14
OM70-L0600.HV0500.VI
OPDK 14P5901/S35A

OPDM 12P5101/S35A
OPDM 16P5102/S14
OXE7.E25T-LB3C.SIMD.7AI
OXE7.E25T-LB3E.SIMD.7AI
OXH7-Z0150.HI0720.VI
OXM200-R05A.001
PBMH-2.4.B22.R.A1.14.51.2.0.2.0.0.7.000
PBMN-2.4.B25.R.A1.44.41.2.1.2.0.0.7.000
PBMN-24B15AA14441212000
PBMN-24B27RA14403201000
PCRB D016.14C.D310
PCRB D016.14C.D310 U414
PMG10-SHL.15P0.30000.A
POG 10 DN 1000 I
POG 10 DN 1000 I mit Heizung / 11082094
POG 10 DN 1024 I B10 / 11042716
POG 9 DN 1000 I / 11086020
POG 9 DN 500 I / 11086141
POG 9 DN 512 I / 11098935
PR18-8DP
PRC/032 B10 + FSL
PZ2-42P
RP2-EL.341
RP2-NL.641
S2BG12 mit Kabel-sw03 ATD analog-10000
TA200.003AXA1
TBHI-100-264.144.55T
TBHI-100-264.146.55T
TBHI-100-264.146.84T
TCR6-1120.2001.1033.1610.0100

TCR6-1120.2001.1033.1610.0200
TCR6-1720.1001.5012.0610.0065
TDP 0,2LT-5
TDP 0.09LT-2
TDP 0.2LT-7 B10 55 / 11070731
TDP 13.06LT-6 B5k
TDP0,2 LT-4 B10 55
TE2-3.5.3020.0035.0
TFRH- 5511.3011.1065.0120.0050
TSF100-231-166-23T-30/0751 0078 738Q
TSF100-231-167-23T-30/0751 0078 738Q
TXG13
U500.DA0-AA1B.72O
UEDK 30P/508052
UNAM 12U9914/S14
UNAM 18I6903/S14
UNAM 18P1703
UNAM 18P3703
UNAM 30P1104
UNAM 30U9103
UNAM 50N1721
UNAR 18I6903/S14G
UNAR 18I6912/S14G
UNAR 18P6912/S14G
UNAR 18U6903/S14G
UNAR 18U6912/S14G
UNCK 09U6914/D1
UNDK 20P7803/S35A
UNDK 20U6914/S35A
UNDK 30I6104/S14
UNDK 30U6103

UNDK 30U6113/S14	
UNDK 30U9103	
UR18.DA0-UA1B.7BO	
URDK 20P6914/S35A	
UZAM 30P6103	
VCXG-65C.R+Z-ESG 32FP0500G	
VCXU-15M	
VCXU-31M	
VCXU-32M	
VCXU-51M	
VK17081656	
X 700.I123213	
Z 119.023 / 10157338	
Z 119.076 / 11034123	
Z 130.005 / 10126594	
Z 136.315 / 11034185	
Z 141.M15	
ZADAP-M30.LONG	
ZADM 023H151.0011	
Z-ESG 32FP0500G	
Z-FTDF 020I1000	
Z-FTDF 020I1600	
ZPH1-524E	
ZPW 2-322	
GXMMW.A205EA4	Materialnr 11142440 Absolute rotary encoder multiturn Mechanics: clamping flange with shaft Ø 10 mm Degree of protection: IP 65 Voltage: 10 - 30VDC Connection: bus cover with 3 x M12 plugs 1 x M12 connector 4-pin. (pin, A-coded) 2 x M12 connector 4-pin. (socket, D- coded) Resolution: 29 bits 13-bit single-turn, 16-bit multi-turn Interface: Powerlink without XDD file
FZAM 08P3001/S35L	Materialnr 10237708 85365019 REFLEX-TASTER
	Materialnr 11055597 Hollow Shaft Encoder Torque plate with clamping device and alternatively each 1 torque

HOG71 DN 1024 TTL 12H7 0124	retaining pin 23403 or 23288 included A4 shaft bore 12H7 IP 66 Logic level: TTL (RS422); UB = +5 VDC +/- 5% Square outputs: K1, K1', K2, K2', K0, K0' Imp./rev.: 7 = 1024
ITD70A4Y71024HNI KR1S60IP54051	+3 mounting kit (051) Encoder with cable and connector 1024 IP 54
BFF 1G.24K1024-L2-9	Materialnr 10137233 Absolute rotary encoder ***NOTE: Please note that this is a successor type. You're welcome check the usability in your application
MY_COM G75P/400/L	Materialnr 10228788 brand name My-Com Product precision switch MY COM Design M8x0.5 continuous, IP50 G Actuating force 75 cN 75 Output PNP P Version cable, 4 m, LED /400/L
IFRM 08P17V1/S35L	Materialnr 10159959
191180019	
Speed switches ES 93	N1: 480, N2: 880, N3: 920rpm
FS 90 Mechanical Speed Switch	1020rpm
HOG 10DN 1024 I Encoder	HOG 10 DN 1024 I 16H7 LR KLK 16mm
FLDM 170G1011/S42	10153175 Brand name SCATEC Product copy counter FL Housing shape cuboid lateral. scan D Case metal M Case size length 170mm 170 Output push-pull G Type SCATEC-10 Sn=70mm 1011 Variant connector M16x0.75 /S42 Weight: 1.063 kg
GI355.070C313	11031339 Incremental rotary encoder Mechanics: clamping flange with shaft Ø 10 mm Degree of protection: IP 54 Voltage: 4.75 - 30VDC Connection: 12-pin contact connector, radial PIN arrangement clockwise Resolution: 360 pulses / revolution
EIL580P-SY06.5RF.01024.B-11121855	11121855 Product information incremental rotary encoder EIL580P, programmable EIL580P Size Ø58 mm Wave type solid wave S Flange (shaft) servo flange, centering collar ø50 x 4 mm, Servo groove ø53 mm, pitch circle diameter ø42 - 3xM3/3xM4 Y Shaft ø6 x 10 mm, with surface 06 Degree of protection IP 65 5 Connection cable radial, 1 m R Operating voltage / output 4.75...30 VDC, TTL/RS422, 6 channels (Vout=5V) F Pulses per revolution 01024 Operating temperature -40...+100 °C B Special Features Progr. PPR, CW/CCW, Ref., Vout Programmable: pulses/revolution, signal sequence, zero pulse, signal level
ITD40B10 1024H NI KR2 S 11 IP65	ITD40B10 1024 PALS ENCODER
IFFM 08P17A5/O1S35L	10158669 Product Inductive proximity switch IF Case shape Rectangular F Case metal M Case size 8mm 08 Output PNP P Output function make contact NO 1 Installation type Flush (see data sheet) 7 Sensor family standard version short A5 Variant in front, connector,

LBFS-01111.C	M8x1 LED /O1S35L 11046112 Brand name CleverLevel Product level switch LBFS Conformance and Approvals Standard 0 Electrical connection M12-A, 4-pin, polycarbonate (with LED display) 1 Process connection G 1/2 A ISO 228-1 (G07) 1 Process connection material stainless steel 1.4301 - AISI 304 1 Output configuration PNP output 1 Configuration Customized C
IFFM 08P1701/O1L	10212310 Product Inductive proximity switch IF Case shape Rectangular F Case metal M Case size 8mm 08 Output PNP P Output function make contact NO 1 Installation type Flush (see data sheet) 7 Sensor Family Long Housing 01 Variant coil in front, cable 2m, LED /O1L
GAM900S	
GIM700DR	
Embedded vision	
ITD40 B 10	
PBMN-25B98AA14403202000	Product Fully welded pressure sensor PBMN Housing material stainless steel 1.4404 AISI 316L 2 Accuracy $\pm 0.10\%$ FS 5 Measuring range 0...5 bar (EN) B98 Type of pressure Absolute (against vacuum) A Output signal 4...20mA A1 Electrical connection DIN EN 175301-803 A (DIN 43650 A), 4-pin 44 Process connection G 1/2 B EN 837-1 (G31) 03 Material process connection stainless steel 1.4404 AISI 316L 2 Gasket Without 0 Oil filling NSF H1 listed (FDA approved) 2 Display Without display 0 ATEX standard version 0 Approvals Standard Approvals 0 ***NOTE: The item you are requesting will be PBMN23B22AA11412201000000 no longer produced. Please note that this is a possible alternative type acts. The difference to the requested article is the better accuracy of 0.25%.
PBMN-24B22AA11412201000	Material number 11247886 Product Fully welded pressure sensor PBMN Housing material stainless steel 1.4404 AISI 316L 2 Accuracy $\pm 0.25\%$ FS 4 Measuring range 0 ... 10 bar (EN) B22 Type of pressure Absolute (against vacuum) A Output signal 4...20mA A1 Electrical connection M12-A, 4-pin 14 Process connection G 1/4 A ISO 228-1 internal thread (G21) 12 Material process connection stainless steel 1.4404 AISI 316L 2 Gasket Without 0 Oil filling standard oil 1 Display Without display 0 ATEX standard version 0 Approvals Standard Approvals 0
M 410.010A03G	Materialnr 10125279 Mechanical meter counter Display: 5 digits, 9999.95 m/cm Numerals: 7.0 mm high, white on black 1st roll = double roll with graduations Housing: grey Drive shaft: protruding on both sides, \varnothing 7.0 mm Direction of rotation: 1, away from the viewer Counting method: 2 revolutions = adding 10 numbers Zero position: reversible pressure lever, mounted on the left

GXMMW.A205EA2	
HOG71 DN 1024 TTL 12H7 0124	Materialnr 1105559 Hollow Shaft Encoder Torque plate with clamping device and alternatively each 1 torque retaining pin 23403 or 23288 included A4 shaft bore 12H7 IP 66 Logic level: TTL (RS422); UB = +5 VDC +/- 5% Square outputs: K1, K1', K2, K2', K0, K0' Imp./rev.: Z = 1024 Seriennummer: 700007904740
MHRM 12G5501/S14	Product Magnetic Hall sensor MH Housing shape Cylindrical R Case metal M Case size 12mm 12 Output push-pull G Output function square signal 1 channel 5 Measuring direction axial scanning 5 Sensor family 5 VDC 01 Variant connector M12x1 (4 pin) /S14
ESG 34AH0200	Product Straight socket TSG Connection head 1 thread M12x1 straight 34 Number of poles head 1 4-pole A Material Halogen-free cable H Cable length in cm 0200
GXLMW.B20EPA2 - 11053292	
HOG71 DN1024 TTL	
UNAR 18I6912/S14G	Materialnr 10162125 Product Ultrasonic Sensor UN Housing shape Cylindrical with thread A Case Stainless steel case washdown R Case size 18mm 18 Output current output I Output function Programmable 6 Execution Various functions 9 Detection range < 400 mm 12 Variant connector M12x1, Parylene /S14G
UNAR 18I6903/S14G	Product Ultrasonic Sensor UN Housing shape Cylindrical with thread A Case Stainless steel case washdown R Case size 18mm 18 Output current output I Output function Programmable 6 Execution Various functions 9 Detection range < 1000 mm 03 Variant connector M12x1, Parylene /S14G
FHDM 12P5001/S35A	Materialnr 10234167 Product Diffuse mode sensor Photoelectric with background suppression FH Housing shape cuboid lateral. scan D Case metal M Case size 12mm 12 Output PNP P Output function antivalent 5 Version without spec. function 0 Variant connector M8x1 (4 pin) /S35A
GA241.Z07	
FPAM 18P51/405734	
FMDK 14P19/076388 FOTOSEL	
IFRM 12P1701/S14L	Materialnr 10214930 Product Inductive proximity switch IF Housing shape Cylindrical R Case metal M Case size 12mm 12 Output PNP P Output function make contact NO 1 Installation type Flush (see data sheet) 7 Sensor Family Long Housing 01 Variant plug M12x1 (4 pin), LED /S14L
IFRM 08P17A1/S35L	Materialnr 10138749

BN201.BK220.BU100 GA210.A10B106	
PBMN-24B24AA11403201000	Product Fully welded pressure sensor PBMN Housing material stainless steel 1.4404 AISI 316L 2 Accuracy ±0.25%FS 4 Measuring range 0 ... 16 bar (EN) B24 Type of pressure Absolute (against vacuum) A Output signal 4...20mA A1 Electrical connection M12-A, 4-pin 14 Process connection G 1/2 B EN 837-1 (G31) 03 Material process connection stainless steel 1.4404 AISI 316L 2 Gasket Without 0 Oil filling standard oil 1 Display Without display 0 ATEX standard version 0 Approvals Standard Approvals 0
Pressure transmitter Baumer type	PBMN 25.B98A.A14403202000/Q021 range 0÷5 bar output 4÷20mA connection 1/2"
ZPH1-5216	Materialnr 11109500 Product Accessories ZP Type hygiene adapter H1 Sensor connection G 1 A hygienic 5 Material AISI 316L (1.4404) 2 Process connection Clamp 1 Size DN 51 6 Old type code CAM053-640 Adapter Adapter G1 - Clamp DIN32676 / ISO2852 Origin European Community/Union (Denmark - DK) Customs tariff number 73072210
ZPH1-5236	Product Accessories ZP Type hygiene adapter H1 Sensor connection G 1 A hygienic 5 Material AISI 316L (1.4404) 2 Process connection SMS 1145 3 Size DN 51 6 Old type code SAM050-051-1
AFI4-6830.4006.1300	Brand name CombiLyz Product conductivity sensor AFI Type compact version 4 Housing rear process connection 6 Electrical connection 2 x M16x1.5 cable gland 8 material for electr. Connection stainless steel, AISI 304 (1.4301) 3 Cable length (cm) Without cable, compact version 0 Display With display, relay activated 4 Security default 0 Configuration No configuration 0 Output signal 2 x 4...20 mA, IO-Link 6 Version IO-Link 1 Process connection G 1 A hygienic, PEEK, length: 60 mm. (A04) 3 Approvals Standard Approvals 0 Calibration certificate Without 0 Material number: 11240139
AFI4-6830.4006.1100	Brand name CombiLyz Product conductivity sensor AFI Type compact version 4 Housing rear process connection 6 Electrical connection 2 x M16x1.5 cable gland 8 material for electr. Connection stainless steel, AISI 304 (1.4301) 3 Cable length (cm) Without cable, compact version 0 Display With display, relay activated 4 Security default 0 Configuration No configuration 0 Output signal 2 x 4...20 mA, IO-Link 6 Version IO-Link 1 Process connection G 1 A hygienic, PEEK, length: 37 mm. (A04) 1 Approvals Standard Approvals 0 Calibration certificate Without 0
AFI4-6830.4002.0100	
AFI4-6830.4002.0200	
AFI4-6830.4002.0300	

Pressure transmitter Baumer type	PBMN 25.B98A.A14403202000/Q021 range 0÷5 bar output 4÷20mA connection 1/2"
O300.RL-GW1J.72N	11172769 Labeling on product O300.RL-11172769 Product Photoelectric Sensor O300 Function retro-reflective barrier R Light source laser class 1 L Output circuit push-pull G Switching function light/dark switchable W Number of outputs 1 output 1 Setting local, external and IO-Link J Degree of protection IP 67 7 Housing material plastic class 2 2 Connection type connector M8 (4-pin) N
ITD21H01 00120 H NI S21SG8 E 14 IP65 019	Materialnr 11139240 encoder 120 pulses/revolution A, B, N track + inversion HTL UB= 8 - 30 VDC Circuit board connector 8-pin Bore: Ø14 mm throughout Degree of protection: IP65 Temperature range: -30...+100 °C Mounting kit 019 installed
BAUMER ENKODER HOG71DN1024CI	
M23-ST BU-LI 12-LÖT VOLL 7-12	11068577 Connection coupling for HOG 86/ HOG 9/ HOG 60/ OG 60 with union nut, circular connector M23, 12-pin, Counterclockwise counting of the socket contact assignment
IFFM 08N1703/O1L	Materialnr 10216613 Product Inductive proximity switch IF Case shape Rectangular F Case metal M Case size 8mm 08 Output NPN N Output function make contact NO 1 Installation type Flush (see data sheet) 7 Sensor Family Medium Length 03 Variant coil in front, cable 2m, LED /O1L
GXP8W.A20M110	102584977 003
IFRM 05P35A3/S35L	10144436 Product Inductive proximity switch IF Housing shape Cylindrical R Case metal M Case size 5mm 05 Output PNP P Output function normally closed NC 3 Installation type Flush 5 Sensor family standard version medium A3 Variant connector M8x1 (3 pin), LED /S35L
IFRM 12P1701/L	Materialnr 10212187 Product Inductive proximity switch IF Housing shape Cylindrical R Case metal M Case size 12mm 12 Output PNP P Output function make contact NO 1 Installation type Flush (see data sheet) 7 Sensor Family Long Housing 01 Variant cable, 2m, LED /L
CTX-3.B.3.B22.0	Product Industrial pressure transmitter CT Housing material stainless steel 1.4301 AISI 304 X Output signal 4 # 20mA 3 Process connection G 1/4 A DIN 3852-E (G50) B Gasket NBR 3 Measuring range 0 ... 10 bar (EN) B22 Output connector DIN EN 175301-803 A (DIN 43650 A), 4-pin 0
bMSv 58s 1n24c12/405106	
GXMMW.B20EPA2	
	Materialnr 11058780 Alternative product 90001309 No

ITD 21 B14 1024 H NI KR1 S 6 IP65	replacement item available encoder 1024 pulses/revolution IP 65 A, B, N track + inversion HTL UB= 8 - 30 VDC GT output stage Connection cable: 1.00 m, radial Shaft : 6.00mm fdfefgerfe
312531	
Magnetic Absolute Encoder MGHA400 K5 S10 S256	
700001038125	
LBFH-21.010.A03020.1.4003.0	Materialnr 11203203 Brand name CleverLevel Product level switch LBFH Version Programmable Output, IO link 2 Housing AISI 316L (1.4404) 1 Electrical connection M12-A, 4-pin, polycarbonate (with LED display) 010 Process connection G 1/2 A hygienic (A03) A030 Material process connection AISI 316L (1.4404) 2 Gasket Without 0 Output type PNP 1 Explosion protection IECEx / ATEX ia + ta4 Industrial Approvals Standard 00 S pecial approvals 3-A / EHEDG 3 Configuration factory settings 0
IG KU 10-30V HTL 1024 D=12	
BDK 16.24K500-L5-5	Materialnr 10156566
BDK 16.24K5-5-9	Materialnr 11106867
BHF 03.25W100-L2-9	Material number 10118988
BHF 03.25W200-L2-9	Materialnr 10123763
EIL580-SC10.5RN.01024.A-11104415	Material number 11104415 Product information incremental rotary encoder EIL580 EIL580 Size Ø58 mm Wave type solid wave S Flange (shaft) clamping flange, centering collar ø36 x 10 mm, Pitch circle diameter 48 mm - 3xM3/3xM4 C Shaft ø10 x 20 mm, with surface 10 Degree of protection IP 65 5 Connection cable radial, 1 m R Operating voltage / output 8...30 VDC, HTL/push-pull, 6 channel N Pulses per revolution 01024 Operating temperature -40...+85 °C
IVO Encoder Wheel, Perimeter: 50cm, 10mm Plastic	
GXMMW.A205P32	11032555 Absolute rotary encoder multiturn Mechanics: clamping flange with shaft Ø 10 mm Degree of protection: IP 65 Voltage: 10 - 30VDC Connection: bus cover with 3 cable glands Resolution: 29 bits 13-bit single-turn, 16-bit multi-turn Interface: CANopen without EDS file
GXMMW.A205P32	Absolute rotary encoder multiturn Mechanics: clamping flange with shaft Ø 10 mm Degree of protection: IP 65 Voltage: 10 - 30VDC Connection: bus cover with 3 cable glands Resolution: 29 bits 13-bit single-turn, 16-bit multi-turn Interface: CANopen without EDS file
BHK06.24K500/K548 encoder	

IFRM 08P1731/S35L	
RTD 4 A 4 Y 2 P1 7 10 0.5 D2SR12 10	11060093 resolver Uref : 7Vrms TR=0.5 f ref : 10 kHz System: 2 pin Connection M23 - 12-pin, radial Hole Ø10 mm open on one side Fastening set 050 Degree of protection: IP65 Temp. range -40...+100 °C
TYPE: A 4 Y24 1024 H NI H2SK12 S 25	INCREMENTAL ENCODER 8...30 VDC RESOLUTION 1024 OUT PUT FREQUENCY HTL HOLLOW SHAFT DIAMENSION FLANGE :80MM SHAFT 25MM IP65
ITD21H00 00512 T NI S21SG8 E 14 IP65 021	Materialnr 11063140 encoder 512 pulses/revolution A, B, N track + inversion TTL UB= 5 VDC ±5% LD output stage Circuit board connector 8-pin. Bore: Ø14 mm throughout Degree of protection: IP65 Temperature range: -30...+100 °C Mounting kit 021 installed
EIL580-SC10.7FN.01024.A-11115073	Materialnr 11115073 Product information incremental rotary encoder EIL580 EIL580 Size Ø58 mm Wave type solid wave S Flange (shaft) clamping flange, centering collar ø36 x 10 mm, Pitch circle diameter 48 mm - 3xM3/3xM4 C Shaft ø10 x 20 mm, with surface 10 Degree of protection IP 67 7 Connection flange socket radial, M23, 12-pin, pin contacts, CCW F Operating voltage / output 8...30 VDC, HTL/push-pull, 6 channel N Pulses per revolution 01024 Operating temperature -40...+85 °C A
MAGNETIC INCRE,24V,8192	1000462 BDT 16.24K8192-L6-A#INCR
OHDM 16N5001/S14	
41406-Loc*line ¼ "NPT Connecto	
CTX-3.2.3.B22.A	Product Industrial pressure transmitter CT Housing material stainless steel 1.4301 AISI 304 X Output signal 4 # 20mA 3 Process connection G 1/4 B EN 837-1 (G30) 2 Gasket NBR 3 Measuring range 0 ... 10 bar (EN) B22 Output connector M12-A, 4-pin A
ENCODER EIL580-SC10.5\$N.05000.A	
TSFE160-222.1C0.12T.75.5055/9003 0635	Product gas pressure thermometer with long-distance line and contacts TSFE Nominal size 160 mm 160 Housing and ring 1.4301 (AISI 304) 2 Type of mounting Front ring for panel mounting, capillary on the back centric 22 Dip tube, diameter 8 mm 1 Type of capillary stainless steel 1.4541 with stainless steel protection and PVC sheathing C Immersion tube installation length customer-specific length 0 Temperature range 0...100°C 12T capillary length 7.5 m 75 Contact function Magnetic snap-action contact (NO/NO) with separate circuits 1st contact closes 2nd contact closes clockwise
	Product gas pressure thermometer with long-distance line and contacts TSFE Nominal size 160 mm 160 Housing and ring 1.4301 (AISI 304) 2 Type of mounting Front ring for panel mounting, capillary on the back centric 22 Dip tube, diameter 8 mm 1 Type of capillary stainless steel 1.4541 with stainless steel protection

TSFE160-222.1C0.12T.75.5055/9003_0354	and PVC sheathing C Immersion tube installation length customer-specific length 0 Temperature range 0...100°C 12T capillary length 7.5 m 75 Contact function Magnetic snap-action contact (NO/NO) with separate circuits 1st contact closes 2nd contact closes clockwise 5055 Installation length option Installation length special 9003 Immersion tube installation length (mm) 0354
TSFE160-222.1C0.12T.75.5055/9003_0200	Product gas pressure thermometer with long-distance line and contacts TSFE Nominal size 160 mm 160 Housing and ring 1.4301 (AISI 304) 2 Type of mounting Front ring for panel mounting, capillary on the back centric 22 Dip tube, diameter 8 mm 1 Type of capillary stainless steel 1.4541 with stainless steel protection and PVC sheathing C Immersion tube installation length customer-specific length 0 Temperature range 0...100°C 12T capillary length 7.5 m 75 Contact function Magnetic snap-action contact (NO/NO) with separate circuits 1st contact closes 2nd contact closes clockwise 5055 Installation length option Installation length special 9003 Immersion tube installation length (mm) 0200
157.730.730.00201310	level switch 12-30V g1/2"
GI355.0704115	Materialnr 11031268 material in phase out, can be ordered until 09/30/2023 Incremental rotary encoder Mechanics: clamping flange with shaft Ø 10 mm Degree of protection: IP 54 Voltage: 4.75 - 30VDC Connection: radial cable, 1 m Resolution: 500 pulses / revolution
ITD 40 B10 1024 H NI KR2 S 11 IP65	Materialnr 11062273 1024 pulses/revolution A, B, N track + inversion HTL UB= 8 - 30 VDC GT output stage Connection cable: 2.00 m radial Shaft: Ø11mm Degree of protection: IP65 Temperature range: -20...+70 °C
ITD 23 A 4 Y 2 128 H BX K10SK4 S 14	11062237 encoder 128 pulses/revolution A, B track HTL UB= 8 - 26 VDC GT output stage Coupling K10SG4 (M12 - 4-pin, pin contacts) molded onto the cable, tangential, 0.50 m Drilling Ø14 mm throughout Degree of protection: IP54 Fastening set 021 Temperature range -20...+85 °C
BFF 0G.24N1024-L2-9	
ITD 23 A4 Y2 128 H BX K10SK4 S14	
EIL580P-TT12.5RF.01024.B-11127689	Product information incremental rotary encoder EIL580P, programmable EIL580P Size Ø58 mm Type of shaft Through hollow shaft T Flange (hollow shaft) With stator coupling ø63 mm T Through hollow shaft ø12 mm, clamping ring A-side 12 Degree of protection IP 65 5 Connection cable radial, 1 m R Operating voltage / output 4.75...30 VDC, TTL/RS422, 6 channels (Vout=5V) F Pulses per revolution 01024 Operating temperature - 40...+100 °C B
ifrm 08p17a3/s35l m8	
	Materialnr 10149127 Product Ultrasonic Sensor UN Housing shape Cylindrical with thread A Housing metal M

UNAM 18U6903/S14	Case size 18mm 18 Output voltage output U Output function programmable 6 Execution of various functions 9 Detection range < 1000 mm 03 Variant plug M12x1 (4 pin) /S14
PBMN-23B08RA11441212000	11107490 Product Fully welded pressure sensor PBMN Housing material stainless steel 1.4404 AISI 316L 2 Accuracy ±0.5% FS 3 Measuring range 0...0.1 bar (EN) B08 Pressure type Relative (against ambient) R Output signal 4...20 mA A1 Electrical connection M12-A, 4-pin 14 Process connection G 1/2 A DIN 3852-E (G51) 41 Material process connection stainless steel 1.4404 AISI 316L 2 Seal NBR standard 1 Oil filling NSF H1 listed (FDA approved) 2 Display Without display 0 ATEX standard version 0 Approvals Standard Approvals 0
O500.RP.T-GW 1J.720	11157351 Product photoelectronic sensor O500 Function of reflection barrier R Light source Pinpoint P Advanced Function Transparent Object Detection T Output circuit push-pull G Switching function light/dark can be switched W Number of outputs 1 output 1 Setting local, external and IO-Link J Protection class IP 67 7 Housing material plastic class 2 2 Connection type plug M12 (4-pin) O
IR18.P08F-Q60.PO1Z.7BO	11111237 Labeling on product IR18.P08F-11111237 Product Inductive sensor M18x1 Function of proximity switch P Measuring range 8 mm 08 Characteristic factor 1 F Installation type Quasi-flush Q Sensor length 60 mm 60 Output circuit PNP P Switching function NO (closer) O Number of outputs 1 output 1 Setting Not adjustable Z Protection class IP 67 7 Housing material nickel-plated brass B Connection type plug M12 (4-pin) O
MIR10-P.032.0.031.A010S	Materialnr 11201379
PBMN-24B15RA14405202000	
HOG 71 DN 1024 TTL ENCODER	
FHDK 04G6101/KS35A	Material number 10162791 Product Photoelectric reflection light scanner with background suppression FH Housing shape cuboid on the side. Scanning D Housing plastic K Case size 4mm 04 Output push-pull G Output function adjustable 6 Version with adjustment aid 1 Variant cable connector M8x1, 4-pin /KS35A
IFR 12.24.11	
Z 119.082	11003562 Clutch spring part circle Ø 63 mm with fastening material Drawing: 064.00.326
EAL580-TNC.4WPT.18130.A	11183685 Absolute rotary encoder multiturn PROFINET I/O Mechanics: Hollow shaft Ø 12mm, clamping ring on A-side Protection class: IP 54
EAL580-TNC.4WPT.18130.A	11183685 Absolute rotary encoder multiturn PROFINET I/O Mechanics: Hollow shaft Ø 12mm, clamping ring on A-side Protection class: IP 54 Voltage: 10 - 30 VDC Connection: Radial 1x M12 connector 4 pin. (plug, A

	coded) 2x M12 connector 4 pin. (socket, D coded) Resolution: 31 bits 18 bit single turn, 13 bit multi turn Interface: PROFINET (GSDML file see baumer.com)
GA240.Z19	The hole diameter on both sides will be 6 mm and the length will be 20 mm.
BMMH 58S1N24B12/18P0D	
BMMH 58S1N24612/16Q2E	
ITD22H01 02048 M NI S21SG8 F 14 IP54 020	Sine encoder 11105084 2048 sine periods/revolution A, B, N track UB= 5 VDC ±10% Vout= Sine/Cosine 1 Vss Board connector 8-pin Bore Ø14 mm continuous Protection class: IP54 Temperature range: -30...+120 °C Mounting kit 020 installed
ITD22H00 02048 M NI S21SG8 F 14 IP54 021	Sine encoder 11062930 2048 sine periods/revolution A, B, N track UB= 5 VDC ±10% Vout= Sine/Cosine 1 Vss Board connector 8-pin Bore Ø14 mm continuous Protection class: IP54 Temperature range: -30°C...+120°C Speed max. 6000 rpm Mounting kit 021 installed
MDFK 08T7105	
ITD2LH00 1024 H NI KT0.6 E 14 IP65 021	Rotary encoder 1024 pulses/revolution A, B, N track + inversion HTL UB= 8 - 30 VDC Cable, tangential 0.60 m Bore: Ø14 mm continuous Protection class: IP65 Mounting kit 021 installed Temperature range -30...+100 °C
ITD 01 B14 360 H BX KR1 S 4 IP54	Rotary encoder 360 pulses/revolution IP 54 A, B track HTL UB= 8 - 30 VDC GT power amplifier Connection cable: 1.00 m, radial Shaft: 4.00mm
AFI4-6810.4002.0100	Material number 11154890 Brand name CombiLyz Product conductivity sensor AFI Type compact version 4 Housing process connection at the back 6 Electrical connection 2 x M16x1.5 cable gland 8 Material for electrical Plastic connection 1 Cable length (cm) Without cable, compact version 0 Display With display, relay activated 4 Security default 0 Configuration No configuration 0 Output signal 2 x 4...20 mA 2 Version standard 0 Process connection G 1 A hygienic, PEEK, length: 37 mm. (A04) 1 Approvals Standard Approvals 0 Calibration certificate Without 0
Bmd-3n.24q8192/405579	
11147090	
EIL580P-SC10.5RF.01024.B-11121852	11121852 Product information incremental encoder EIL580P, programmable EIL580P Size Ø58 mm Wave type solid wave S Flange (shaft) clamping flange, centering collar ø36 x 10 mm, Hole circle diameter 48 mm - 3xM3/3xM4 C Shaft ø10 x 20 mm, with surface 10 Protection class IP 65 5 Connection cable radial, 1 m R Operating voltage / output 4.75...30 VDC, TTL/RS422, 6 channel (Vout=5V) F Pulses per revolution 01024 Operating temperature -40...+100 °C B Special features

	Progr. PPR, CW/CCW , Ref., Vout Programmable: pulses/revolution, signal sequence, Zero pulse, signal level
UNDK 30U6103	10127059 Product Ultrasonic Sensor UN Housing shape cuboid on the side. Scanning D Housing plastic K Housing size 30 mm 30 Output voltage output U Output function programmable 6 Version with adjustment aid 1 Detection range < 1000 mm 03
GXMMW.A205EA2	
MHRM 12G5501/S14	
LBFS-11111.0 LEVEL SENSOR	
10.82.05	
HOG 71 DN 1000 TTL	ENCODER EMPTY SHAFT DIGITAL TACHO, PG9 CABLE Gland A4 SHAFT SIZE 12H7 IP56, LOGIC LEVEL TTL RS422 UB:+5V +/- 5%
IFRM 08P37A1/S35L	Inductive proximity switches - miniature 2mm PNP opener (NC) M8 connector -25 ... 75 °C IP67
IFFM08P17A6/KS35L	
11002190	
IFFM20P17A3/S35L	
UZAM 70P8131/S14C	11099365 Ultrasonic 2-point proximity switch - large sensing distance 600 ... 6000 mm PNP normally open (NO) / normally closed (NC) Teach in M12 connector -25 ... 60 °C IP67
TSFE160-222.1C0.12T.75.5011/9003_0635	Product gas pressure thermometer with long-distance line and contacts TSFE Nominal size 160 mm 160 Housing and ring 1.4301 (AISI 304) 2 Mounting type front ring for panel installation, trunk line on the back centric 22 Immersion tube, diameter 8 mm 1 Type of long-distance line stainless steel 1.4541 with stainless steel protection and PVC sheathing C Immersion tube installation length customer-specific length 0 Temperature range 0...100°C 12T Long distance line 7.5 m 75 Contact function magnetic spring contact (NO/NO) 1.Contact closes 2.Contact closes clockwise 5011 Option installation length special installation length 9003
TSFE160-222.1C0.12T.75.5011/9003_0354	Product gas pressure thermometer with long-distance line and contacts TSFE Nominal size 160 mm 160 Housing and ring 1.4301 (AISI 304) 2 Mounting type front ring for panel installation, trunk line on the back centric 22 Immersion tube, diameter 8 mm 1 Type of long-distance line stainless steel 1.4541 with stainless steel protection and PVC sheathing C Immersion tube installation length customer-specific length 0 Temperature range 0...100°C 12T Long distance line 7.5 m 75 Contact function magnetic spring contact (NO/NO) 1.Contact closes 2.Contact closes clockwise 5011 Option

	installation length special installation length 9003 Immersion tube installation length (mm) 0354
TSFE160-222.1C0.12T.75.5011/9003_0200	Product gas pressure thermometer with long-distance line and contacts TSFE Nominal size 160 mm 160 Housing and ring 1.4301 (AISI 304) 2 Mounting type front ring for panel installation, trunk line on the back centric 22 Immersion tube, diameter 8 mm 1 Type of long-distance line stainless steel 1.4541 with stainless steel protection and PVC sheathing C Immersion tube installation length customer-specific length 0 Temperature range 0...100°C 12T Long distance line 7.5 m 75 Contact function magnetic spring contact (NO/NO) 1.Contact closes 2.Contact closes clockwise 5011 Option installation length special installation length 9003 Immersion tube installation length (mm) 0200
SN: 700003336855	
POG10 DN 1024 L	Incremental encoders Item no.: 11042716 Solid shaft with EURO flange B10, 1024 pulses per revolution HTL output driver for cable lengths up to 350 m Very high shock and vibration resistance Two-sided bearing for increased service life Large terminal box that can be rotated 180°
ITD 23 A 4 Y 2 128 H BX K10SK4 S 14	Rotary encoder 128 pulses/revolution A, B track HTL UB= 8 - 26 VDC GT power amplifier Coupling K10SG4 (M12 - 4-pin, pin contacts) molded on the cable, tangential, 0.50 m Bore Ø14 mm continuous Protection class: IP54 Fastening kit 021 Temperature range -20...+85 °C
PBMH-24B75RA12452502000	
Pressure switch RPPNAA3204	RPPNAA3204 MAC45, MAC46; MAL; MAW10, MAW50 ; MAX01
7000004512042	
IFRM 18P17A3/S14L	
700000923453	
UNAR 18U6903/S14G	SENSOR, ULTRASONIC (ULTRASCHALLSENSOR)
OM20-P0120.HH.AUN	
KTD3-2B10	1000 RPM 20V DC Rotary Encoder
UZAM 70P8131/S14C	Article no.: 11099365 Ultrasonic 2-point proximity switch - large sensing distance 600 ... 6000 mm PNP normally open (NO) / normally closed (NC) Teach-in Connector M12 -25 ... 60 °C IP 67
PT100 model:TCR6-1720.2101.11180510.0250	
GXMMS.0203EA2	

EIL580-SC10.5EQ.05000.A	
ATD 3B B14 Y13 12	
IVO G 220.003 Counter	Machine Typ:Santastretch Plus 180 S 7 Machine Nummer:98-4674 Schema No: N1016,N1017,N1018,N1019
BHG 16.05A4096....	ch-8501
OM20-P0120.HV.AUN	Performance Sensor Automatic adjustment of the exposure time for precise measurements on changing materials High immunity to ambient light for reliable measurements regardless of the ambient conditions Point beam shape for precise measurement
BMMV58K1N24P12/16C0E ENCODER	
BMMH 58S1G24C12/13PAN	
HOG9 DN 1024 I 16H7	11075601 Hollow shaft rotary pulse encoder with insulated bearing, shaft seal and grounding strap Version with 12-pin radial connector with mating connector A4R shaft bore 16H7 x 53 IP 56 Logic level: HTL; UB = +9...+30 VDC Square wave outputs: K1, K1', K2, K2', K0, K0' Imp./rev.: Z = 1024
IFFM 12P1703/O2S35L	Material no. 10225889 Product Inductive proximity switch IF Housing shape Cuboid F Housing Metal M Housing size 12mm 12 Output PNP P Output function Normally open NO 1 Installation type Flush (see data sheet) 7 Sensor family Medium length 03 Variant Middle, plug, M8x1 LED /O2S35L
11170602	
ITD21H00 01024 T NI S21SG8 F 14 IP54 021	
CH8501-FHDM 12P5001 / KS35A W&H NO: 05600384	
BHG 16.24K16-E2-5	
11000891 Fpdk 10p5130/S35a	
11062438 Endlosregler Atd 2b B14 Y22 14/16 Ec M12 S 10 Ip65	
Undk 30u6103/S14	
Hog 10 Dn 2048 I Sr 16h7 Klkencoderhs Code: 90318020	
11125420 Afi4-5630.4002.0100artikel-Nr: 011259	
Pfmh- 54.Bc1r.A1551.50202.1000	
11062443 Til 2048 H Bx Kt1 S 14 Ip54 021	
Lffs-013.0	

Unam 18n3703 Ultraschallsensor, 100...700 Mm, Kabel	
Tcr6-1520.2011.101	
Fhdk 10p5101/S35a	
11070747 Tachogenerator Tdp 0.09lt-3-B10	
10138749 Ifrm 08p17a1/S35l	
MY COM G75P/S35L	Materialnr 10238397 Brand name My-Com Product precision switch MY COM Design M8x0.5 continuous, IP50 G Actuating force 75 cN 75 Output PNP P Variant connector M8x1 (3 pin), LED /S35L
11082874 Hog11 Dn 1024 I 16h7 + Fsl2	
ItD 21 H00 512 T Ni S21sg8 F 14 Ip65	
Irr08.P03s-F46.Po1z.7sl	
Ch-8501 Frauenfeld Bdt 16.24k1000-L6-B Endlosregler	
Fpdm 16p5105/S14	
11063146 Itd21h00 2048 T Ni S21sg8 E 14 Ip65 021	
11014497 Optische Sensoren Fadk 14u4470/Io	
O300.Gr-Nv1t.72cu	Materialnr 11135876 Origin Switzerland (CH) Customs tariff number 85365019 Label on product O300.GR-11135876 Product Opto-electronic sensor O300 Function Diffuse sensor with background suppression G Light source red light R Output circuit NPN N Switching function antivalent V Number of outputs 1 output 1 Setting Local Teach T Degree of protection IP 67 7 Housing material plastic class 2 2 Termination strands tinned C Cable type cable PUR U
10148997 Sensor Ifrm 08p13g1/S35l	
11141423 Sensorunar 12u9914/S14h	
Ctx339b202	
Bmmh 58s1g24c12/13p25 Encoder	
10137861 Opdm 12p5103/S35alasersensor	
Pbmn-24b10ra11403201010 Pbmn-24b10ra11403201010	
11117852	

10236806 Sensorohdm 16p5001/S14 Ohdk 10p5101/S35a	
Esg 34ah0200	Materialnr 10132540
11113990 Sensor	
11061200 Drehgeber Itd 40 A 4 Y110 1024 H Ni D2sr12 H 15	
Zpx3-9150	
Pog 10 Dn 1000 I Standard, B10, Shaft 11mm	
11017727 Encoderbmsh 30d1g24c12/00p44	
Bhf 16.25w100-12-9	
10131284 Sensor Fedk 10p5101/S35a	
Ctx339b202 G1/4" Proses	
Pbmh- 24b19ra11452522000000	
10236459 Cfam 18p1600/S14	
Bg60g20	
Ef6-3.0.B31.R.A1.0 Elektronischer Drucksensor	
11063143 Encoder Itd21h00 512 H Ni S21sg8 14 E Ip65	
Unam 18p3703 Ultraschall-Sensor	
10153638.Baum	
11001177 Fhdk 14p6901/S35a	
Hog70 Dn 5000 Ci 12h7 Materialnr 11085325	
10260076.Baum	
11001171 Sensor Fhdk 14p5104/S35a	
11063145 Itd21h00 1024 H Ni S21sg8 E 14 Ip65	
Fzam18p1010	
Ifrm 12p1701/S14I Induktiver Sensor	
11060016.Baum Itd 45 A 4 Y 4 100 H Bx Kr3 S 14	
Unam 18p6903/S14	
Etm Bf50-04w/Du13la4-Tf/Lm2-Sp	

11107722	
Ifrm 08p37a1/L Sensor	
Gxmmw.0503pa2 / 11078256	
Isi 30.013aa01	
5-30 V Dc Ul-Class2,Sn=1,25mm	
Iffm 08p17a3/O1s35I	Materialnr 10157206 Origin Switzerland (CH) Customs tariff number 85365019 Product Inductive proximity switch IF Case shape Cuboid F Housing metal M Housing size 8mm 08 Output PNP P Output function NO NO Flush mount type (see data sheet) 7 Sensor Family standard version middle A3 Variant front, plug, M8x1 LED / O1S35L
Bhk 03.05a1000/400045	
11105084 Encoderitd22h01 2048 M Ni S21sg8 F 14 Ip54	
Ifrm 12p1763/S13I R131 - Product - Canã39;T Offer.	
ItD 21 H00 01024 T Ni S21sg8 F 14 Ip54 / 11106371	
Ifrm 04n15b1/L	
10120283 Fhdm 12p5003/S35a	
Tdp 0.2 Lt-1	
Pz2-42p Keyencepz2-42p, Pnp Diffus Reflektierender Typ	
10228685 Induktiver Sensorifrm 04p1513/S35I	
11116269 Bhk 16.24k20-I2-9	
Bhk 06.24k1024-B2-9	
Uzam 50p6121/S14	
Og-71-Dn-256-Ci	
Uedk 30p5103/S14	
11032607	
10139455 Ifrm 08p37a3/S35Isensor	
Bhf 16.05a 1024-E2-A	
11063337	
Uedk 30p5103/S14 Ultraschall	

Einwegschanke Sender
11031380
11164086 Oadm 20u5471/S14c
G 080.020a110
11063144 Drehgeberitd21h00 1024 T Ni S21sg8 E 14 Ip65 021
Ktd 3-3 A4 Y53 / 11173999
10133583 Lasersensoroadm 20i4471/S14c
10146079 Sensor Fedk 10p3101/Ks35
11034355.Baum Z 185.E05 Mit 5m Kabel
10137861 Opdm 12p5103/S35a
Mr241.10d / 11033281
Unam18p1701
10103067
Usdk 30d9003/S14 Ultraschall Einwegschanke Sender
Ifrm 05p37a1/S35l
Fqum 080p8001/S35l Sensor
Gba?S.4202pa2 Endlosregler
Ifrd 06p17a1/S35l
Bmmv 58k5n24h 12/16 H0 E
Fue200c1004
11016706 Msfs Aa03x08
10298489
Cfam 18p1600/S14
Eil580p-Sc10.5pq.02500.Bp
Bmmv 58k5n 24d 12/18 H0 D
Gnamg .0215??2 Neigungsmesser
10216308 Optischer Sensor Fzam 12p1002/S14l
10141515 Sensor Ifrm 12p13g1/S14l
10126037

11030639 Gi332.170c329encoder
Wfm 08u9501 Induktiver Sensor
11029950 Absoluter Drehgeber0mmh.B205p32
0052.6255 Lichttaster Fhdk13p1099/S9a
20u6914/S35 Baumer Ultraschall-Sensor Undk
10117731 Z 131.001
11031605 Gi355.A70c348
11009817 Dimensionale Radmr552.07a
11001032 Sensorfhdk 14n5101/S35a
10230288 Baumer Ifrm 08p1713/L
Mdfk 08g2101
11087889 Drucksensor Pmbn 23b25ra14441212000
Ifrm 06p17a1/S35I
10221003.Baum
10162791 Sensor Fhdk 04g6101/Ks35a
Eexog9 Dn 1024 I Endlosreglerstandard
Td21h00 2048 T Ni S21sg8 E 14 Ip65 Endlosregler
10140294 Sensor Ifrm 03p1505/Cs35I
10128892 M 310.010a06d
10145962 Reflektor Ftdr 017a027
11003837 Sensoroadm 21i6481/S14f
Unam 12p1912/S14
Brih 58s5624k01024p5 Inkrementaler Drehgeber
Pbmn- 24b15aa14441212000000
11062237 Baumer It23a4y2128hbxk10sk4s14drehgeber / Encoder
Ifrm 05p15a1/S35I
10166774 Sensordsrt 22da-S5-0250

11009594.Baum Wandler Baumer Flextop 2202 0001
11030909 Gi330.0704130
Zph1-3225
Ch-8501 Fpdk 14p5111/S35a
10130678 Iworm 18u9511/Ks34
Esg 32sh0200
Bk40g10
Iffm 08p37a6/L Induktiver Sensor
10126631 Uzam 30p6103
Iwfm 12I9505/S35a Induktiver Sensor
10167404 Sensor Ifrm 12p1707/0200
10144587 Ifrm 05p15a1/L , Induktiver Sensor[Nachfolger Von Ifr05.26.35/K08 Und /L]
10144367 Drehgeber Bhf 16.24k200-E6-5
Mr752 Rad-Encoder-10mm
Ted523b27r
11067650 Ogs71 Dn 1024 R
Eil580p-Tt12.5rq.02048.B
Zph3-5225 Adapter
11105637 Bhf 16.24k500-12-5/0300
10234167 Sensor Lichtschrankefhdm 12p5001/S35a
Itd70a4y7
Fram 12p3001/S14I
Unar 18i6912/S14g Ultraschall-Sensor
11052901 Flow-Sensor Lbfs-01421.0
Gxlmw.B20epa2 Absoluter Stellungsgeber B20epa2
11088604
Fhdm 16p5002/Ks34a

10242208 Drehgeber Bhf 16.24k2000-L2-9
Bmmh 58s1n24p12/16b2d Absoluter Drehgeber Profibus Dp
Gxmmw.A203p32
M 310.010a06c
10119729
11107323 Drehgeber Bdt 16.24k200-L6-5
11033166.Baum Me102.020a80f
11009594
Oadm 12i6430/S35a
It21h00 1024 T Ni S21sg8 E 14 Ip65 021 Materialnr 11063144
58g1p24p13/16kad Drehgeber Bimd
10234725 Rosette Es-21a 4pin M8
Mdfk 08t7105/N16 Endlosregler
Mr552.10a / 11033323
10130826 Ultraschallsensorundk 30i6103
Iwfm 12I9505/S35a
Ifrm 08p1701/L
11089053
Gxmmw.A205b32
11032561 Endlosregler Gxmmw.A20epa2
Bdk 06.24g100/403538 Ch-8501
2ãed701 G1/2 Clq Pressure: 0.2 Bar Current :4-20 Ma Å Operating Temperature: -10 / +80 C Å Protectio
Gxmmw.A202pa 2 Endlosregler11032546.Baum
11115148.Baum Itd 23 A 4 Y 2 128 H Bx K10sk4 S 10
Gm400.A20.A102 Inkrementaler Drehgeber
Sensor Baumer Ivo Ga210.A10b005
10125918 Ffam 17ptd1002/L

10158955 Urdk-20p6914/S35a + 1
10153222 Sensor Iwrn 18i9704/S14
11148768 Induktiver Sensorir08.P06s-N40.Po1z.7scv
11063144 Itd21h00 1024 T Ni S21sg8 E 14 Ip65 021
Uedk 30p5103
10126037.Baum
O200.Gr-Gd1e.72nv/H006_T007
10152994 Baumer Oadm 12u6460/S35adistanz-Sensor
Tbd100/211.168/11
Iffm 08p1701/O11
12p37a3/S05I Inductive Sensor
10141536 Ifrm 08p37a1/S35I
Ohdm 16p5001/S14
Esw 33fh0500g
11147006 Endlosregler Bmmh 58s1n05c10/15b25
Drehgeber Es2r Og72dn1024r
Fhdk10p3101/Ks35
Bmmv 58k5n 24i 12/18 H0 E
ItD 21 H00 2048 T Ni S21sg8 E 14 Ip65 021 / 11063146
10212302
10136635
Lsk-220.020.1
11007913
Bmsv 58s1g24c10/00c6a
10148792 Lichtschanke Fhdk 07p6901
11032548
08p3701/01I Inductive Sensor
10236459 Sensor Cfam 18p1600/S14

Gi331.L70c313 Inkrementaler Drehgeber
Iffm 08p37a6/L Sensor
Gi355.A70c348
10162447 Bff 1g.24k720-L2-9
11001165 Foto-Sensor Fhdk 14p5101/S35a
Y922 G1/2 1jt Nbr 0+50bar
Pbmn-24b10ra11403201010
Ter8-1130.2001.0a03.0a30.0000
10131270 Fhdk 10p5101/S35a , Reflexlichttaster
Cfam 12p1600
Zpw2-322 Nocken
11031573 Endlosregler Gi355.A70c313
Laser-Sensor Baumer Opdm 12p5103/S35a
10118863 Ultraschall-Sensoruedk 30p/508052
10225889 Iffm 12p1703/O2s35I
10236806 Laser-Sensorohdm 16p5001/S14
52005 Optisch (Laser) Sensor Oadm 13i6475/S35a
Sensor Baumer Ifrm 08p17a3/S35I
Endlosregler
11001138 Sensor Fpdk 14p5101/S35a
Iwrm 04u9701/S05 Induktiver Sensor
10123752
11070356
1060305-000-00
Bmmv 58k5n 24b 12/18 H0 M
Uedk 30p5103/S14 Ultraschall-Sensor
10120283 Fhdm12p5003/S35a , Reflexionslichttaster
Ohdm16p5012/S14 Fotosensor
Ifr12.26.45/L

10218950 Ifrm 08p1707sensor Induktiver Drehzahl
10131270 Fhdk 10p5101/S35a85365019ch
11079288 Fndk 07p6910/Ks35a
10235253 Sensor Ifrm 18x9103
Brih 58s5624k01024p25 Endlosregler
11032208
Iwfm 08u9501
Afi4-6810.4002.0310
10128111 Sensor Fzam 18p1150/S14
Fse 200c2004
11093333 Sensor Gxams.4203pa2
11058668
Fue025b2004
11034343
Ifrm 08 P13g1/S35l
Hog10 Dn 1024 Ttl Lr 16h7 Klk-Ax Endlosregler
11145882 Sensor Hog9 Dn 1024 I 15h7
11072737
Bdk05.24k180-5-5
10146077 Sensor Fsdk 10d9001/Ks35
Iwrm 08u9501
Tfrn-7130.3001.1011.1110.0110
Sensor Fhdk14p6901 Baumer
11164060
Iwrm 18u9511/Ks34 Sensor-Klipp
Hog 10 Dn 1024 I // Encoder
10127712 Fotosensor Fzam 18p1150
Gxmmw.A203p32 Der Absolute Multi-Turn-Drehgeber Baumer Ivo
Mr552.07a / 11009817

Gxmmw.A205pa2
11058807 Itd 21 B14 2500 R Ni K4bk9 S 6
10214647 Glasfaser Fsf 050b4003
ItD 21 H00 1024 T Ni S 21sg8 E 14
Fvdm 15p5103/S13
Pog 10 Dn 1000 I B10 / 11076614
Fs314.550aa9b
52005
Mdfk 08t7101/101/1000 C443 Sensor
10130970 Magnetischer Sensor Mdfk 08g2101/S35a
2229382 Serial-No 539350
Esg 34fh0200g
10234725
10117264 Bhf 16.24k1000-B2-9
ItD 21 H00 01024 H Ni S21sg8 E 14 Ip65021 / 11063145
Hog10 Dn 1000 I Lr 17k Klk
A-Kabel Mg02 K21bg8/C 50-Sl Nio-00200
11063146 Drehgeber Itd21h00 2048 T Ni S21sg8 E 14 Ip65
Esw33ah200 Stecker
Tdp 0,2 Lt-4+og9 D 1000 I
ItD 21 H00 02048 T Ni S21sg8 E 14 Ip65 021 / 11063146
11095852 Pbnm 23b27ra14403201000sensor
Fhck 07p6901
Vcxu-32m Camcorder
Lffs-031.0 Cleverlevelpg-Verschraubung, M16, Polyamidg1/2, Peek-Spitze
16.24k50-5-5 Bdk
Eam360r-Kw6.7lc4.A3601.A Absolute Drehgeber

Ifrm 05p15a1/L
Fhdk14p6901 Sensor
Bmmv 58k5n 24q 12/18 H0 E
Order No. 10217673, Type: Igf 12.24.35/L
Zph3-5225
10230453 Drehgeber Bff 0g.05c4096-12-A
Iffm 08p17a6/Ks35l
10153638 Drehgeberisi30.013aa01
11062443 Inkrementale Drehgebertil 2048 H Bx Kt1 S 14
10136501 Ozdk 10p5101
Bmmh 58s1n05c10/15b25 Magnetic Absolute Multi-Turn Hollow Shaft Encoder
Tbhi-100-264.146.55t Thermometer
Ifrm18p17a5l
Mir10-P.032.0.031.N006s
11062290 Endlosregler
10161652.Baum
10151937 Fhdk 10p5160/S35asensor
10131282 Sensor Fsdk 10d9601/S35a
11000891 Sensor Fpdk 10p5130/S35a
Hog 10 G Dn 1024 I / Dn 1024 I Lr 16h7
10130740 Reflexlichttaster Fhdm 12p5001/Ks35a
10101469 Mutter 6k M8*1 Ifr08
11120705
Lsp-050.022.1.000
Ifrm 06p37a3/S35l
10154700 Induktiver Sensorifrd 06p17a1/S35l
Z 119.043 / 10143969
Fhdm 16p5002/Ks34a Lichtschanke

Prds15p-5003/X1 0526301	
10159712 Uzdk 30p6104/S14 Ultraschallsensozdk 30p6104/S14	
Pi12	
Urdk-20p6914/S35a Sensor	
11135184 Gxmms.2203ea2	
10251113 Baumer Fork Sensor Feg 14.24.35	
Bmms K505n24c12/13005	
11078667.Baum	
Fxa12a	PHOTOELECTRIC
11135775 Sensor Ur18.Da0-Ia1b.7bo	
Bmmh 58s1g24c12/13p25	
Bmmv 58k5n 24p 13/16 H0 P	
10234166 Baumer Reflexions-Lichttaster Fhdm 12p5001tw=300 Mm; Hga; Pnp, H/D Schaltend; Kabel 2 M	
Me102.020a80f	
11129636.Baum	
Z 130.001 / 11034154	
Iwfm 12I9504/S35a	
Hog 10 Dn 1024 I Sr 16h7 Klk	
ItD 40 A4 Y153 1024 H Ni H33sk12 S 25	
10236806 Opto Sensor Ohdm 16p5001/S14	
11002915 Stange	
ItD21h001024 T Ni S21sg8f Ip54 021 Endlosregler	
10146516	
Ifrm 06p1713/L Sensor	
10131772 Sensorfzam 18n1155/Ks13	
Urdk 20p6912/S35a	
Tdp 0.09lt-2 20dc Tachogenerator	
Bdk03.24k360/407091 - Oem Product	

Ifrm 12p1703/S14I 11092396 Inkrementale Drehgeber Itd 01 B14 360 H Bx Kr1 S 4
474197
10231715.Baumbaumer Fhdm 16p5001/S14 , Reflexlichttaster[autom. Nachfolger Von Fhdm16p5101/S14]
Ifrm 12p1701/S13I - , Newer Model Ifrm 12p1701/S14I
Bmmv 58k5n 24p 12/16 H0 E
10138764
11105084
Bfs-01111.0 Iso 228-1
11080112 Drehgeber Hog10 Dn 1024 I Lr 20h7 Klk
Bdk 16.24k360-L5-5
Tdp 0,2lt-5 Drehgeberstandard, B10, Welle 11mm
Z-Esg 32fp0500g 11
10138764 Ifrm 06p17a1/S35I
10234166 Fotosensor Fhdm 12p5001
03.05t400/K184 Ch 8501
10238884 Sensor Fndm 12p5001/S35a
10234641 Fvdm 15p5103/S13
(Ch-8501) Spare No 93601 Twin Sensor Amplifier For Cyl Lubricator Complete
11001254 Optischer Sensor Ohdk 14p5101/S35a
11063145 Itd21h00 1024 H Ni S21sg8 E 14 Ip65inkrementaler Drehgeber
11072169 Fs A-Kabel Sw10 K21bg8/A 65-SI Nio-01000zur Montage An Drehgeber Mitplatinenstecker S21sg8
Hog 71 Dn 1024 Ttl (Sn700000378544) Endlosregler
Itd21h00 1024 T Ni S21sg8 E 14 Ip65 021
10146813 Bmmh 58s1n24p12/16b2d

[Drehgeber Baumer Hog 10 G Dn 1024/Dn 2048](#)[Z 185.S01 / 11174046](#)[11165159 Vexu / Vcxu Starter Kit5](#)[10144737 Drehgeber Bdk 16.24k360-L5-5](#)[Ifrm 12p1701/L](#)[11009817 Mr552.07a](#)[Ifrm 08p17a3/S35I](#)[10129303 Inkrementale Drehgeber G 305.0100108](#)[My-Com-B50/80](#)[Z 185.P10 / 11212237](#)[Vcxu-15m Camcorder](#)[Gxmms.2203ea2](#)[10212284 Induktiver Sensor Ifrm 06p1701/L](#)[Fzam 08p3002/S35I](#)[Esw 33ah0200g](#)[10161452 Baumer Undk10n8914/Ks35a](#)[Vcxu-31m Camcorder](#)[Iffk 10e9101 Sensor Iffk 10e9101](#)[11062443 Til 2048 H Bx Kt1 S 14](#)[11078029](#)[11122166](#)[10139965 Sensor Fhdk 10n5101](#)[Gxmmw.A203va2](#)[10127506](#)[Dsrt 22dd-S5- 0250](#)[Fhdm 12p5001/S35a](#)

Materialnr 10234167 Product Reflection light scanner Photoelectric with background suppression = FH Housing form Cuboid seitl. Sampling D Housing metal M Housing size 12mm 12 Output PNP P Output function Antivalent 5 Version Without spec. Function 0 Variant plug M8x1 (4 pin) / S35A

[11117661](#)

Ihrm 12p1501
Bdm03.24g200/K184
Eil580-Tt12.5re.02500.? Endlosregler
10217050 Glasfaser Fsf 025b4003
11032548 Encodergxmmw.A203p32
11063144 Drehgeber Itd21h00 1024 T Ni S21sq8 E 14 Ip 65
Pbmn-23b39ra144034
Gxmmw.A20eea2
Fhdm 12p5001/S36a Lichtschrænke
11032434 Drehgeber Gxm7e.12 10...30vdc, Welle 10 Mm., Rs485.
Mdfk 08t7101
Gxmmw.A205p32
ItD 21 A4 Y29 1024 H Ni D2sr12 S 12 Ip65 06
10126038 Kabel Mit Stecker Z 127.004
08p1701/01I Inductive Sensor
Fpdk 10p1101/Ks35 Sensor
10127371
10146813 Endlosregler
10119195 Opdm 16p5103/S14
Z-01083
11148574
10149127 Sensorunam 18u6903/S14
10127795 Connector Esw 31sh0500
10159579 Sensorfvdk 10p67y0/S35a
Bff 0g.24n1024-L2-9
11002446 Eexog9 Dn 1024 I
Gi333.170c313 Drehgeber
Unar 18i6912/S14g

11071531 Pog9 Dn 1024 I Igf12p15/404165 - Product
Iff082645/L2
12p5001/S36a Sensor Fhdm
10126423
Bec 2048 Ppr
9701,0001
10130678
11147006 Drehgeber Bmmh 58s1n05c10/15b25
Oadm 20i5471/S14c
11062930.Baum Baumer Itd22h00 2048 M Ni S21sg8 F 14 Ip54 , Drehgeber90318034
10127801 Kabel 5 M Gerader Stecker
10126562 Esg 34ch0500
Ti- 1013,X044,076,041,036,034
11044623 Level Switch Type Lbfs 01111
Pbmn- 24b11ra14444202000000
Iwfm 12I9504/S35a Sensor Linear
Hek8
Eil580-Bt10.5qn.01024.A Endlosregler
Mr592.07d / 11033334
10165977.Baum Sensor Oadm 20i6592
10130970 Magnetsensor Mdfk 08g2101/S35a
Itd2lh00 Baumer Encoderitd2lh00 1024 H Ni Kt0.6e 14 Ip65 2item: 11124581sn: 700001790951
Induktiver Sensor Baumer Elektric Iwfm 20u9503/S35
11033779
Hog 10 M Dn 1000r Sr 16h7 Klk Sensor
10232784 Undk 30p3703/S14
Msf5aa03x08 Rotor Mit Permanentmagnet

10234726 Stecker
10138763 Ifrm 06p17a3/S35I
Undk 30i6104/S14 Ultraschall-Sensor
Bdk 03.24k360/407091
Gxmmw.A202pa2
ItD 27 A 4 Y11 4 H Bx Kr1 S 14 Ip40 21
11031483 Inkrementaler Drehgebergi355.A703126
10148822 Sensor Unam 18i6903/S14
10147642 Baumer Unam 12u9914/S14ultraschall-Sensor
11159406 Stellungsgeber Oxh7- Z0150,HI0720.VI
Ti- 1001,1004,1007
11106741 Bdk 16.24k100-L5-9
Pi X036
10234439 Ultraschall-Sensor Usdk 30d9003/S14
Mdfk 08t7105/N16
ItD 40 A 4 Y27 1024 H Ni Kr3 Endlosregler
Fvdk12p6401/S35a
11058776 Inkrementaler Drehgeberitd 3 A 4 Y18 1024 H Ni Kr1 S 15
10149559 Baumer Ifrd 08p17a1/S35I
F524.650da3b
11030499 Endlosregler Gi331.022c323
B220-Iffm12b1798/02s12Inpn
11031222 Inkrementaler Drehgebergi355.022c328
11070180
Bffog24n1024-L2-9
Bmmh58s1n05c10/15b25 Endlosregler
Ifrm 08p17/405334 0920-2290
Unam30p1104

Fhdk 14p6901/S35a
Tsse100-232.162.12t.5021/738j
Eil580-Sc10.5rn.05000.A
Iffm 08p1703/O1l
Bk30-74 Vh/D09sa4 - Unknown Model
Gi355.A70c313 Sensor Winkel-Bewegungen
Ifrm 12p13g3/S14l
Pbmn- 23b08ra11409212000000
10149512 Optischer Sensorfhdk 07p6901/Ks35a
ItD 21 A 4 Y29 1024 H Ni D2sr12 S12 Ip65 06 Endlosregler
Gxm7w.B10a101 Drehgeber
11200 Sensor Induktiv Iffm 08p3701/O1s35l
11110492.Baum Itd21h00 100 H Ni S21sg8 E 14 Ip65
Iwfm 08u9501 Induktiver Sensor
10216777 Induktiver Sensor Iworm 30i9501
Lffs113
Mr261.10a Messrad
Rosette Baumer Es21a, 4 Pin M8
10129076 Unam 30u6103/S14
Elektronischer Drucksensor Typ:Pbmn- 23b26ra14441212000000
Ifrm 12n1703/S14l Induktiver Sensor
10153179
Gxmmw.A203pa2
Inkrementale Drehgebereil580p- Sc10.5rq.00800.B
10161124 Fhdm 16p5004/S14
Ac 35 000
Gxlmw.?20epa2
11032548.Baum

11032128.Baum Gm401.110a102
Fhdk 10p1101/Ks35
11060732 Drehgeber Itd 40 A 4 Y124 1024 H Ni Kr3 S 20
11009594 Signalwandler Lastzellelextop 2202.0001.0
Hog-16-Dn-1024-I Hog 16 Dn 1024 I (Sn2114646)
Hog 10 Dn 1024 I Sr 16h7 Klk Pog 10dn 1024i 9...30v Htl 1024
10236806 Fotoelektrischer Sensor Ohdm 16p5001/S14
Fhdm12p5001/S35 Optischer Sensor
11106983 11106983 Eil580-Tt14.5re.02500.A
11125420 Afi4-5630.4002.0100conductivity Transmitter
10224126 Sensor Ifrm 12p1701/S35I
90318020 Inkrementaler Drehgeber Hog 10 D 1024 I Lr 16h7
Ktd3-2a4
Encoder Hog 71 Dn 1024 Ttl Vb=+5v +-5% 1024 Ttl Pp
24-1884-2266 Sensor For Cylinder Lubrication System
Om70-L0600.Hv0500.Vi
Gi332.170c350 / 11030647
Iwfm12I95 /076317, D422 Sensor
10107687 Rundbuchse 12pol Kabel-
Ozdm 16p1001/S14
M24553
11052887
Bdk1624k100-L5-5(Exbdk-06.24g100-L5-5)
Ch-8501 Ifrm 08n17a1/L Induktiver Endlagen-Sensor
11115944.Baum Baumer Pbmh 24b10ra11403201010

D3012194d60
Bmmv 58k5n 24b 12/18 H0 D
Drehgeber Baumer Hog 10 Dn 1024+fsl
Vcxu-51m Camcorder
10161652 Bhf 16.25w1000-E2-A
10131270 Der Optische Sensor Fhdk 10p5101/S35a
10224048 Sensor Iffm 08p1701/O1s35l
Mr552.07a Dimensionale Radmr552.07a Circumference 50 Cm, Smooth Vulkollan Pur
Fs 90-5 N=1064
10155311 Sensordsrtr 22dd-S5-0100
11070747.Baum
11186692 Eil580p-Tt15.7pq.01024.B- 11186692
10156471 Iwrm 18z8704/S14c
G1mmh.5203p32 Der Absolute Multi-Turn- Drehgeber, 10...30 Vdc, Profibus-Dp, Hohlwelle 25 Mm
Bmmh 58s1n24h12/16p2e
Pbmn-25b38ra144034
10216308 Baumer Fzam 12p1002/S14l , Reflexions-Lichttaster
11080301,Baum Absolute Wegmess
Psmn24 B15r A1u39121100
11071188 / Mg02 K21bg8/A 65-Sl Nio-01000
Bhk 16.24k20-B2-9
11033290 Mr261.10a
10150467 Unam 18p6903/S14
10213236 Sensorifrm 08p1701/PI
Ifrm12p1798/S13lpnp
Mex5-D32.B20
10165257.Baum Bmmv 58k1n24e12/16c0e

11007913 Sensor Lffs-011.0
10139455 Ifrm 08p37a3/S35I
G0mmh.E203p32
11014632 Sensorpbsn 12b22ra2140621
Ifrm 06p17a1/S35I Induktiver Sensor
Ifrm 12p1701/S14I
10146088 Sensor Ifrm 08p17g1/S35I
Gtr9.16I/460
10134859
Ifrm 18p17a3/L
Ifrm 06p37/405 113 -
11063148 Itd21h00 4096 T Ni S21sg8 E 14 Ip65
Ifrm 12 P1701/L
Usdk 30d9003/S14 Ultraschall-Sensor
10146052 Fotosensor Fhdm 16p5002/Ks34a
Ifrm12p1702/S14I
12p1797/01s12I
12p1914/S14(CIql)
Bmmv 58k5n 24b 12/16 H0 E
It70a4y71024hh1h2sk12s60
10214930 Sensor Ifrm 12p1701/S14I
Dspn/508655
Fhdm12?5001/S36? Stellungsgeber
10129333 Anschlusskabel Esg 34fh1000g
Gxlmw.B20epa2
11034356
Dsrt 22dd Sensor Verformung
Mdfm20i9424/C270 Magnetsensor
Unam 18/6903/S14 H302 Sensor
Ifrm 08p37a1/L Induktiver Sensor

Ifrm 12p1763 /S13l
11052901
10212471 Ifrm 12n1701/L
11171876 Gbams.W205p32-Tabolut Drehgeber Singleturn
11042579
11117971
Lffs-031.0 Baumer Lffs-031.0
11110577 U500.Pa0-Gp1b.72o Baumer Ultraschall 0,1-1m;M12-4pol
Ifrm08p1701/S35l(Ex00526201)
11117971 Pfmh-54.Bc4r.A1553.51202.1001
11114635 Gxp5w.A10a306
11046259 Kabeldosen Und -Stecker
Gxlmw.A20epa2 Endlosregler
Afi4
Zph1-524e Montageadapter Variline
Eil580-Sy06.5fe.01024.A
U500.Da0-11110575 Ultraschallwandler (P- 2555)
11031581
Pi- X031,032,057, 063,060 X=11..16,21,22
Gxmmw.A208ea2
Gi332.170c329
10137861 Laser-Sensor Baumer Opdm 12p5103/S35a
10164913 - Fpdk 10p1101/Ks35 - Sens¼r
Bdk 03.05t20-5-5
10119452 Encoder Bhf 16.24k5000-E2-A
10146710 Z 150.022
10142377.Baum
11007212 Oadm250u1101/S14c

D50_Sensor_710621275
11148741_Induktiver_Sensorir08.P06s-N40.No1z.7scv
10103068
10217050_Glasfasern_Fsf_025b4003
11116724
U500.Da0-11110575
11051491_Tachogenerator_Td_2a_4y_3
11029720_Drehgeber_G_305.2201aa1_Voltage_Supply_10...30_Vdc
Gi331.070c313
11051925_Anschlusskabel_Ksg_34a/Ksg45ap1000g/E
10144584_Ifrm_04p35a1/L
P/N: 10118988 Type: Bhf 03.25w100-L2-9 Obsolete, Replacement P/N: 11107454 Type: Bhf 16.25w100-L2-9
10151802_Baumer Unam12u9914/S14dultraschall-Senso
11061055_Itd_21_A_4_Y_3_4096_T-Ni-Kr0.2_E_14
11063143_Itd21h00_512_H_Ni_S21sg8_E_14_Ip65
368123_Sensor-Klipp-Spindel-Counter_Iwrm_18u9511/Ks34
10124787
Ifrm_05p35a1/L
Ifrm_08p17a1/S35I
3017210.Turck_Ba23soptical_Fiber
Afi4-5630.4002.0100_Sensor
Ohdm_16p5012/S14_Sensor
11063144.Baum_Baumer_Itd21h00_1024_T_Ni_S21sg8_E_14_Ip65drehgeber
10155280_Ifrm_08p17a4/S35I
10144143.Baum_Encoder_Bmsh_58s1g24k12/00p25

11002915	
10020069 10143924 64p	
10126626 Uzdk 30p6112/S14	
11100792 Dfon-1100.00	
Prc/032 B10 + Fsl Prc/032 Step-Up Gearbox (I=10,94, Switchingspeed 1.064 Rpm)	
10138749	
Unam 18p1703 Ultraschallsensor, 100...700 Mm, Kabel	
Lbfs-01112.0	Materialnr 11049045 Origin European Community / Union (Denmark - DK) Customs tariff number 90261029 Brand name CleverLevel Product level switch LBFS Conformity and Approvals Standard 0 Electrical connection M12-A, 4- pin, polycarbonate (with LED indicator) 1 Process connection G 1/2 A ISO 228-1 (G07) 1 Process Connection Material Stainless Steel 1.4301 - AISI 304 1 Output configuration NPN output 2 Configuration Factory settings 0
Ifrm E2a-S08kn04-M5-B5 Induktiver Sensor	
10128099	
Hog9d1024i Sensor	
Bmsh 58s1n24b12/00b2d	
Bhl 16.24k1024-E6-9	
10232763 Sensorundk 30p1703/S14	
O300.Rr-G1lz.72n	
Bmmv 58k5 N 05c 12/13 H0 5	
10154499 Endlosregler Bdm 16.25w500-C0-8	
10158111 Iffm 08p37a3/O1s35I	
Ifrm 12p17/405334 Pnp 10-30v	
Brih 58s5624k01024p25	
10234440 Ultraschall-Sensor Uedk 30p5103/S14	
10134310 Mdrm 18u9524	
Iffm08p1702\o1ks05I Induktiver Sensor	
Ifrm08p1701/S8I103603	

10258823 Sensor Fse 050a2003
10218694 Fzam 08p1002
10283462 Mex5-D32.B72
11085071 Flex.8161-1611-3s16/D82010I32gg120/Lrs9
Esw 33sh0200 Baumer Esw 33sh0200
Eil580p-Tt12.5rq.01024.B
Hog10.2 Dn 500
Hog 8 Dn 1024 Ci 16h7
Hog 10 M Dn 200r Sr 16h7 Klk Sensor
10130826 Baumer Undk 30i6103
11063146 Endlosregler Itd21h00 2048 T Ni S21sg8 E 14 Ip65
U126
Gi333.170c313 360 Imp Endlosregler
11119994 Ur18 Ultraschall-Sensor.Da0
Oadm 20144/404279
10251050
11031573 Sensor Gi355.A70c313
Endlosregler Gommh.0205p32 481861 10-30 Vdc 5% Rw
11030639 Endlosreglergi332.170c329
10235253 Ifrm 18x9103
150467 Ultraschall-Sensor Unam 18p6903/S14
II 580p-Tt14,5pq., 4.75-30vdc Endlosregler
Bdk06.24k1024-L5-4 6m
Hog11-Dn-1024-I + Fsl
11032485 Gxmms.5203p32
11080552 Sensor Hmg11 P29 H1024 + EsI90
10242208 Drehgeber Bhf 16.24k2000-L2-9 Nachfolger Von Bhf 03.24g2000-L2-9
Gt 7.16 L/460

Uedk 20p6103/S35a	
11045447 Photoelectric Sensor Fvdk 10p66y0/S35a	
11171876	
11128348 Inkrementale Drehgeberbkh 16.24k10-B6-9	
Tb100-212.166.12t	
Me280	
Combilyz Afi4-6630-4002-0100 Induktiver Sensor	
;Itđ 41 A 4 Y23 5000 T Ni D2sr12 S 25; 29.11 5000 Ppr M:11059572	
Iqfm 12p15 404165	
11033747 Drehzahlmesser Ta202.023ax16t00	
11052901 Lbfs-01421.0	
10152994 Sensor Laser Oadm 12u6460/S35a	
Fs90-5	Materialnr 11075506 Mechanical centrifugal switch B10 shaft 11k6 x 30 IP 55 Switching speed: 85363010 DE
Drucktransmitter Ted-6.15.3.B26.R	
10124787 Sensor Fhdm 12p5001/S36a	
Ktd 3-2 A4 / 11062321	
10149512 Fhdk 07p6901/Ks35a	
10162723 Sensor Ohdm 13p6901/S35a	
Ifrm 1797 /01s12l 0920-2297	
Durchmesser 60mm.	
11031683	
11106562	
Zph1-5225	
10126834 G 305.0100103	
11106970 Bhf 16.24k60-12-A90318020ch	
10140588 Induktiver Sensorifrm 06p37a3/S35l	
Fhdm 12p5001/S36a	

11105084 Endlosregler Itd22h01 2048 M Ni S21sg8 F 14 Ip54
11164019 Sensor Laser Oadm 20i5440/S14c
Fhdk 07p6901/Ks35a Sensor
10148903 Baumer Iworm 12i9705/S14induktiver Sensor
Ifrm 18p1797 / S12l - Invalid Model
11001178 Sensor Fhdk 14p6901
Fotosensor Fhdm 12p5001/S36a
10251037 Sensor My Com H75/80
Afi4-5630.4002.0100
Itd 40 A4 Y124 1024 H Ni Kr3 S 20 Ip55 027
11125227 Tcr6-1720.1001.1012.0610.0200
11015618
Gba?S.4202pa2 Encoder
Undk30u6113/S14 Ultraschall-Sensor
Ifrm 04p35b1/L Endschalter
Hmq161 P29 Z0 50h7
11072169
1115769 + 112056393 Ir12.D06l-Q60.Ia1e.7bo + Esg 34ce1000g/Obez
Itd 21 H00 01024 H Ni S21sg8 E 14 Ip65 021 / 11063145
11013916 Induktiver Sensor Ifrm 08p17/013916
Ktd 3-2 A4 Y2 / 11058490
10145962 Reflektor Ftdr017a027
10138747
Bmsv 58k1g24k12/00c05
11077122 Bdk 16.24k50-5-5
Tbhi-100-264.146.84t Thermometer
11031567
Ifrm12n1504

10230289 Sensor Ifrm 08p3713/L	
11000891 Sensor Fpdk 10p5130/S35areflexions-Lichtschanke Mit 2m Leitung	
11032548 Absolut Drehgeber Gxmmw.A203p32	
Pi- X009,024,1009, 1010	
Itd 40 A4 Y153 1024 H Ni H33sk12 S 25 / 11013945	
Eil580-Sc10.5In.01024.A	
G1mmh	
10148792 Optischer Sensor Fhdk 07p6901	
Uzam 30p6103 Ultraschall-Sensor	
1301511 Kabel (Zum Sensor Klemme) Baumer Esw 33ah0200g	
11063147	
Iwrm 18u9501	
Gbams.W 208ea2 Endlosregler	
11013916 Baumer Ifrm 08p17/013916	
11097228	
Gxmmw.A208pa2	
10138747 Sensor Baumer Ifrm 08p17a3/S35I	
Ifrm 08p17/405334	
11032208 Gnamg.0215p32	
11075328 Lbfs-11421.0	
Tbhi-100-264.144.55t Thermometer	
10147603 Isi34.013aa01	
11110575 Sensor	
Fs 90-5 N=1064 Prc/032 Step-Up Gearbox	
Hog 71 Dn 1024 Ttl (Sn700000378544) Encoder	
Ga241.Z07 Encoder	101453881 004 10 - 30 VDC 5%RW 4096 Gray
Mr291.06d / 11033298	

G0a2h.030a105 Endlosregler
11080552 Hmg11 P29 H1024 + EsI90
10218950 Ifrm 08p1707
10003729 Ifrp 12p1504/S14
11053810 Ma20 N7i401d26w02048cn
11049888
10153638
Itd 21 B14 2500 R Ni K4bk9 S 6 Ip65 / 11058807
Afi4-6810.4002.0100
11001038 Fhdk 14n6901/S35a
12n1701/RI Induktiver Sensor Ifrm
2202-0001.0
11096706 Druckmessumformerpbmn 23b26ra14403201000
Gtr 9.16l/460 16h7 / 11042579
Ifrp12p1501/S14
10136428 Mhrm 12g2501
Pog 10dn1000i
Eil580p-Sc10.5pq.25000.Bp
Fhdk 10p5160/S35a
11171876 Absolut Drehgeber Singleturngbams.W 205p32-T
Zpx4-540
10119241 Ultraschallsensor Unam 50u9121/S14
10234167 Sensor Fhdm 12p5001/S35a
11112093 Endlosregler
Atd 2s B14 Y24 12/12 Sr Gr D2sr17 M 10
Mdrm 18u9524
11032466 Gxmms.1203p32
Order No. 10138749, Type: Ifrm 08p17a1/S35I

10234167 Fhdm 12p5001/S35a
11055597
10149160 Magnetsensor Mdfk 08g2124/S35an10
10217001 Fuf 050b1003sensor
10167243 Drehgeber Bhk 16.24k360-E6- 5/0200
Tdp 0.09 Lt 3
Pcrb D016.14c.D310 U414 Sensor
Drehgeber Og71 Dn 1024 Ci
11063144 Endlosregleritd21h00 1024 T Ni S21sq8 E 14 Ip 65
Mhap100 B5 G60 Sg 13 Np 2048 D Drehgeber Absolute Magnetischer Ohne Lager
10140294
Fhdm12p5001
47 4197
Ohdm 16p5001/S14 Endlosregler
Hog 75 D1c/D2c Inkrementaler Drehgeber
10233767 Sensor Undk 30u9112/S14
10212187
13642693 Incremental Encoder (E)dr../Es7c/Ev7c Op/N 13642693(Replacement For Pn 13621572)
It2h00 1024 T Ni S21sgb E14 Endlosregler
Zpw2-526
132124 Magnetrotor 32pref
Ifm 05p35a 1/S35l
11029708 Endlosregler G 305.2101aa8
Iwrm 30i9501
10162787 Sensor Fhdk 04g6102/Ks35a
Eil580-Bt12.5fe.1024a
11034356.Baum Z 185.P05

10161652 Sensorbhf 16.25w1000-E2-A
Te2-1.4.7050.0320.0
10218482 Sensor Fram 12p1001/S14l
Ktd 3-2 A4
11119074
Lbfs-01121.0
Eil580p-Sc10.5pq.02500 Endlosregler
10144637 Iffm 08p1702/01ks34l
Ifr 18.26.31.K713 - Product, Canã39;T Offer.
Bmmh 42s1n05c12/13b25 Absoluter Encoder
Iffm12p1797/01s12l 10-30vdc
10156844
Fndk 07p6910/Ks35a
11031573 Encoder Gi355.A70c313
11072169 Fs_A-Kabel Sw10 K21bg8/A 65-Sl
Nio-01000
10127797 Esw 33sh0200
Ifm 06 P13g1/S35l
Oadm 21i6481/S14f
Ifm 12p1701/S13l
10134310 Sensor Mdrm 18u9524
Hogs100s-B76.626.02048.1
Materialnr 11166379 Origin European Community / Union (Germany - DE) Customs tariff number 90318020 Product information Sinus encoders with SIL2 approval HOGS100S Shaft type Unilaterally open hollow shaft B Flange (hollow shaft) Moisture protection 7 Degree of protection IP 66 6 Hollow shaft (open on one side) Ø16H7 x 53, central screw 6 Terminal box connection radial 2 Operating sp./ Output signals 5 VDC, K1, K2, K0 + inv. (Sine 1 Vpp) 6 Pulses per revolution 2048 02048 Operating temperature -20 ... + 85 ° C 1 Hollow shaft sine encoder with SIL2 approval Stock Number L-74241K16-2048 Version "moisture protection" with insulated storage and with side terminal box with fixing screw M6 x 30 and Nord-Lock lock washer Marine air protected / tropicalized A4 shaft bore 16H7 x 53 IP 66 UB = 5 VDC +/- 10% Sine signals (1 Vpp): A +, A-, B +, B-, R +, RP = 2048 Per./Umdr Total weight: 10,760Kg
Fhdk14p6901/S35a Optischer Sensor

Ta200.003axa1 Wandler	
10216777 Induktivsensor Iworm 30i9501	
Unam 30u9103 Baumer	
10242153 Kapazitiv-Sensor Cfbm 20p16002m Kabe	
Gxm2s.F20a306	
10148903 Sensoriworm 12i9705/S14	
Fvdm 15p5103	
11032550	
11062930 Itd22h00 2048 M Ni S21sg8 F 14 Ip54 , Drehgeber	
Fuf150a1003 10213339fuf150a1003	
Hhog10-D-1024-I	
11053392 Endlosregler Gxlmw.B20epa2	
Bdk 16.24k200-5-9	
Mdfk 08g2101/S35a	Materialnr 10130970
Oadm 2016592 Sensor	
Sensor Oadm 2016592	
Lbfs-42g21.0 Sensor	
10141516 Sensor Ifrm 12p17q1/S14l	
10138763 Induktiver Sensorifrm 06p17a3/S35l	
Ifrm12p1701/S13l	
10138749 Sensor Ifrm 08p17a1/S35l	
Bmmv 58k5n 24d 12/16 H0 E	
10150467 Ultraschall-Sensor Unam 18p6903/S14	
Bdm 16.05a500-C0-8	
Unam 12u9914/S14d	
10136785 Ultraschallsensor Undk 30u6112	
Undk 10u6914/S35a	
137391	

11082677
388587 Ifrm 09n1510/S35I
Ktd 3-4 A 4 Y53 Tachogenerator
11058912 Sensor Itd 21 B14 1000 T Ni Kr1 S 6 Ip6
Gi332/.170c350
11067345 Encodergtb9.06I/420 K
58s1n24 H12/16p2e
11044623 Sensortype: Lbfs-01111.0
10130826 Undk 30i6103
FtdI 020i000/1m
Eal580-Tnc.5wen.18130.A
10124787 Fotosensor Fhdm 12p5001/S36a
10160298 Sensor Ifrm 06n1701/Ks35I
Unam 18p1703 Ultraschall-Sensor
10238381
ItD 40 A4 Y153 1024 H Ni H33sk12 S 25 Inkrementaler Drehgeber
10140876.Baum Iffk 10e9101
- Drehgeber Itd 23 A4 Y2 128 H Bx K10sk4 S 14 019 Ip54
Esg 32ah0500
Ifrm 12p17/405334 V091 - Product - Canã39;T Offer.
Gxmms.E08
10146052 Sensor Fhdm 16p5002/Ks34a
Tdp 0.2 Lt -7/Uo=20 Vdc/1000min-1 Tachogenerator
3035349.Turck Turck D12sp6fpyq
Fvdm15p5103
Kapazitiver Sensor Cfam 18p1600/S14
????58s1n05c10/15b25 Elektromagnetische Drehgeber
Z 119.070

10127371 Z 141.00112-Pol. M23-Kupplung Ohne Kabel
O300.Sp-Gw1b.72n
10141052 Undk 30u6803/S14 , Ultraschallsensor
Lbfs-03421.0
Mr241 Rad-Encoder-10mm
Fse050b1003
10136635 Die Feder Des Encoders
Unam 18i6903/S14
11045445 Optischer Sensorfvdk 10p66y0
Isi30.013aa01
11093333 Absolute Drehgeberxams.4203pa2
11148685 Ir06.P03s-F40.No1z.7scv
10165157 Z 119.072
11146324 Drucksensor Pbm 24b4gr A14444202010 000
Drucksensor Ed701-Y20/323/055/11/9451
10138763 Ifrm 06p17a3/S35lsensor
Ifrm 12n1701/S13l
Ifrm 08p37a1/S35l
10124952 Fvdm 15p5130/S14
Ifrm08p1701l
10138747 Ifrm 08p17a3/S35l
10150467 Baumer Unam 18p6903/S14ultraschallsensor, Stecker M12 - 4pol.
Fhdk 07p6901
11032557
10156223 Sensor Ifrm 06p37a4/S35l
10242153 Sensorcfbm 20p1600 S/N44173

Gxmmw.A205ba2
Ch-8501 Oadm 20i6480/S14f Laser- Abstandssensor
Artikel Nr. 10126489
10138815 Encoder Bdh 16.05a5000-L0-A
Iwfm 12I95/076317 / 11076317
10151937 Fhdk 10p5160/S35a
ItD 21 H00 01024 T Ni S21sg8 E 14 Ip65 021 / 11063144
Bmmv 58k5n 24p 12/18 H0 D
Igyx 08n17b3/L Sensor
11032452 Absolute Encoder Gxmms.0203p32
Ifr 05.26.35 Kabel
10123379.Baum Baumer Undk 30p3713/S14initiator85365019 - Ch - 0,06 Kg
Iwrm 0819501/S35
11114965 Sensoreil580-Bt10.5m.01024.A
11103098
11125850 Drehgeber Eil580- Sc10.5m.02500.A-11125850
Pbmh-24b19ra11452502000000 Ersatz Fuer Ed701-Y20/323/055/11/9451
IgfM 12p15/404165p432
10132220 Opdm 12p5101/S35a
10136428 Sensor Mhrm 12g2501
Ifrm 12p1763 / S13 L - Product, Not Avaiable.
1897/509355vv101 - Oem Product
10212187 Ifrm 12p1701/L
10130970 Sensor Mdfk 08g2101/S35a
Pi 1010,1009,1077,1076,1075,1082,10831081,1 072,1073,1074
Pcrb D016.14c.D310 Drucksensor

10232784 Ultraschall Sensorundk 30p3703/S14	
10146073 Optischer Sensorfhdk 10p1101/Ks35	
Fhdk10p51/405685	
Lbfs-01421.0	
10130371	Socket conf.19 pole L = 5050 Origin Switzerland (CH)
Iffm08p1501/02s35l	
10128566 Induktiver Sensor Iprm 12i9505/S14	
Typ: Pbm- 2.5.B20.A.A1.44.74.2.0.1.0.0.0.S01material- Nr.: N. A.	
11165900 Digitalkamera	
11062237	
Afi4-5830.4002.0110	
Mr241.06d / 11033278	
4500095731 00020	
10150467 Unam 18p6903/S14ultraschallsensor, Stecker M12 - 4pol.	
My Com H75/80	
Gxmmw.A203v32	
11062183	
Gbams.W208ea2	
10139709 Sensorifrm 12p13g3/S14l	
10138745 Sensor	
Oxh7-Z0500.Hi0660.Vi	
10149511 Optischer Sensorfhck 07p6901/Ks35a	
10238381 Fotosensor Fhdm 16p5001/Ks34a	
Fhdm12p5001 S36a Sensor	
11032434	
10131270 Optischer Sensor Fhdk 10p5101/S35a	

Gi355.070r015000 Endlosregler	
11171876 Gbams.W205p32-T	
Te2-1.4.1020.0300.0	
Zpw2-521	
10144599 Optisch (Laser) Sensor Oadm 20i6460/S14f	
Hog-16-Dn-1024-I Coderhog 16 Dn 1024 I (Standard, Bohrung 38 Mm)	
11076778 ? Et.02.1057l	
Opdm 16p5102/S14 Sensor Laser	
10130970 Sensor Magnetisch Mdfk 08g2101/S35a	
Ivo Gi355.070c315 Endlosregler	
M 300.010b06c / 11033011	
11032209	
11124584	
Gtb 9.16l/460	
Eil580p- Tn10.5\$F.01024.B/3002 0.150 +++++ / 11127591	
O300.Gr-Gw1t.72n (11110414)	Label on product O300.GR-11110414 Product O300 optoelectronic sensor Light sensor function with background suppression G Light source red light R Output circuit push-pull G Switching function light / dark switchable W Number of outputs 1 output 1 Local Teach T setting Degree of protection IP 67 7 Housing material plastic class 2 2 Connection type connector M8 (4-pin) N
Ted-5.2.3.B27.R	
Bmmv 58k5n 24q 12/16 H0 D	
Kabel Mit Stecker M12 Esw 33sh0200	
11001246 Sensor Opdk 14p1901/S35a	
Ifrm 05p1501/S35l L283 (Combi No:8341.90183/00)	
Brih 58s5624k01024p25 Inkremental- Drehgeber	
11071528 Drehgeber Hubner Berlin	

Iff082645I2	
Gxmmw.A208p22	
11030074 Drehgeber Ga210.0102405	
Ir12.D06I-11157693 Sensor	
Bmmv 58k5 G 24c 12/13 H0 N	
Iffmo8p1501/02s35I	
10230046 Iworm 18i9511analogsensoren	
Ifrm 12p1701/S14I Sensor	
11030537 Gi331.170c313	
Reflektor FtDr017a027	
11068577 M23 12 Pin Connector	HOG 9 ENCODER
Ga240.A10c102 Endlosregler	
53075 Ultraschallsensor Undk 30u9103	
Gi330.070c341 / 11030940	
G1mmh Endlosregler	
F524.600?A3b	
11071189 A-Kabel Mg02 K21bg8/C 50-SI Nio-00200I=20m	
Fzdk 10p1101/Ks35	
11034154 Z 130.001	
11010814	
Hog 9 Dn 1024 I 16h7 / 11075601	
10132331 F 514.650aa3b	
Rp2e R653-0202 Pressure Switch 0-150 Psi	
Mr592.10d / 11038481	
Ifrm 09n1510/S35I	
My-Com M75p/S35I	
10234166 Fotosensorfhdm 12p5001	
11073964 / H2sg12	
Bhf 16.25w100-L2-9	
10147166 Iwfm 12I9505/S35a	

Vk17081656 10158589.Baumzadm 023h300.0001
Order No. 10214930, Type: Ifrm 12p1701/S14I
11082595 Hog 16 Dn 1024 I (Standard, Bohrung, 38 Mm
Lbfs-01111.0
Fhdm 16p5001/S14 Optischer Sensor
11014496
Hog 161 D 1024 I 70h7
11032546 Encodergxmmw.A202pa2
11032208 Sensor Gnamg.0215p32
Fs-T1p
11044623 Sensor: Type: Lbfs-01111.0
Frm 08p37a1/S35I
10160316 Ifrm 08p3701/Ks35I
10138760.Baum Baumer Initiator Ifrm06p17a1/L Nachfolger Von Ifr06.24.15/L
11042716 Encoderpog 10 Dn 1024 I Standard
Pfmh-54.Bc4r.A1551.51202.4001
Oxe7.E25t-Lb3c.Simd.7ai
Usdk 30d9003/S14
Hs35f 02048 H Abzc C018 B E 075 5 T3
10141132 Kupplung Z 121.C01 6/10mm Bestell. - Nr. 0000315
Hog 10 G Dn 1024 I / Dn 1024 I
Gxmmw.A205ea2
Bff 1g.24k1024-L2-9
Materialnr 10137233
Zadm 023h151.0001
11121855 Drehgeber Eil580p- Sy06.5rf.01024.B
10140294 Ifrm 03p1505/Cs35I
Itd61a4y41024h Ni H9sk12 S50 Endlosregler
Eil580-Tt12.5rn.01024.A-11104043

Lbfs-01421.0 Grenzscharter Cleverlevel, M12-Stecker, Gewinde G1/2 Hygienisch 3a/Ehedg, Pnp-Ausgang
11032561 Drehgeber Gxmmw.A20epa2
Unam 18n3703
Fe504.650bb3c
Mr542.07d Dimensionale Radmr542.07d Circumference 50 Cm, Smooth Hytrel Tpe-E
11150373
11032046
Iwrm 18u9511
103068
10234725 Rosette Baumer Es21a, 4 Pin M8
Gxmmw.A20epa6
11113990 Lbfs-01122.C/8008
10161496 Bmmh 58s1n24p13/16p2w
11033166 Me102.020a80f
ItD 40 A4 Y153 1024 H Ni H33sk12 S 2 Endlosregler
Ifrm 08p 1701/L Drehzahlgeber
10128029 Ifrm 06p1701/Ks35rl
10212301 Ifrm 12p1701/S13l
2308033
11034355 Z 185.E05anschlusskabel Ethercat, 5m Purd-Codierte Kupplungsstecker M12, Beids.
Bmmh 58s1n05c10/15b25
10224524 Iffm 20p3501/S35l
My-Com L75p150k519
11045790 Lbfs-11121.0
11063144
Bdt 06.05a 4096 ? L6 ? A
11146811

[10147538 Endlosregler Mdfk 08t7105/N16](#)

[11087239 Lbfs-21111.0](#)

[Ktd 3-2 A 4](#)

[FHDM 12P5001](#)

[11087113](#)