

## Bcs

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Bcs** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Bcs T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



| ¼r¼n  | A¼ıklama  |
|---|---|
| <a href="#">CNX 100</a>   |   |
| <a href="#">LC 1</a>  |   |
| <a href="#">Model CNX-100</a>                                     |   |
| <a href="#">MTH8</a>  |   |
| <a href="#">P-20/75/215</a>                                       |   |
| <a href="#">P-40/120/185</a>                                      |   |
| <a href="#">type CNX-50</a>                                       | BCS compression load cells - rated load: 50 tons; - accuracy class: $\pm 0.1\%$ of rated load; - shielded high-temperature cable, 10 m long; - unit weight: 3 Kg.   |
| <a href="#">Microprocessor-based digital indicators type M748</a> | spare for 11M282 - range: programmable through keyboard; - 7-segments LED display, 14 mms high, red; - stabilized power supply unit, 5 V DC, for the load cells; - zeroing and calibration through keyboard; - failure alarm, with SPDT relay, 2 A; - analog output, 0÷20 or 4÷20 mA, programmable; power supply: 230 V – 50/60 Hz; - aluminium box, IP65 protection, dimensions 253x217x95 mm. |

|   |   |
|---|---|
| <a href="#">M748 Load Cell</a>                  |   |
| <a href="#">Load Cell</a>                       | 2 Adet BCS Marka Cnx-30 10 Metre Kablolu Tipte 30 Ton , 2 Adet BCS Marka Cnx-30 12 Metre Kablolu 30 Ton |
| <a href="#">code:16194</a>                      | ord. produzione:9255/08E0 1/2008 Capacity:42cc/rev max wheel dish :127 mm                               |
| <a href="#">TS500A-0001</a>                     | SWITCH POSITION 002   |
| <a href="#">A-4577.Dwg , A-5628i.Dwg</a>        |   |
| <a href="#">FI 30/14014/9</a>                   |   |
| <a href="#">Cop08</a>                           |   |
| <a href="#">Cn-150</a>                          |   |
| <a href="#">M748dp</a>                          |   |
| <a href="#">P-80/110/381</a>                    |   |
| <a href="#">27483</a>                           |   |
| <a href="#">17m150</a>                          |   |
| <a href="#">M748-Ta</a>                         |   |
| <a href="#">Cnx100</a>                          |   |
| <a href="#">P-15/70/185</a>                     |   |
| <a href="#">35a-Aaa-Ddba-1ba</a>                |   |
| <a href="#">Type Cop08dp</a>                    |   |
| <a href="#">Lc1(Exc+,Exc-,Sig+,Sig-,Shield)</a> |   |
| <a href="#">Lc 1</a>                            |   |
| <a href="#">FI-8/60/152</a>                     |   |
| <a href="#">Cnx100 Serial 136355</a>            |   |
| <a href="#">Cnx-100-43402</a>                   |   |
| <a href="#">Bbz0306081646</a>                   |   |
| <a href="#">Type Cnx-100</a>                    |   |
| <a href="#">Zsnc -30 Ton</a>                    |   |
| <a href="#">Type- Cxx3/B</a>                    |   |
| <a href="#">Bbz02056513</a>                     |   |
| <a href="#">Type Cnx-30</a>                     |   |
| <a href="#">Type Cnx-50</a>                     |   |

|   |
|---|
| <a href="#">M871</a>                              |
| <a href="#">Op-97</a>                             |
| <a href="#">M748 051-510</a>                      |
| <a href="#">P-15-70-185</a>                       |
| <a href="#">Cnx 15</a>                            |
| <a href="#">13m092</a>                            |
| <a href="#">2sh-5</a>                             |
| <a href="#">Cnx50</a>                             |
| <a href="#">Cnx100, ??:125585 - Not Available</a> |
| <a href="#">Loadcell Junction Box</a>             |
| <a href="#">Type Cn-150</a>                       |
| <a href="#">P/N: Cnx-100 100 Ton</a>              |
| <a href="#">P-8/41/152</a>                        |
| <a href="#">Type M748</a>                         |
| <a href="#">Cnx 100 - Not Available</a>           |