

## Bd Sensors

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Bd Sensors** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Bd Sensors Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">Dmk 331-250-4002-1-5-100-100-1-1-2-000</a>	112683 Pressure transmitter DMK 331 -250 Measured variable: relative -1002 Input: 0 ... 40 bar -1 output: 4 ... 20 mA / 2-wire -5 accuracy: 0.5% -100 Electrical connection: plug and Cable socket ISO 4400 -100 mechanical connection: G1 / 2 " DIN 3852 -1 seal: FKM -1 Pressure connection: stainless steel 1.4404 -2 separation membrane: ceramic Al2O3 96% -000 special version: standard
<a href="#">DMD331 20MBAR</a>	
<a href="#">DMK-3CSA-30</a>	PULSE CONTROLLER
<a href="#">26.600G</a>	OEM pressure transmitter 26.600G Code: 26.600 G-2502-R-1-5-100-300-1-000 0 ... 25bar 4 ... 20 mA
<a href="#">OEM pressure transmitter 26.600G</a>	Code: 26.600 G-2502-R-1-5-100-300-1-000
<a href="#">18.605G-1001-M-1-5-1-006-300-1-000</a>	Submersible OEM pressure transmitter 18.605G
<a href="#">18.605G, inkl. 20m PVC-Kabel</a>	

<a href="#">26.600 G-D025-R-1-5-100-H00-1-582</a>	
<a href="#">110-1602-1S-3-100-200-1-000</a>	Pressure transmitter DMP 331, 0 ... 16 bar
<a href="#">110-S050-1-5-100-200-1-000</a>	Pressure transmitter DMP 331, -50 ... 50 mbar
<a href="#">110-1000-1-5-100-200-3-000</a>	Pressure transmitter DMP 33
<a href="#">DMP 331</a>	Edelstahlsensor 4-20mA
<a href="#">PRESSURE TRANSMITTER</a>	DMP 333, Type: 0-5 Mpa / 4-20 mA (Thread: M20x1.5mm)
<a href="#">110-2502-E-3-100-F00-1-000</a>	Pressure transmitter DMP 331 Device type: DX19-DMP 331 Measurement: relative Code input: 0...25 bar Electrical output: 4...20 mA/2-wire Ex Accuracy: 0.35% FSO IEC Electrical connection: plug and socket ISO 4400 Mechanical connection: G1/2" DIN 3852 flush Gasket: FKM Special version: standard
<a href="#">Pressure transmitter DMP 331</a>	111-1001-3-3-100-100-1-000 feature label Device type DMP 331 Measurement absolute Code input 0... 1 bar Electrical output 0... 10 V/3-wire Accuracy 0.35% FSO IEC Electrical connection plug and socket ISO 4400 Mechanical connection G1/2" DIN 3852 Gasket FKM Special version standard CODE-1 111-1001-3-3-100-100-1-000
<a href="#">OEM pressure transmitter 26,600G</a>	Code: 26.600 G-1003-R-1-5-100-300-1-000
<a href="#">OEM pressure transmitter 26,600G</a>	Code: 26.600 G-1603-R-1-5-100-300-1-000
<a href="#">0-10 Bar, 4-20 mA, 2</a>	Wired, 24 VDC, With Diaphragm (Not Perforated) G¼ Connected, Diaphragm (Perforated) Not
<a href="#">18.605-1001-M-1-5-1-006-300-1-000</a>	Submersible OEM pressure transmitter 18.605G
<a href="#">18.605-1001-M-1-5-1-012-300-1-000</a>	Submersible OEM pressure transmitter 18.605G
<a href="#">343-B-1-I-CR-L-AL-AK0-N20-0-N20-0-12-11-1-000</a>	Differential pressure transmitter DPT 200 / set to 0 ... 5 mbar
<a href="#">Code: 430-1000-1-1-1-1-100-1-000</a>	Screw-in probe LMP 331
<a href="#">285-2000-1-3-100-L00-1-B-C-000</a>	DMK 387
<a href="#">30.600TL</a>	
<a href="#">Code: 110-D643-1S-5-100-100-1-000</a>	pressure transmitter DMP 331
<a href="#">Dmp 331 Code: 110-1002-1-2-100-800-1-000</a>	
<a href="#">Dmp331 110-4000-3-3-M00-300-1-000</a>	
<a href="#">768-B200-K-1-2-1-1-4-2-005-000</a>	
<a href="#">46.607-3502-2-Tr0-055</a>	
<a href="#">780-1603-1-2-3-N11-500-3-000</a>	
<a href="#">591-1002-E-5-Tr3-100-1-1-2-000</a>	
<a href="#">Bp.66.1f11c40151</a>	

[Dmp 333 Code: 130-1003-E-3-100-C00-1-006](#)

[Dmp 331 110-2502-1-2-100-800-1-000](#)

[470-S010-E-8-M00-M00-1-1-2-000](#)

[Bd Sensors P/N 17.600g-4002-R-1-5-100-300p-000](#)

[26.600g-4001-R-1-5-100-200-1-000](#)

[Dmp 331 Code: 110-2502-1-2-100-800-1-000](#)

[782-4000-1-1-5-N01-F00-1-1-2-000](#)

[Code: 110-M400-3-3-M10-F00-1-000](#)

[Dmp 331 Code: 111-1601-E-3-100-C00-1-006](#)

[30.600 G](#)

[Code: 17.600 G-4002-R-1-5-100-300-P-000](#)

[Dmp 331 Code: 110-D733-1-5-100-F00-1-000](#)

[Lmp 307](#)

[Dmp 333 130-4003-1-3-100-300-5-000](#)

[600-6001-1-3-G10-200-1-000](#)

[130-6003-1-2-100-800-5-000](#)

[Dmp 333 Code: 130-1003-E-3-100-C00-1-000](#)

[Dmp331ul](#)

[Dps 300](#)

[26.600g-1002-R-1-5-100-200-1-000](#)

[18.601 G-1601-R-1-5-100-300-3-000](#)

[Code: 250-2003-37-5-210-P00-1-1-2-008](#)

[Code: 441-2500-1-1-1-1-1-5-010-000](#)

[768-D243-K-1-2-1-3-4-2-005-000](#)

[Dmp331 Code:110-1000-1-5-100-F00-1-000](#)

[Dmp 334](#)

[Dmp 331 110-6001-3-5-100-300-1-000](#)

<a href="#">Dmp-331 110-1600-1-5-100-100-1-000</a>	
<a href="#">250-2503-1-5-Tr0-400-1-1-2-000 Dmk 331</a>	
<a href="#">Lmk 458</a>	
<a href="#">250-4003-3-5-100-700-5-1-2-000</a>	
<a href="#">Code: 18.601g-1000-R-1-8-100-300-1-000</a>	
<a href="#">Dmp343 100-S250-E-3-M10-300-1-000</a>	
<a href="#">Code: 500-2501-1-3-100-C61-1-0-2-000</a>	
<a href="#">Code: 100-4000-1-5-100-300-1-000</a>	
<a href="#">Ds 201 782-X102-0-2-5-N01-H00-1-B-2-000</a>	
<a href="#">Code: 18.600g-V502-R-1-5-100-400-1-000</a>	
<a href="#">110-1002-3-3-M00-300-1-000</a>	
<a href="#">Cdmp34340</a>	
<a href="#">110-2500-E-5-100-F00-1-000</a>	
<a href="#">Code: 18.601g-1600-R-1-8-100-300-1-000</a>	
<a href="#">Dmp 331 110-1002-1-2-100-800-1-000</a>	
<a href="#">18.605g-4000-M-1-5-1-006-300-1-000</a>	Pressure transmitter 18.605G -4000 input: 0.4 bar -B Measurand: bar -1 output: 4 ... 20 mA / 2-wire -5 Accuracy: 0.5% FSO -1 Electrical connection: PVC cable -006 Cable length: 6 m -300 Mechanical connection: G1 / 4 "DIN 3852 -1 seal: FKM -000 special versions: standard
<a href="#">130-1603-1-5-10-3-5-000 Transmitter</a>	
<a href="#">Dmk 331 250-V152-1-5-100-F00-1-1-2-000</a>	
<a href="#">Dmp 333 Code: 130-6003-1-2-100-800-5-000</a>	
<a href="#">Kalibrierschein Ilac-Mra</a>	
<a href="#">Dmp 331 Code: 110-M400-3-5-M00-300-1-000</a>	
<a href="#">26.600g-1001-R-1-5-100-300-1-000</a>	Pressure transmitter 26.600G -1001 input: 1.0 bar -R measured value: relative -1 output: 4 ... 20mA / 2-wire -5 accuracy: 0.5% FSO -100 electrical connection: Plug and cable socket ISO 4400 -300 Mechanical connection: G1 / 4 "DIN 3852 -1 seal: FKM - 000 standard
<a href="#">Dmp 333 Code: 130-1003-1-2-100-800-5-000</a>	

<a href="#">Dmp 333 / 130-1603-1-3-100-N40-1-000</a>	
<a href="#">26.600 G-1002-R-1-5-M00-300-1-000</a>	
<a href="#">130-2503-3-3-100-100-5-000</a>	
<a href="#">Dmp 331-110-4000-1-3-100-100-1-000</a>	Please note the FKM seal! Pressure transmitter DMP 331 -110 Measured variable: relative -4000 input: 0 ... 0.4 bar -1 output: 4 ... 20 mA / 2-wire -3 accuracy: 0.35% -100 Electrical connection: Plug and Cable socket ISO 4400 -100 mechanical connection: G1 / 2 "DIN3852 -1 seal: FKM -000 Special version: Standard
<a href="#">457601-D290-1-3-Tr1-F00-1-000</a>	
<a href="#">68-D049-K-1-2-1-1-4-2-006-000</a>	
<a href="#">Pac?99x ? Ps32 / Usb / Ui4 / Ui4 / Ui4 ? 005 ? N1</a>	
<a href="#">Dmp 333 130-6003-1-2-100-800-5-000</a>	
<a href="#">Code: 100-0600-1-5-100-400-1-000</a>	
<a href="#">Dmp 457 Code: 600-6001-1-3-G10-200-1- 000</a>	
<a href="#">Pac?141x ? Ps32 / Usb / E / E / Ui4 ? 005 ? N1</a>	
<a href="#">Dmp 343 (0 ... 300 Mbar)</a>	
<a href="#">26.600 G-2502-R-1-5-100-300-1-000 / Din 3852</a>	
<a href="#">Code: 100-4000-1-5-100-400-1-000</a>	
<a href="#">Dmp331-111-2502-1 R-100-100-1000</a>	
<a href="#">850-1-1-100-1-N-000</a>	
<a href="#">26.600 G-1002-R-4-5-100-300-1-000</a>	
<a href="#">18.601</a>	
<a href="#">Dmp 331 Code: 110-4001-E-3-100-C00-1- 006</a>	
<a href="#">110 2502 1 2 100 800 1 000</a>	
<a href="#">18.605g-1001-M-1-5-1-012-300-1-000</a>	-1001 input: 10 mH2O -M measurand: mH2O -1 output: 4 ... 20 mA / 2-wire -5 Accuracy: 0.5% FSO -1 Electrical connection: PVC cable -012 Cable length: 12 m -300 Mechanical connection: G1 / 4 "DIN 3852 -1 seal: FKM -000 special versions: standard
<a href="#">130 6003 1 2 100 800 5 000</a>	
<a href="#">Dmp 331 Code: 110-1002-E-3-100-C00-1- 006</a>	
<a href="#">Dmp331 110-6000-1-3-100-F00-1-000</a>	

<a href="#">Dmp 331 Code: 110-6001-3-3-M00-300-1-000</a>
<a href="#">Dmp 333 Code: 130-1603-1-2-100-800-5-000</a>
<a href="#">Dmk 351p</a>
<a href="#">26.600g-6001-R-3-5-C10-N40-1-000</a>
<a href="#">Dmp 331 Code: 110-1602-1-3-100-F00-1-000</a>
<a href="#">111-1002-3-3-M00-300-1-000</a>
<a href="#">Dmp 331 110-D095-1-5- M00-300-1-000</a>
<a href="#">110-M400-3-3-M00-F00-1-000</a>
<a href="#">30.600 30.600-4002-R-1-E-M10-300-1-1-000</a>
<a href="#">Dmp 331 Code: 110-2502-E-3-100-C00-1-006</a>
<a href="#">Dmp 333 130-4003-1-3-100-N40-5-000</a>
<a href="#">Bp.66.1f11c?0151</a>
<a href="#">Lmk-809</a>
<a href="#">30.600g-1002-R-1-8-100-300-2-1-000</a>
<a href="#">26.60 C</a>
<a href="#">026872644</a> BD SENSOR 500-S300-E-5-100-Z30-1-1-2-000
<a href="#">Dmp 331 Code: 110-1002-E-3-100-C00-1-002</a>
<a href="#">110 1002 1 2 100 800 1 000</a>
<a href="#">Code: 600-V502-E-3-G10-100-1-000</a>
<a href="#">Dmp 331.</a>
<a href="#">601-D290-1-3-Tr1-F00-1-000</a>
<a href="#">Lmp 308</a>
<a href="#">110-2502-1-2-100-800-1-000</a>
<a href="#">110-4000-1-5-100-100-1-000</a>
<a href="#">Dmp 457</a>
<a href="#">Ds 201p</a>
<a href="#">600-1603-1-2-880-100-1-000</a>
<a href="#">Dmp 331 Code (Aktualisiert): 111-1002-</a>

<a href="#">4 3 100 700 1 000</a>
<a href="#">Pa 430</a>
<a href="#">Dmp331 -500 2500 2 3 9 999 1 09 999</a>
<a href="#">Lmk 458 768-D049-K-1-2-1-3-4-2-025-000</a>
<a href="#">Lmp 308i</a>
<a href="#">Lmp 331</a>
<a href="#">600-2502-1-3-G10-100-1-000</a>
<a href="#">780-6002-1-2-3-N11-500-3-000</a>
<a href="#">Dmp 331 Code: 110-1002-E-3-100-C00-1-022</a>
<a href="#">Dmp 343 (0 ... 100 Mbar)</a>
<a href="#">470-Z030-1-3-100-M00-1-1-2-000</a>
<a href="#">600-6002-1-2-880-100-1-000</a>
<a href="#">Ds 200.</a>
<a href="#">-Druckmessumformer 26.600 G</a>
<a href="#">Dmd331</a>
<a href="#">130 1603 1 2 100 800 5 000</a>
<a href="#">Dmp 333 130-2503-1-2-100-800-5-000</a>
<a href="#">130-4502-2-3-M00-D15-5-520</a>
<a href="#">Pac?99x ? Ps32 / Usb / E / E / Ui4 ? 005 ? N1</a>
<a href="#">590-V602-E-5-Tr3-100-1-1-2-000</a>
<a href="#">Pac?141x ? Ps32 / Usb / Ui4 / Ui4 / Ui4 ? 005 ? N1</a>
<a href="#">Dmp-343 Code: 100-S025-3-5-100-300-1-000</a>
<a href="#">Dmp343 Code: 100-S050-3-5-100-300-1-000</a>
<a href="#">Dmd 331 Code: 730-F-1000-N-5-100-800-1-000</a>
<a href="#">Dmp 333 /130-6002-2-3-M00-D15-5-520 (Special Version)</a>
<a href="#">Dmp 331 Code - 110-1001-E-3-850-100-1-000</a>
<a href="#">500-1002-1-2-100-C61-1-0-1-000</a>

<a href="#">Dmp 331 Code: 110-4000-3-3-M00-300-1-000</a>
<a href="#">Dmp 331 Code: 110-1602-E-3-100-C00-1-000</a>
<a href="#">46.606-4002-2-Tr0-000</a>
<a href="#">110-1500-1-5-100-F00-1-000</a>
<a href="#">Dmd 331 Code: 730-F-0400-N-5-100-800-1-000</a>
<a href="#">Dmd 331 730-F-0200-1-8-100-200-1-000</a>
<a href="#">Dmp 343 100-S050-3-5-100-300-1-000</a>
<a href="#">130-1603-1-2-100-800-5-000</a>
<a href="#">Tescom 26.1000 Series (26.10.6.1.4.4)</a>
<a href="#">Dmp 333 Code: 130-2503-1-2-100-800-5-000</a>
<a href="#">26.600g-1003-R-1-5-100-R40-1-000</a>
<a href="#">78r-2503-0-1-G-N01-300-1-000 Ds 230</a>
<a href="#">130-1003-1-2-100-800-5-000</a>
<a href="#">Dmp 331 110-M160-3-5-100-300-1-000</a>
<a href="#">130-2503-1-2-100-800-5-000</a>
<a href="#">30.600-1002-R-1-8-100-300-1-1000 - 26.600 G-1002-R-1-5-100-300-1-000</a>
<a href="#">Code: 592-3150-1-5-Tr3-100-1-1-2-000</a>
<a href="#">Lmk458-768-D290-K-1-2-1-3-4-2-025-000</a>
<a href="#">730-D-2501-1-5-100-200-1-000</a>
<a href="#">Dmd 331/ Code 730-D-1001-1-8-100-200-1-000</a>
<a href="#">100-S050-E-5-M10-300-1-000</a>
<a href="#">110-1002-1-2-100-800-1-000</a>
<a href="#">Dmp 331-110-M160-3-5-M00-300-1-000</a>
<a href="#">Dmp 331 Code: 110-4002-E-3-100-C00-1-006</a>
<a href="#">26.600 G-1602-R-1-5-100-300-1-070</a>
<a href="#">Dmp 333 130-1003-1-2-100-800-5-000</a>
<a href="#">Dmp 333 130-1603-1-2-100-800-5-000</a>



<a href="#">111 1002 3 3 M00 300 1 000</a>
<a href="#">210-1503-1-5-100-N40-2-008</a>
<a href="#">30600 Not Available In Single Pieces, 26.600g-1003-R-1-5-100-R40-1-000</a>
<a href="#">Ds 200 Code: 780-6001-E-1-3-100-C00-1- 000</a>
<a href="#">600-1002-1-2-880-100-1-000</a>
<a href="#">Code: 295-0400-1-3-100-M00-1-1-2-000</a>
<a href="#">Baroli 05</a>
<a href="#">Dmp 331 Code: 110-6001-E-3-100-C00-1- 006</a>
<a href="#">100-S250-E-5-M10-300-1-000</a>
<a href="#">Lmk 458 Code: 766-1001-K-1-2-1-1-2-2- 015-000</a>
<a href="#">Dmd 331 Code: 730-D-4001-N-5-100- 800-1-000</a>
<a href="#">Ss316/Aaga-08</a>
<a href="#">110 1002 3 3 M00 300 1 000</a>
<a href="#">600-2503-1-2-880-100-1-000</a>
<a href="#">600-4003-1-2-880-100-1-000</a>
<a href="#">Lmp 305</a>
<a href="#">600-2000-E-5-Tr0-H00-1-000</a>
<a href="#">Model: 30600 Not Available In Single Pieces, 26.600g-1003-R-1-5-100-R40-1- 000</a>
<a href="#">110-M400-3-5-M00-F00 - 1-000</a>
<a href="#">26.600 G-1002-R-1-5-100-300-1-000</a>