



## Beijer Electronics

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Beijer Electronics** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Beijer Electronics T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">(100-0117</a>	
<a href="#">100-1079</a>	
<a href="#">603000105</a>	
<a href="#">603221123</a>	
<a href="#">603221128</a>	
<a href="#">630000205</a>	
<a href="#">630000305</a>	
<a href="#">630005105</a>	
<a href="#">630005105 + 603000105</a>	
<a href="#">630005205</a>	
<a href="#">640000305</a>	
<a href="#">8276</a>	

<a href="#">CABTT50/5m (601110012)</a>	
<a href="#">E300</a>	
<a href="#">IX 7A</a>	
<a href="#">JetNet 2005</a>	
<a href="#">JetNet 3008G</a>	
<a href="#">PSC 095.m</a>	
<a href="#">PWS6600T-PB (300-56601)</a>	
<a href="#">TPOP CE E1101/ 10" graphic touch HMI landscape</a>	
<a href="#">Wop-it X 550tc TFT</a>	
<a href="#">X2 base 10 - F2 (630005305)</a>	
<a href="#">X2 base 5 - F2</a>	
<a href="#">X2 pro 10 - B2</a>	
<a href="#">X2 pro 10 - B2+ iX Developer 2.XX</a>	
<a href="#">X2 pro 12 - B2 (640000205)</a>	
<a href="#">X2 pro 15 - B2</a>	
<a href="#">X2 pro 15 - B2 (640000305)</a>	
<a href="#">X2 pro 7 - B2</a>	
<a href="#">BEİJER 630005205 X2 BASE7 F2 DOKUNMATİK</a>	
<a href="#">X2 base 7 - F2 (630005205)</a>	Touch operator panel, 7" iX HMI, 800x480, CPU ARM9 400MHz, 128MB RAM, 256 MB Flash, 1xLAN, 1xUSB, 2x9pin DSUB, -10 to +50C, IP65, CE/FCC, UL
<a href="#">X2 base 10 - F2 (630005305)</a>	Touch operator panel, 10" iX HMI, 800x480, CPU ARM9 400MHz, 128MB RAM, 256 MB Flash, 1xLAN, 1xUSB, 2x9pin DSUB, -10 to +50C, IP65, CE/FCC, UL
<a href="#">GL-9972</a>	CODESYS, Programmable IO, MODBUS TCP, Light version, OPC UA, RJ45 1port, RTU 1port
<a href="#">08000 / Pn.601111112</a>	
<a href="#">E300 24 V Dc 450ma</a>	
<a href="#">601110136(T150)</a>	
<a href="#">04310</a>	OPERATOR INTERFACE 24VDC 200MA
<a href="#">E200-02800f</a>	OPERATOR INTERFACE 150MA 24VDC W/DISPLAY
	TOUCH SCREEN HMI, 5,7 TFT DISPLAY, 16 GREYSCALES,

<a href="#">E1063 (Tft)</a>	320X240 PIXELS, 24V DC, NO CABLE
<a href="#">950.522.0100 Pc 24vdc 19 Inch</a>	
<a href="#">Exterk60m</a>	TERMINAL
<a href="#">E1071 Pro+</a>	TOUCH SCREEN HMI, 6.5 TFT DISPLAY, 65K COLOURS , 640 X 480 PIXELS, 24VDC, 64MB CF CARD, DOCUMENT-DISPLAY FUNCTIONS, NO CABLE
<a href="#">Ix-Panel-T7a</a>	7 TFT, 65K COLOUR 16:9 WIDESCREEN HMI, 800 X 480 PIXELS, RESISTIVE TOUCH, 24V DC WITH ETHERNET, 2 X RS232/422/485, USB SD CARD SLOT
<a href="#">Exter-T100</a>	GRAPHIC OPERATOR TERMINAL 800*600 PIXELS,10.4 TFT LCD 64K COLOR, TOUCH ROHS COMPLIENT.
<a href="#">E300-02750c</a>	OPERATOR INTERFACE 24VDC 450MA TYPE 02750C
<a href="#">Mac/Mta-E200</a>	OPERATOR INTERFACE PANEL 24VDC
<a href="#">08260</a>	
<a href="#">E1151</a>	TOUCH SCREEN HMI, 15 TFT DISPLAY, 65K COLOURS, 1024 X 768 PIXELS, 24V DC, NO CABLE
<a href="#">E1070 Pro+</a>	HMI WITH KEYS, 6.5 TFT DISPLAY, 65K COLOURS, 640 X 480 PIXELS, 24V DC, 64MB CF CARD, DOCUMENT-DISPLAY FUNCTIONS, NO CABLE
<a href="#">E300-02750a</a>	OPERATOR INTERFACE 24VDC 450MA TYPE 02750A
<a href="#">E1101 Pro+</a>	TOUCH SCREEN HMI, 10.4 TFT DISPLAY, 65K COLOURS, 800 X 600 PIXELS, 24V DC, 64MB CF CARD, DOCUMENT-DISPLAY FUNCTIONS, NO CABLE
<a href="#">950.522.0640</a>	
<a href="#">Mac90-00950c</a>	TERMINAL
<a href="#">Cimrex12</a>	OPERATOR INTERFACE 200MA 24VDC
<a href="#">E200 24vdc 150ma</a>	
<a href="#">Ix Panel T21c</a>	21.5 TFT, 16M COLOUR 1920 X 800 PIXELS, RESISTIVE TOUCH, 16:9 WIDESCREEN PANEL PC. INTEL CELERON CPU (2X1.6GHZ), 2GB RAM, 64GB SSD, 24V DC WITH 2 X ETHERNET, 2 X RS232/422/485, 4 X USB MINI PCIE EXPAN
<a href="#">Ix T7a</a>	
<a href="#">Ucl-08ai.P2</a>	I/O MODULE 8CH ANALOG INPUT
<a href="#">Mac 40+</a>	Operator Panel 9822-033
<a href="#">630000102</a>	
<a href="#">E1100</a>	HMI WITH KEYS 10.4 TFT DISPLAY, 65K COLOURS, 800 X 600 PIXELS, 24V DC, NO CABLE

<a href="#">Ix Panel K100</a>	GRAPHIC OPERATOR TERMINAL 800*600 PIXELS,10.4 TFT 64K COLOR, 22 F-KEYS, 22 LEDS.
<a href="#">9505220100+ac Back Pack Pc 230vac</a>	
<a href="#">Ucl-08ai.K2</a>	I/O MODULE 8CH ANALOG INPUT
<a href="#">Cimrex 12</a>	Operator Panel 4310
<a href="#">E1063</a>	OPERATOR INTERFACE 5.7INCH TOUCHSCREEN B/W
<a href="#">Ix Panel Ta70-BI</a>	GRAPHIC OPERATOR TERMINAL 648*480 PIXELS , 6,5 TFT 64K COLOR, TOUCH.
<a href="#">Exter K100</a>	GRAPHIC OPERATOR TERMINAL 800*600 PIXELS,10.4 TFT LCD 64K COLOR, 22 F-KEYS , 22 LEDS.ROHS COMPLIENT.
<a href="#">Mcl-08-Ai.P2</a>	I/O MODULE 8CH ANALOG INPUT
<a href="#">Ix Panel K70</a>	GRAPHIC OPERATOR TERMINAL 640*480 PIXELS, 6.5 TFT 64K COLOR, 16 F-KEYS, 16 LEDS.
<a href="#">Ucl-08ai.D2</a>	EXPANSION INPUT MODULE 8POINT ANALOG 4-20MA
<a href="#">Q2640e</a>	TERMINAL OPERATOR 24VDC RS232C RS422
<a href="#">E-615-04410b</a>	OPERATOR INTERFACE 24VDC 450MA
<a href="#">Psc 095.M - Obsolete, No Replacement</a>	
<a href="#">St-3708</a>	
<a href="#">601110004</a>	TOUCH SCREEN
<a href="#">Ix Panel Ta150/Al Oem!!</a>	
<a href="#">Exter-T70-06010a</a>	OPERATOR PANEL
<a href="#">Ix T12c</a>	12,1, 1280*800, CORE I7 2715QE (4X2.1 GHZ), 2GB RAM, SSD 64GB, WIN7ULTIM (32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
<a href="#">Ix-Panel-Ta150</a>	GRAPHIC OPERATOR TERMINAL 1024*768 PIXELS,15.1 TFT 64K COLOR, TOUCH.
<a href="#">Ix Panel T12b</a>	12 TFT, 262K COLOUR 16:10 WIDESCREEN HMI, 1200 X 800 PIXELS, RESISTIVE TOUCH, 24V DC WITH 2 X ETHERNET, 2 X RS232/422/485, 3 X USB SD CARD SLOT
<a href="#">Ixt7brhb</a>	DISPLAY
<a href="#">E1062 (Tft)</a>	HMI WITH KEYS, 5,7 TFT DISPLAY, 16 GREYSCALES, 320 X 240 PIXELS, 24V DC, NO CABLE
<a href="#">St-121f</a>	
<a href="#">Ix-T15b</a>	TOUCH OPERATOR PANEL 15,4, 1280X800, 1.4GB APP STORAGE, 1X100/10MBIT 1X1GLAN, 3XUSB, 2XRS232 2XRS485/422, 1XSD, 1XEXPANSION PORT, 24VD

<a href="#">E-700-02440e</a>	OPERATOR INTERFACE GRAPHIC 24VDC 550MA
<a href="#">Qterm-G72</a>	OPERATOR INTERFACE QTERM 7IN HMI
<a href="#">00760e</a>	OPERATOR INTERFACE 5VDC MAC40+
<a href="#">Ix T7b</a>	TOUCH OPERATOR PANEL 7, 800X480, 1.4GB APP STORAGE, 1X100/10MBIT 1X1GLAN, 3XUSB, 2XRS232 2XRS485/422, 1XSD, 1XEXPANSION PORT, 24VDC
<a href="#">Ucr-28io/Rtu11.D2</a>	RTU8 COMPACT OUTSTATION
<a href="#">Na-9173</a>	
<a href="#">Ix Panel Ta100</a>	GRAPHIC OPERATOR TERMINAL 800*600 PIXELS,10.4 TFT 64K COLOR, TOUCH.
<a href="#">00920a</a>	OPERATOR INTERFACE DISPLAY TOUCHSCREEN 24VDC
<a href="#">Ix Runtime 4000</a>	4000 TAGS RUNTIME LICENSE INCL. USB DONGLE. WINDOWS XP, VISTA AND 7 SUPPORT.
<a href="#">E600-04390</a>	OPERATOR INTERFACE 24VDC 450MA
<a href="#">Mac-50</a>	OPERATOR TERMINAL 24VDC
<a href="#">Exter-T70-06010b</a>	OPERATOR PANEL
<a href="#">Ix T12b</a>	TOUCH OPERATOR PANEL 12,1, 1280X800, 1.4GB APP STORAGE, 1X100/10MBIT 1X1GLAN, 3XUSB, 2XRS232 2XRS485/422, 1XSD, 1XEXPANSION PORT, 24VD
<a href="#">Ix Panel Ta100-BI</a>	GRAPHIC OPERATOR TERMINAL 800*600 PIXELS,10.4 TFT 64K COLOR, TOUCH.
<a href="#">Exter K60</a>	GRAPHIC OPERATOR TERMINAL 320*240 PIXELS, 5.7 TFT DISPLAY 64K COLOR, 16 F- KEYS, 16 LEDS
<a href="#">601000078</a>	
<a href="#">Ix Panel Ta70</a>	GRAPHIC OPERATOR TERMINAL 648*480 PIXELS , 6,5 TFT 64K COLOR, TOUCH.
<a href="#">03550a</a>	OPERATOR INTERFACE 450MA 24VDC
<a href="#">Ix Panel Ta150-BI</a>	GRAPHIC OPERATOR TERMINAL 1024*768 PIXELS,15.1 TFT 64K COLOR, TOUCH.
<a href="#">Ix-T7a</a>	TOUCH OPERATOR PANEL 7, 800X480, 80MB APP STORAGE, 1X100/10MBIT 2XRS232, 2XRS485/422,1XUSB, 1XSD, 1XEXPANSION PORT, 24VDC
<a href="#">E1061</a>	OPERATOR INTERFACE 5.7INCH TOUCHSCREEN COLOR 24VDC
<a href="#">04380a</a>	E300 Display Control Panel E300
<a href="#">Mcb-16dio/Cm10.P1</a>	I/O MODULE 16CH DIGITAL INPUT/OUTPUT
<a href="#">Ix Panel T7b</a>	7 TFT, 262K COLOUR 16:9 WIDESCREEN HMI, 800 X 600 PIXELS, RESISTIVE TOUCH, 24V DC WITH 2 X ETHERNET, 2 X RS232/422/485, 3 X USB SD CARD SLOT

<a href="#">602220136</a>	TOUCH SCREEN DISPLAY 15INCH 64K COLOR 32MB FLASH
<a href="#">08000 / Pn.61211273-01</a>	
<a href="#">08276b</a>	
<a href="#">Ix-T15bm</a>	OPERATOR INTERFACE 15.4INCH HMI 4GB 18-32VDC
<a href="#">Ta100</a>	iX Panel TA100 60111020
<a href="#">601110136</a>	TOUCH SCREEN
<a href="#">Ab, Ix Panel Ta150/Al, 8276</a>	
<a href="#">Extert150</a>	GRAPHIC OPERATOR TERMINAL 1024*768 PIXELS, 15.1 TFT LCD 64K COLOR, TOUCH ROHS COMPLIENT.
<a href="#">E1060</a>	OPERATOR INTERFACE 5.7INCH COLOR KEYPAD 24VDC
<a href="#">E-700-02440h</a>	OPERATOR INTERFACE GRAPHIC 24VDC 550MA
<a href="#">E1061 (Tft)</a>	TOUCH SCREEN HMI, 5,7 TFT DISPLAY, 65K COLOURS, 320 X 240 PIXELS, 24V DC, NO CABLE
<a href="#">Ix Runtime_2000</a>	2000 TAGS RUNTIME LICENSE INCL. USB DONGLE. WINDOW S XP, VISTA AND 7 SUPPORT .
<a href="#">Ipc T15c</a>	15,4, 1280*800, CORE I7 2715QE (4X2.1 GHZ), 2GB RAM, SSD 64GB, WIN7ULTIM (32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
<a href="#">950.700.0650 19quot; Touch Mte T190 24vdc</a>	
<a href="#">Mac E150 E 150 03250</a>	
<a href="#">Ucb-61-Md/Rm</a>	I/O MODULE REMOTE BITBUS MASTER NETWORK 12V 210MA
<a href="#">Ipc T12c</a>	12.1, 1280*800, CELERON B810E (2X1.6 GHZ), 2GB RAM, CFAST 8GB, WIN7EMB(32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
<a href="#">17991</a>	
<a href="#">Ix Panel T10a</a>	10.4 TFT, 65K COLOUR 4:3 HMI, 640 X 480 PIXELS, RESISTIVE TOUCH, 24V DC WITH ETHERNET, 2 X RS232/422/485, USB SD CARD SLOT
<a href="#">Qsiqterm-A7/3654r</a>	7-INCH RUGGED TOUCHSCREEN (IX DEVELOPER)
<a href="#">Xr160c Rs485 ? 3x Ptc/Ntc 220v Ac</a>	
<a href="#">630000302, Ix T10a</a>	
<a href="#">E200-02800e</a>	OPERATOR INTERFACE 150MA 24VDC W/DISPLAY
<a href="#">Ix Panel Ta150</a>	
<a href="#">02741b</a>	OPERATOR INTERFACE LCD MONOCHROME DIGITAL

<a href="#">Qtermz60l</a>	MODULE
<a href="#">E910t-Touchscreen</a>	TOUCH SCREEN 11INCH
<a href="#">Qtrem-G58</a>	HANDHELD GRAPHIC OPERATOR INTERFACE TERMINAL
<a href="#">St-222f</a>	
<a href="#">E-1071</a>	TOUCH SCREEN HMI, 6.5 TFT DISPLAY, 65K COLOURS, 640 X 480 PIXELS, 24V DC, NO CABLE
<a href="#">Exter K70</a>	GRAPHIC OPERATOR TERMINAL 640*480 PIXELS, 6.5 TFT LCD 64K COLOR, 16 F-KEYS , 16 LEDS. ROHS COMPLIANT
<a href="#">Tpop Ce E1101/ 10quot; Graphic Touch Hmi Landscape</a>	
<a href="#">E1101</a>	TOUCH SCREEN HMI, 10.4 TFT DISPLAY, 65K COLOURS, 800 X 600 PIXELS, 24V DC, NO CABLE
<a href="#">610-1-1-05</a>	Series 600 Thermocouple Panel Indicator 610
<a href="#">Qtermg723551</a>	MONITOR
<a href="#">T70</a>	OPERATOR INTERFACE 6.4INCH TFT ETHERNET
<a href="#">X2pro7</a>	OPER INTERFACE
<a href="#">E-700</a>	OPERATOR INTERFACE CONTROL PANEL 24VDC
<a href="#">Qtermg5</a>	DISPLAY
<a href="#">Mac/Mta-E100</a>	OPERATOR INTERFACE PANEL 5VDC
<a href="#">Qterma7</a>	7 PANEL, RUGGED HMI WITH EXTENDED OPERATING TEMPERATURE
<a href="#">Ipc T21c</a>	21,52, 1920*1080, CORE I7 2715QE (4X2.1 GHZ), 2GB RAM, CFAST 8GB, WIN7EMB(32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
<a href="#">08276a</a>	
<a href="#">03210</a>	OPERATOR INTERFACE PANEL 5VDC
<a href="#">602001050 H-T70t-Nea</a>	
<a href="#">Qterm-A12</a>	12.1 RUGGED HMI WITH EXTENDED OPERATING TEMPERATURE
<a href="#">Ix-Panel-T15c</a>	15.4 TFT, 16M COLOUR 1200 X 800 PIXELS, RESISTIVE TOUCH, 16:10 WIDESCREEN PANEL PC. INTEL CELERON CPU (2X1.6GHZ), 2B RAM, 64GB SSD, 24V DC WITH 2 X ETHERNET, 2 X RS232/422/485, 4 X USB MINI PCIE EXPAN
<a href="#">E900t</a>	OPERATOR INTERFACE 640X480 COLOR .35AMP 100-240VAC
<a href="#">Ix Panel T15b</a>	15 TFT, 262K COLOUR 16:10 WIDESCREEN HMI, 1200 X 800 PIXELS, RESISTIVE TOUCH, 24V DC WITH 2 X ETHERNET, 2 X

	RS232/422/485, 3 X USB SD CARD SLOT
<a href="#">9925-136</a>	OPERATOR INTERFACE PANEL 5VDC
<a href="#">04421</a>	OPERATOR INTERFACE LCD 276W X 198H X 87DMM 24VDC
<a href="#">Ixt10a</a>	TOUCH OPERATOR PANEL 10, 640X480, 80MB APP STORAGE, 1X100/10MBIT 2XRS232, 2XRS485/422,1XUSB, 1XSD, 1XEXPANSION PORT, 24VDC
<a href="#">T60</a>	TERMINAL
<a href="#">T40</a>	OPERATOR INTERFACE 24VDC 3.5IN
<a href="#">Psc 095.P Obsolete, No Replacement</a>	
<a href="#">Cimrex69</a>	OPERATOR INTERFACE COLOR LCD TOUCHSCREEN 24VDC
<a href="#">08276</a>	
<a href="#">Qterm-G70</a>	Opertator Control Unit C022
<a href="#">Mac50/Mv-00921b</a>	OPERATOR INTERFACE
<a href="#">15634</a>	
<a href="#">Ix T15c</a>	15,4, 1280*800, CORE I7 2715QE (4X2.1 GHZ), 2GB RAM, SSD 64GB, WIN7ULTIM (32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
<a href="#">02640b</a>	OPERATOR PANEL
<a href="#">603221103</a>	OPERATOR
<a href="#">T7brhb</a>	DISPLAY
<a href="#">9950-024</a>	OPERATOR INTERFACE 24VDC 450MA TYPE 02750A
<a href="#">Type:04380a/24gn, P/N:0603-117 , 15634, 17991 And 5682</a>	
<a href="#">Exter-T70</a>	GRAPHIC OPERATOR TERMINAL 640*480 PIXELS, 6.5 TFT LCD 64K COLOR, TOUCH ROHS COMPLIENT.
<a href="#">Ix T21c</a>	21,52, 1920*1080, CORE I7 2715QE (4X2.1 GHZ), 2GB RAM, CFAST 8GB, WIN7EMB(32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
<a href="#">Exter-150</a>	TOUCH SCREEN DISPLAY 15INCH 64K COLOR 32MB FLASH
<a href="#">E1060 (Tft)</a>	HMI WITH KEYS, 5,7 TFT DISPLAY, 65K COLOURS, 320 X 240 PIXELS, 24V DC, NO CABLE
<a href="#">E1151 Pro+</a>	TOUCH SCREEN HMI, 15 TFT DISPLAY, 65K COLOURS, 1024 X 768 PIXELS, 24V DC, 64MB CF CARD, DOCUMENT-DISPLAY FUNCTIONS, NO CABLE
<a href="#">H-T80c-Ne (602001012)</a>	
<a href="#">E300 24v Dc</a>	



[08276d Obsolete, Replaced By X2 Pro  
15 - B2 \(640000305\)](#)

[Exter T70-BI](#)

GRAPHIC OPERATOR TERMINAL 640\*480 PIXELS, 6.5 TFT LCD  
64K COLOR, TOUCH BLACK FRAME

[Ix Panel T12c](#)

12.1 TFT, 16M COLOUR 1200 X 800 PIXELS, RESISTIVE  
TOUCH, 16:10 WIDESCREEN PANEL PC. INTEL CELERON CPU  
(2X1.6GHZ), 2GB RAM, 64GB SSD, 24V DC WITH 2 X  
ETHERNET, 2 X RS232/422/485, 4 X USB MINI PCIE EXPA

[Wop-It X 550tc Tft](#)