



Beijer Electronics

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine bařvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulařabilirsiniz.
Beijer Electronics Markası, tedarik sresi iin ltfen bizimle iletiřime geiniz.

Firmamız Beijer Electronics Trkiye Distribtr veya temsilcisi deęildir. Firmamız sipariř durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
(100-0117	
100-1079	
603000105	
603221123	
603221128	
630000205	
630000305	
630005105	
630005105 + 603000105	
630005205	
640000305	
8276	

CABTT50/5m (601110012)	
E300	
IX 7A	
JetNet 2005	
JetNet 3008G	
PSC 095.m	
PWS6600T-PB (300-56601)	
TPOP CE E1101/ 10" graphic touch HMI landscape	
Wop-it X 550tc TFT	
X2 base 10 - F2 (630005305)	
X2 base 5 - F2	
X2 pro 10 - B2	
X2 pro 10 - B2+ iX Developer 2.XX	
X2 pro 12 - B2 (640000205)	
X2 pro 15 - B2	
X2 pro 15 - B2 (640000305)	
X2 pro 7 - B2	
BEİJER 630005205 X2 BASE7 F2 DOKUNMATİK	
X2 base 7 - F2 (630005205)	Touch operator panel, 7" iX HMI, 800x480, CPU ARM9 400MHz, 128MB RAM, 256 MB Flash, 1xLAN, 1xUSB, 2x9pin DSUB, -10 to +50C, IP65, CE/FCC, UL
X2 base 10 - F2 (630005305)	Touch operator panel, 10" iX HMI, 800x480, CPU ARM9 400MHz, 128MB RAM, 256 MB Flash, 1xLAN, 1xUSB, 2x9pin DSUB, -10 to +50C, IP65, CE/FCC, UL
GL-9972	CODESYS, Programmable IO, MODBUS TCP, Light version, OPC UA, RJ45 1port, RTU 1port
08000 / Pn.601111112	
E300 24 V Dc 450ma	
601110136(T150)	
04310	OPERATOR INTERFACE 24VDC 200MA
E200-02800f	OPERATOR INTERFACE 150MA 24VDC W/DISPLAY
	TOUCH SCREEN HMI, 5,7 TFT DISPLAY, 16 GREYSCALES,

E1063 (Tft)	320X240 PIXELS, 24V DC, NO CABLE
950.522.0100 Pc 24vdc 19 Inch	
Exterk60m	TERMINAL
E1071 Pro+	TOUCH SCREEN HMI, 6.5 TFT DISPLAY, 65K COLOURS , 640 X 480 PIXELS, 24VDC, 64MB CF CARD, DOCUMENT-DISPLAY FUNCTIONS, NO CABLE
Ix-Panel-T7a	7 TFT, 65K COLOUR 16:9 WIDESCREEN HMI, 800 X 480 PIXELS, RESISTIVE TOUCH, 24V DC WITH ETHERNET, 2 X RS232/422/485, USB SD CARD SLOT
Exter-T100	GRAPHIC OPERATOR TERMINAL 800*600 PIXELS,10.4 TFT LCD 64K COLOR, TOUCH ROHS COMPLIENT.
E300-02750c	OPERATOR INTERFACE 24VDC 450MA TYPE 02750C
Mac/Mta-E200	OPERATOR INTERFACE PANEL 24VDC
08260	
E1151	TOUCH SCREEN HMI, 15 TFT DISPLAY, 65K COLOURS, 1024 X 768 PIXELS, 24V DC, NO CABLE
E1070 Pro+	HMI WITH KEYS, 6.5 TFT DISPLAY, 65K COLOURS, 640 X 480 PIXELS, 24V DC, 64MB CF CARD, DOCUMENT-DISPLAY FUNCTIONS, NO CABLE
E300-02750a	OPERATOR INTERFACE 24VDC 450MA TYPE 02750A
E1101 Pro+	TOUCH SCREEN HMI, 10.4 TFT DISPLAY, 65K COLOURS, 800 X 600 PIXELS, 24V DC, 64MB CF CARD, DOCUMENT-DISPLAY FUNCTIONS, NO CABLE
950.522.0640	
Mac90-00950c	TERMINAL
Cimrex12	OPERATOR INTERFACE 200MA 24VDC
E200 24vdc 150ma	
Ix Panel T21c	21.5 TFT, 16M COLOUR 1920 X 800 PIXELS, RESISTIVE TOUCH, 16:9 WIDESCREEN PANEL PC. INTEL CELERON CPU (2X1.6GHZ), 2GB RAM, 64GB SSD, 24V DC WITH 2 X ETHERNET, 2 X RS232/422/485, 4 X USB MINI PCIE EXPAN
Ix T7a	
Ucl-08ai.P2	I/O MODULE 8CH ANALOG INPUT
Mac 40+	Operator Panel 9822-033
630000102	
E1100	HMI WITH KEYS 10.4 TFT DISPLAY, 65K COLOURS, 800 X 600 PIXELS, 24V DC, NO CABLE

Ix Panel K100	GRAPHIC OPERATOR TERMINAL 800*600 PIXELS,10.4 TFT 64K COLOR, 22 F-KEYS, 22 LEDS.
9505220100+ac Back Pack Pc 230vac	
Ucl-08ai.K2	I/O MODULE 8CH ANALOG INPUT
Cimrex 12	Operator Panel 4310
E1063	OPERATOR INTERFACE 5.7INCH TOUCHSCREEN B/W
Ix Panel Ta70-BI	GRAPHIC OPERATOR TERMINAL 648*480 PIXELS , 6,5 TFT 64K COLOR, TOUCH.
Exter K100	GRAPHIC OPERATOR TERMINAL 800*600 PIXELS,10.4 TFT LCD 64K COLOR, 22 F-KEYS , 22 LEDS.ROHS COMPLIANT.
Mcl-08-Ai.P2	I/O MODULE 8CH ANALOG INPUT
Ix Panel K70	GRAPHIC OPERATOR TERMINAL 640*480 PIXELS, 6.5 TFT 64K COLOR, 16 F-KEYS, 16 LEDS.
Ucl-08ai.D2	EXPANSION INPUT MODULE 8POINT ANALOG 4-20MA
Q2640e	TERMINAL OPERATOR 24VDC RS232C RS422
E-615-04410b	OPERATOR INTERFACE 24VDC 450MA
Psc 095.M - Obsolete, No Replacement	
St-3708	
601110004	TOUCH SCREEN
Ix Panel Ta150/Al Oem!!	
Exter-T70-06010a	OPERATOR PANEL
Ix T12c	12,1, 1280*800, CORE I7 2715QE (4X2.1 GHZ), 2GB RAM, SSD 64GB, WIN7ULTIM (32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
Ix-Panel-Ta150	GRAPHIC OPERATOR TERMINAL 1024*768 PIXELS,15.1 TFT 64K COLOR, TOUCH.
Ix Panel T12b	12 TFT, 262K COLOUR 16:10 WIDESCREEN HMI, 1200 X 800 PIXELS, RESISTIVE TOUCH, 24V DC WITH 2 X ETHERNET, 2 X RS232/422/485, 3 X USB SD CARD SLOT
Ixt7brhb	DISPLAY
E1062 (Tft)	HMI WITH KEYS, 5,7 TFT DISPLAY, 16 GREYSCALES, 320 X 240 PIXELS, 24V DC, NO CABLE
St-121f	
Ix-T15b	TOUCH OPERATOR PANEL 15,4, 1280X800, 1.4GB APP STORAGE, 1X100/10MBIT 1X1GLAN, 3XUSB, 2XRS232 2XRS485/422, 1XSD, 1XEXPANSION PORT, 24VD

E-700-02440e	OPERATOR INTERFACE GRAPHIC 24VDC 550MA
Qterm-G72	OPERATOR INTERFACE QTERM 7IN HMI
00760e	OPERATOR INTERFACE 5VDC MAC40+
Ix T7b	TOUCH OPERATOR PANEL 7, 800X480, 1.4GB APP STORAGE, 1X100/10MBIT 1X1GLAN, 3XUSB, 2XRS232 2XRS485/422, 1XSD, 1XEXPANSION PORT, 24VDC
Ucr-28io/Rtu11.D2	RTU8 COMPACT OUTSTATION
Na-9173	
Ix Panel Ta100	GRAPHIC OPERATOR TERMINAL 800*600 PIXELS,10.4 TFT 64K COLOR, TOUCH.
00920a	OPERATOR INTERFACE DISPLAY TOUCHSCREEN 24VDC
Ix Runtime 4000	4000 TAGS RUNTIME LICENSE INCL. USB DONGLE. WINDOWS XP, VISTA AND 7 SUPPORT.
E600-04390	OPERATOR INTERFACE 24VDC 450MA
Mac-50	OPERATOR TERMINAL 24VDC
Exter-T70-06010b	OPERATOR PANEL
Ix T12b	TOUCH OPERATOR PANEL 12,1, 1280X800, 1.4GB APP STORAGE, 1X100/10MBIT 1X1GLAN, 3XUSB, 2XRS232 2XRS485/422, 1XSD, 1XEXPANSION PORT, 24VD
Ix Panel Ta100-BI	GRAPHIC OPERATOR TERMINAL 800*600 PIXELS,10.4 TFT 64K COLOR, TOUCH.
Exter K60	GRAPHIC OPERATOR TERMINAL 320*240 PIXELS, 5.7 TFT DISPLAY 64K COLOR, 16 F- KEYS, 16 LEDS
601000078	
Ix Panel Ta70	GRAPHIC OPERATOR TERMINAL 648*480 PIXELS , 6,5 TFT 64K COLOR, TOUCH.
03550a	OPERATOR INTERFACE 450MA 24VDC
Ix Panel Ta150-BI	GRAPHIC OPERATOR TERMINAL 1024*768 PIXELS,15.1 TFT 64K COLOR, TOUCH.
Ix-T7a	TOUCH OPERATOR PANEL 7, 800X480, 80MB APP STORAGE, 1X100/10MBIT 2XRS232, 2XRS485/422,1XUSB, 1XSD, 1XEXPANSION PORT, 24VDC
E1061	OPERATOR INTERFACE 5.7INCH TOUCHSCREEN COLOR 24VDC
04380a	E300 Display Control Panel E300
Mcb-16dio/Cm10.P1	I/O MODULE 16CH DIGITAL INPUT/OUTPUT
Ix Panel T7b	7 TFT, 262K COLOUR 16:9 WIDESCREEN HMI, 800 X 600 PIXELS, RESISTIVE TOUCH, 24V DC WITH 2 X ETHERNET, 2 X RS232/422/485, 3 X USB SD CARD SLOT

602220136	TOUCH SCREEN DISPLAY 15INCH 64K COLOR 32MB FLASH
08000 / Pn.61211273-01	
08276b	
Ix-T15bm	OPERATOR INTERFACE 15.4INCH HMI 4GB 18-32VDC
Ta100	iX Panel TA100 60111020
601110136	TOUCH SCREEN
Ab, Ix Panel Ta150/Al, 8276	
Extert150	GRAPHIC OPERATOR TERMINAL 1024*768 PIXELS, 15.1 TFT LCD 64K COLOR, TOUCH ROHS COMPLIENT.
E1060	OPERATOR INTERFACE 5.7INCH COLOR KEYPAD 24VDC
E-700-02440h	OPERATOR INTERFACE GRAPHIC 24VDC 550MA
E1061 (Tft)	TOUCH SCREEN HMI, 5,7 TFT DISPLAY, 65K COLOURS, 320 X 240 PIXELS, 24V DC, NO CABLE
Ix Runtime 2000	2000 TAGS RUNTIME LICENSE INCL. USB DONGLE. WINDOW S XP, VISTA AND 7 SUPPORT .
Ipc T15c	15,4, 1280*800, CORE I7 2715QE (4X2.1 GHZ), 2GB RAM, SSD 64GB, WIN7ULTIM (32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
950.700.0650 19quot; Touch Mte T190 24vdc	
Mac E150 E 150 03250	
Ucb-61-Md/Rm	I/O MODULE REMOTE BITBUS MASTER NETWORK 12V 210MA
Ipc T12c	12.1, 1280*800, CELERON B810E (2X1.6 GHZ), 2GB RAM, CFAST 8GB, WIN7EMB(32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
17991	
Ix Panel T10a	10.4 TFT, 65K COLOUR 4:3 HMI, 640 X 480 PIXELS, RESISTIVE TOUCH, 24V DC WITH ETHERNET, 2 X RS232/422/485, USB SD CARD SLOT
Qsiqterm-A7/3654r	7-INCH RUGGED TOUCHSCREEN (IX DEVELOPER)
Xr160c Rs485 ? 3x Ptc/Ntc 220v Ac	
630000302, Ix T10a	
E200-02800e	OPERATOR INTERFACE 150MA 24VDC W/DISPLAY
Ix Panel Ta150	
02741b	OPERATOR INTERFACE LCD MONOCHROME DIGITAL

Qtermz60l	MODULE
E910t-Touchscreen	TOUCH SCREEN 11INCH
Qtrem-G58	HANDHELD GRAPHIC OPERATOR INTERFACE TERMINAL
St-222f	
E-1071	TOUCH SCREEN HMI, 6.5 TFT DISPLAY, 65K COLOURS, 640 X 480 PIXELS, 24V DC, NO CABLE
Exter K70	GRAPHIC OPERATOR TERMINAL 640*480 PIXELS, 6.5 TFT LCD 64K COLOR, 16 F-KEYS , 16 LEDS. ROHS COMPLIANT
Tpop Ce E1101/ 10quot; Graphic Touch Hmi Landscape	
E1101	TOUCH SCREEN HMI, 10.4 TFT DISPLAY, 65K COLOURS, 800 X 600 PIXELS, 24V DC, NO CABLE
610-1-1-05	Series 600 Thermocouple Panel Indicator 610
Qtermg723551	MONITOR
T70	OPERATOR INTERFACE 6.4INCH TFT ETHERNET
X2pro7	OPER INTERFACE
E-700	OPERATOR INTERFACE CONTROL PANEL 24VDC
Qtermg5	DISPLAY
Mac/Mta-E100	OPERATOR INTERFACE PANEL 5VDC
Qterma7	7 PANEL, RUGGED HMI WITH EXTENDED OPERATING TEMPERATURE
Ipc T21c	21,52, 1920*1080, CORE I7 2715QE (4X2.1 GHZ), 2GB RAM, CFAST 8GB, WIN7EMB(32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
08276a	
03210	OPERATOR INTERFACE PANEL 5VDC
602001050 H-T70t-Nea	
Qterm-A12	12.1 RUGGED HMI WITH EXTENDED OPERATING TEMPERATURE
Ix-Panel-T15c	15.4 TFT, 16M COLOUR 1200 X 800 PIXELS, RESISTIVE TOUCH, 16:10 WIDESCREEN PANEL PC. INTEL CELERON CPU (2X1.6GHZ), 2B RAM, 64GB SSD, 24V DC WITH 2 X ETHERNET, 2 X RS232/422/485, 4 X USB MINI PCIE EXPAN
E900t	OPERATOR INTERFACE 640X480 COLOR .35AMP 100-240VAC
Ix Panel T15b	15 TFT, 262K COLOUR 16:10 WIDESCREEN HMI, 1200 X 800 PIXELS, RESISTIVE TOUCH, 24V DC WITH 2 X ETHERNET, 2 X

	RS232/422/485, 3 X USB SD CARD SLOT
9925-136	OPERATOR INTERFACE PANEL 5VDC
04421	OPERATOR INTERFACE LCD 276W X 198H X 87DMM 24VDC
Ixt10a	TOUCH OPERATOR PANEL 10, 640X480, 80MB APP STORAGE, 1X100/10MBIT 2XRS232, 2XRS485/422,1XUSB, 1XSD, 1XEXPANSION PORT, 24VDC
T60	TERMINAL
T40	OPERATOR INTERFACE 24VDC 3.5IN
Psc 095.P Obsolete, No Replacement	
Cimrex69	OPERATOR INTERFACE COLOR LCD TOUCHSCREEN 24VDC
08276	
Qterm-G70	Opertator Control Unit C022
Mac50/Mv-00921b	OPERATOR INTERFACE
15634	
Ix T15c	15,4, 1280*800, CORE I7 2715QE (4X2.1 GHZ), 2GB RAM, SSD 64GB, WIN7ULTIM (32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
02640b	OPERATOR PANEL
603221103	OPERATOR
T7brhb	DISPLAY
9950-024	OPERATOR INTERFACE 24VDC 450MA TYPE 02750A
Type:04380a/24gn, P/N:0603-117 , 15634, 17991 And 5682	
Exter-T70	GRAPHIC OPERATOR TERMINAL 640*480 PIXELS, 6.5 TFT LCD 64K COLOR, TOUCH ROHS COMPLIENT.
Ix T21c	21,52, 1920*1080, CORE I7 2715QE (4X2.1 GHZ), 2GB RAM, CFAST 8GB, WIN7EMB(32BIT), 2XGLAN, 2XRS232, 2XRS485, 4XUSB,
Exter-150	TOUCH SCREEN DISPLAY 15INCH 64K COLOR 32MB FLASH
E1060 (Tft)	HMI WITH KEYS, 5,7 TFT DISPLAY, 65K COLOURS, 320 X 240 PIXELS, 24V DC, NO CABLE
E1151 Pro+	TOUCH SCREEN HMI, 15 TFT DISPLAY, 65K COLOURS, 1024 X 768 PIXELS, 24V DC, 64MB CF CARD, DOCUMENT-DISPLAY FUNCTIONS, NO CABLE
H-T80c-Ne (602001012)	
E300 24v Dc	

[08276d Obsolete, Replaced By X2 Pro
15 - B2 \(640000305\)](#)

[Exter T70-BI](#)

GRAPHIC OPERATOR TERMINAL 640*480 PIXELS, 6.5 TFT LCD
64K COLOR, TOUCH BLACK FRAME

[Ix Panel T12c](#)

12.1 TFT, 16M COLOUR 1200 X 800 PIXELS, RESISTIVE
TOUCH, 16:10 WIDESCREEN PANEL PC. INTEL CELERON CPU
(2X1.6GHZ), 2GB RAM, 64GB SSD, 24V DC WITH 2 X
ETHERNET, 2 X RS232/422/485, 4 X USB MINI PCIE EXPA

[Wop-It X 550tc Tft](#)