

## Bekomat

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Bekomat** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Bekomat Trkiye Distribtr veya temsilcisi deėildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">2000067</a>	XEKA13101 Wear parts set for BEKOMAT 13, 13 CO PN16 - Core, spring, FKM membrane, O-rings
<a href="#">31 EDD 602-04</a>	
<a href="#">BEKOMAT 33U P stand-alone.</a>	4024393 Condensate drain, Diaphragm material: FKM, Low voltage 100-125Vdc / 95-240Vac, OL Canopy color: dark gray, C1-blu, L10 Receiving container: gray / blue Valve: gray Design shell: light gray Condensate inlet G (Replaces material 4012820) Customs fee number. 84818099 Country of origin DE
<a href="#">BEKOMAT 33U P with EU cable and plug</a>	
<a href="#">4024381 BEKOMAT 31U N stand-alone</a>	steam trap, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: grey Inlet adapter G horizontal (Replaces material 4009548) Customs fee number. 84818099 Country of origin DE Weight 3,330KG REACH: Yes
<a href="#">BEKOMAT 12 CO PN63</a>	KA12P10A0 2000020 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. Pressure: 63 bar Customs fee number. 84818099 Country of origin DE
<a href="#">BEKOMAT 12 CO PN63</a>	KA12P10A0 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. Pressure: 63 bar
<a href="#">2000021</a>	KA13A10A0 BEKOMAT 13 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. Pressure: 16 bar Customs fee number.

	84818099 Country of origin DE Weight 4,680 KG REACH: Yes *
<a href="#">2000020</a>	KA12P10A0 BEKOMAT 12 CO PN63 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. Pressure: 63 bar Customs fee number. 84818099 Country of origin DE Weight 1.190 KG REACH: Yes *
<a href="#">KA13A10A0</a>	BEKOMAT 13 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. Pressure: 16 bar
<a href="#">4024381 BEKOMAT 31U N stand-alone</a>	steam trap, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: grey Inlet adapter G horizontal (Replaces material 4009548)
<a href="#">BEKOMAT 32U P stand-alone</a>	4024387 Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: light grey Inlet adapter G horizontal (Replaces material 4009626) Customs fee number. 84818099 Country of origin DE Weight 1,260KG REACH: Yes*
<a href="#">4025041</a>	CONDENSATE TRAIN BEKOMAT 32U V standalone, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L00 Design shell: light grey Inlet adapter G horizontal Customs fee number. 84818099 Country of origin DE Weight 2,520KG
<a href="#">2000023</a>	KA14A10A0 BEKOMAT 14 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar Customs fee number. 84818099 Country of origin DE Weight 7,020KG REACH: Yes*
<a href="#">BEKOMAT 32U P</a>	4024387 BEKOMAT 32UP standalone, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: light grey Inlet adapter G horizontal (Replaces material 4009626) Customs fee number. 84818099 Country of origin DE
<a href="#">KA13A10A0</a>	BEKOMAT 13 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar Customs fee number. 84818099 Country of origin DE Weight 4,680KG REACH: Yes*
<a href="#">BEKOMAT 12</a>	KA12A10A0 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar Customs fee number. 84818099 Country of origin DE Weight 1,100KG REACH: Yes*
<a href="#">BEKOMAT 12</a>	KA12A10A0 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar Customs fee number. 84818099 Country of origin DE Weight 1,100KG REACH: Yes*
<a href="#">4027642</a>	BEKOMAT 32U Vario IF built-in, Diaphragm material: FKM Low voltage 24Vdc, WA Hood color: blue, C1-blue, L00 Interface BEKOMAT Condensate inlet G with multi-standard cable and Angle socket 90° - Replacement model for material 4014700-
<a href="#">XEKA12012</a>	2000756 "Power supply" board 24 Vdc for BEKOMAT 12 - 16
<a href="#">4047971</a>	"Control" circuit board for BEKOMAT 12 Oil matched incl. external test including power-on-drain
<a href="#">KA12A60A6</a>	4004440 BEKOMAT 12 condensate drain Diaphragm material: FKM Power supply: 24VDC, OL O-rings: NBR Hood color: blue, L35 Condensate inlet: NPT Max pressure: 16 bar
<a href="#">4001841</a>	KA20KC0A0 BEKOMAT 20 N CONDENSATE TRAIN Diaphragm material: FKM Voltage: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
	BEKOMAT 32U P stand-alone Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell:

<a href="#">BEKOMAT 32U</a>	light grey Inlet adapter G horizontal (Replaces material 4009626) Customs fee number. 84818099 Country of origin DE Weight 1,260KG REACH: Yes*
<a href="#">KA12P10A0</a>	BEKOMAT 12 CO PN63 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 63 bar Customs fee number. 84818099 Country of origin DE Weight 4,760KG REACH: Yes*
<a href="#">BEKOMAT 13 KA13A10A0</a>	Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar Customs fee number. 84818099 Country of origin DE Weight 7,020KG REACH: Yes*
<a href="#">XEKA13101</a>	SPARE PART Wear part set for BEKOMAT 13, 13 CO Diaphragm in FKM and seals in NBR up to 16 bar(g) - Core, spring, diaphragm, O-rings Customs fee number. 84819000 Country of origin IT
<a href="#">KA12C10A0</a>	BEKOMAT 12 CO condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
<a href="#">KA12A10A0</a>	2000018 BEKOMAT 12 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
<a href="#">4024387</a>	BEKOMAT 32UP standalone, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: light grey Inlet adapter G horizontal (Replaces material 4009626)
<a href="#">2000020</a>	KA12P10A0 BEKOMAT 12 CO PN63 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 63 bar
<a href="#">4004010</a>	KA20M1DAR BEKOMAT 20 VARIO CONDENSATE TRAIN Diaphragm material: FKM Voltage: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G with connection for external test with potential-free alarm contact (only for OEM and CLEARPOINT application) Max pressure: 16 bar
<a href="#">4004332</a>	M015WWC CLEARPOINT M015 water separator Size 120, length 360mm, G1½ without arrester
<a href="#">12 CO PN63</a>	
<a href="#">KA20M1DAR</a>	
<a href="#">BEKOMAT 12 CO PN63</a>	
<a href="#">BEKOMAT KA20M1DAR</a>	
<a href="#">M015WWC</a>	
<a href="#">Beko - Bekomat 4024387</a>	compressor air tank water drain valve
<a href="#">2000165</a>	KA14A60A0 BEKOMAT 14 condensate drain Diaphragm material: FKM Power supply: 24VDC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
<a href="#">2000024</a>	KA14C10A0 BEKOMAT 14 CO condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
<a href="#">DIAPHRAGM #MBM43-18CFW9</a>	
<a href="#">DIAPHRAGM #MBM43-18CFW7</a>	
<a href="#">DRAINER MACHINE #BM6COLA</a>	
<a href="#">BEKOMAT 13 CO PN50</a>	KA13N10AT condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 50 bar

<a href="#">4045949</a>	BEKOMAT 15 CO VACUUM condensate drain Diaphragm material: FKM 230VAC, OL, hard-coated Hood color: blue, L10 Condensate inlet: G Minimum pressure: 0.1 bar(a) Max. pressure: 1.8 bar(a)
<a href="#">BEKOMAT 13</a>	KA13A10A0 BEKOMAT 13 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
<a href="#">2000020</a>	KA12P10A0 BEKOMAT 12 CO PN63 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 63 bar
<a href="#">2002666</a>	KA12P10W0 BEKOMAT 12 CO PN63 condensate drain Diaphragm material: FKM Power supply: 230VAC, WA O-rings: NBR Hood color: blue, L00 Condensate inlet: G Max pressure: 63 bar
<a href="#">BEKOMAT 20 FM</a>	4003051 Condensate Drain Diaphragm material: FKM Voltage: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G with filter management with connection for external test with potential-free alarm contact Max pressure: 16 bar
<a href="#">BEKOMAT 32U V</a>	CONDENSATE TRAIN BEKOMAT 32U V standalone, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: light grey Inlet adapter G horizontal Customs fee number. 84818099 Country of origin DE
<a href="#">KA13N10AP</a>	BEKOMAT 13 CO PN40 Steam trap 2001287 Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 40 bar
<a href="#">2000025</a>	KA16C10Z0 BEKOMAT 16 CO Steam trap Membrane material: FKM Power supply: 230VAC, WA O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
<a href="#">2000024</a>	KA14C10A0 BEKOMAT 14 CO Steam trap Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
<a href="#">KA13A10A0 (2000021)</a>	BEKOMAT 13 Steam trap Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
<a href="#">4024381</a>	31U N stand alone, steam trap, Membrane material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: gray Inlet adapter G horizontal (Replaces material 4009548)
<a href="#">2000019</a>	KA12C10A0 BEKOMAT 12 CO Steam trap Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
<a href="#">4024387</a>	BEKOMAT 32U P stand-alone, Membrane material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: light gray Inlet adapter G horizontal (Replaces material 4009626)
<a href="#">4024381</a>	BEKOMAT 31U N stand-alone, condensate drain, diaphragm material: FKM, low voltage 100-125Vdc/95-240Vac, OL hood color: blue, C1-blue, L10 design shell: gray inlet adapter G horizontal (replaces material 4009548)
<a href="#">2000067</a>	XEKA13101 Wearing parts set for BEKOMAT 13, 13 CO Diaphragm in FKM and seals in NBR up to 16 bar(g) - core, spring, membrane, O-rings
<a href="#">2000020</a>	KA12P10A0 BEKOMAT 12 CO PN63 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Cover color: blue, L10 Condensate inlet: G Max. pressure: 63 bar
<a href="#">KA14A10A0</a>	BEKOMAT 14 Condensate drain Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Cover color: blue, L10 Condensate inlet: G Max. pressure: 16 bar

<a href="#">BM13</a>	
<a href="#">BM14</a>	
<a href="#">BEKOMAT 14</a>	2000023 KA14A10A0 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Cover color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
<a href="#">Steam trap BEKOMAT 14 CO, 230Va</a>	
<a href="#">Spare part BEKOMAT 14, 14 CO wear part set</a>	
<a href="#">BEKO 2000154</a>	BEKOMAT 12COPN63 - (2000154) - 1,2/63 bar 18-913psig 24vdc
<a href="#">2000748</a>	Set of wear parts
<a href="#">2000749</a>	Set of seals
<a href="#">2000054</a>	Valve attachment components
<a href="#">4027848</a>	Valve unit, complete
<a href="#">2000756</a>	Power control board 24 VDC
<a href="#">Ka12p10a0</a>	DRAIN BEKOMAT 12 CO Membrane material: FKM O-rings: NBR Voltage: 230VAC, OL Have color: blue, L10 Condensate inlet: G Max. Pressure: 63 bar Customs fee number. 84818099 Country of origin DE
<a href="#">Xeka13301</a>	Wear part set for BEKOMAT 13 CO PN 25, 40, 50 Customs fee number. 84819000 Country of origin DE
<a href="#">Ka13n10ap</a>	BEKOMAT 13 CO PN 40, 230Vac Zolltarifnr. 84818099 Ursprungsland DE