



Bender

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Bender Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Bender T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
Multi-Function Relais	
Ir425-D4-2	DC/AC 15...460 Hz 0...300V US: DC 70..300V/AC 15..460Hz 70..300V R-ALARM: 1-200kOHM RI: 60kOHM A-ISOMETER
Isorw425-D4w-4	DC/AC 15..460 Hz 0..440V Isometer with impedance monitoring Us: DC 24..240 V, AC 47..63 Hz 100..240 V R alarm: 1-990 kOhm RI: 120 kOhm 2 NO contacts, LC display Interface: Modbus RTU, BMS, isoData Additional processing "W" extended climatic and mechanical Stresses Imp.CodeNr: 90303370 country of origin: Germany
CME420-D-2	AC 42...460Hz 0,1...16 A UNDERCURRENT AND OVERCURRENT RELAY AC 42 ... 460 Hz 0.1 ... 16 A TRUE RMS, WITH EXT. MEASURING CURRENT CONVERTER: RESPONSE VALUE max. 999 A, HYSTERESIS: 10 ... 40% US: DC / AC 42 ... 460 Hz 70 ... 300 V START-UP DELAY: 0 ... 99 s RESPONSE DELAY: 0 ... 99 s RELEASE DELAY: 0 ... 99 s 2x1 CHANGER, LC DISPLAY
USE1700 B980152	
VME 420-02 dual line voltage relay	
IR425-D4-1	B71036403 DC/AC 15...460 Hz 0...300V US: DC 9,6..94V, AC 15...460Hz 16..72V R-ALARM: 1-200kOHM RI: 60kOHM A-ISOMETER
IR425-D4-2 (optional)	DC/AC 15...460 Hz 0...300V US: DC 70..300V/AC 15..460Hz 70..300V R-ALARM: 1-200kOHM RI: 60kOHM A-ISOMETER
SE141	OVERCURRENT RELAY-CSE141

VME 420 - D - 2	
VMD 420 - D - 2	
ISOHV425	isoHV425-D4-4+AGH422 AC/DC 0-1000V Us: DC 24..240 V, AC 47..63 Hz 100..240 V R-Alarm: 10-500kOHM Ri: 390kOhm Ce max 150µF, with coupling device AGH422 isometer PREF = YES Isolation monitoring devices
iso 1 65C-1	
TRDH275	ERF30 LINE CONNECTION MODULE
IRDH275-435 3(N)AC0-793V/DC0-650V	ISOMETER © A-ISOMETER WITH LC DISPLAY ALARM 1/2: 1kOHM-10MOHM US: AC88-264V / DC77-286V AMP-plus MEASUREMENT PROCEDURE RoHS-compliant Item net weight: 0.510 KG Important note, device is being discontinued. Last order before 01/01/2024
iso685-D AC 0...690V DC 0...1000V (Alternative)	ISOMETER © Isometer with LC display Alarm 1/2: 1kOhm-10Mohm, US: AC / DC 24-240V, AMP-plus measurement interface: BCOM (Ethernet), Web server, Modbus TCP analog output: 0 (4) -20mA, 0-400µA, 0 (2) -10V Item net weight: 0.450 KG
IRDH275	
0602017642	
100068	
2531 DN15	
91068107	
AGH1026	
B 986 763	
B71016405	
B71016409	
B71036320 (isoUG425-D4-4)	
B71036325	
B71036501	
B73060002	
B74014002	
B91016305W	
B91016405	
B91016405 IR420-D4-2 AC...460HZ 0-300V US: DC/AC 42..460HZ 70..300V R-ALARM: 1-200KOHM RI:60KOHM A-1	
B91023005	
B91036403 (IR425-D4-1)	
B91048007	
B91065100 IRDH275-435	
B91065120	

B91067012W
B91080004
B91080008
B911731
B911763
B911787
B913033
B93010067
B93100355
B93100735
B933557
B94014002
B94043023
B94043042
B94053002
B942613
B95061030
B98060007
B98080003
B98080018
B98080028
B98080051
B98080504
B980852
B986784
CME420-D-2 (B93060002)
EDS440D-4
EDS-460L PN : LFFR60-D-2N
IR125Y-4
IR145Y-3
IR155-3203 / B91068138CV4
IR420-D4
IRD 251 MYX
IRDH275-435RU
IRDH275B-435RU
IRDH375B-427

iso685	
iso685-D-B-RU	
iso685-D-RU	
iso685W-S-RU+FP200W	
isoGEN423-D4-4	
isoHV425-D4-4+AGH422	
RCM420-D-1	
RK 170	
VMD420-D-1	
VME 420-D-1	
IRDH275-435	B91065100
Iso685-D (Alternatively: successor device)	B91067010
ISOSCAN EDS460	
iso685-S-P + FP200	
EDS440-L-4	
CTAC35	B98110007
IR425-D4-1 DC/AC 15...460 Hz 0...300V	B91036403 ISOMETER © US: DC 9,6..94V, AC 15...460Hz 16..72V R-ALARM: 1-200kOHM RI: 60kOHM A-ISOMETER positionsnettogewicht:0.600 KG 90303370 HS Code: PREF=JA DE
IR425-D4W-1 DC/AC 15...460 Hz 0...300V	B91036403W ISOMETER © US: DC 9,6..94V, AC 15..460Hz 16..72V R-ALARM: 1-200kOHM RI: 60kOHM A-ISOMETER
B74014012	Successor to RCM470LY RCM420-DM1C-2 AC 10mA...10A 42...2000Hz LINETRAXX © RESIDUAL CURRENT MONITORING DEVICE TRUE RMS FOR EXT. MEASURING CURRENT UNDERCURRENT AND OVERCURRENT (WINDOW FUNCTION) US: DC/AC 42...460Hz 70...300V START-UP DELAY: 0...10 s RESPONSE DELAY: 0...10 s OFF DELAY: 0...99 s 1 changeover contact , LC DISPLAY ANALOG OUTPUT DC 0/4...20 mA
B911733	W3-S105 current transformer FOR RCM MONITORING DEVICES AND RCMS, EDS SYSTEMS
B986807	9604-4241 0-100% METER SCALE: 90 DEG LINE I=0-400uA COLOUR: AC/SW RANGE: 0-100% FOR RCD RELAYS
B911732	W2-S70 current transformer FOR RCM MONITORING DEVICES AND RCMS, EDS SYSTEMS, N-LINE MONITORING
B911735	
VME421H-D-2	
W3-S105 current transformer	FOR RCM MONITORING DEVICES AND RCMS, EDS SYSTEMS
CSE 141 OVERC. RELAY	
IRDH275-435	3(N)AC0-793V/DC0-650V Important notice, device will be discontinued. Last Order before 12/31/2023 ISOMETERS © A-ISOMETER WITH LC DISPLAY ALARM 1/2: 1kOHM-10MOHM US: AC88-264V/ DC77-286V AMP-plus MEASUREMENT PROCEDURE RoHS Compliant Position net weight: 1,530 KG HS code: 90303370 PREF=JA C/O: DE
	Alternative position to position: 10 Successor to IRDH275-435 iso685-D

B91067010	AC 0...690V DC 0...1000V ISOMETERS © Isometer with LC display Alarm 1/2: 1kOhm-10Mohm, US: AC/DC 24-240V, AMP-plus measurement method Interface: BCOM (Ethernet), Web server, Modbus TCP Analog output: 0(4)-20mA, 0-400µA, 0(2)-10V Position net weight: 1,350 KG HS Code: 90303370 PREF=JA C/O: D
IDRH275-435	
B73010006	VMD420-D-2 3(N)AC 15..460HZ 0..500/288V LINETRAXX © AC/DC VOLTAGE RELAY, TRUE RMS, UNDER- AND OVERVOLTAGE: 6...500/288 V UNDER- AND OVERFREQUENCY: 10...500 Hz ASYMMETRY: 5...30 % PHASE FAILURE; PHASE SEQUENCE US: DC/AC 15...460 Hz 70...300 V START-UP DELAY: 0...99 s ON DELAY: 0...99 s OFF DELAY: 0...99 s 2 CHANGEOVER CONTACTS, LC DISPLAY
B71602000	iso415R-24 3(N)AC, AC 0-415V/DC 0-400V ISOMETER © Isometer fr AC/DC IT-Systeme Us: DC 24 V, MODBUS RTU Alarm 1/2: 5...1000 kOhm Ce max. 25µF
B71603000	iso415R-2 3(N)AC, AC, DC 100...240 V ISOMETER © Isometer fr AC/DC IT-Systeme Us: AC, DC 100...240 V MODBUS RTU Alarm 1/2: 5...1000 kOhm Ce max. 25µF
B91068139CV4	IR155-3204 DC 0...1000 V ISOMETER © A-Isometer circuit board version Us = DC 10...36 V Ri = 1200 kOhm Switching output: Device status highside Measured value output: PWM 5...95% highside Ce max.: 1 µF Response value configurable: 100 kOhm...1 MOhm Undervoltage detection parameterizable: 0 V...500 V Response time: <20 sec. Release after power on: = 2 s Measuring method: DCP Factor adjustable: 1...10 Connections: Tyco plug connector Connection kit (B91068501) and fastening kit (B91068500) are available separately to order! Board surface lacquered. Once. Parameter U. Limit O. Limit I value Response value 100 KOhm 1 MOhm I =? Undervoltage detection 0 V 500 V I =? F. Mean b. DCP 1 10 I =?
B71036402	LINETRAXX® VME420
B73010002	ISOMETER® IR425
B71036402	
B73010002	
IRDH275-435	Isolation monitor Typ: IRDH275-435 A-ISOMETER IRDH275 SOFTWARE D160 V1.4 E4.1 SERIAL NO: 0804552724 ART. NO.:B91065100
9604-4241	
RCM470LY	
LINETRAXX VME420-D-2 / B93010002	DC 70...300 V/AC 70...300 V,15...460 HZ,B9
IsoMED427	
CPA-8 OPERATING ROOM CONTROL PANEL	
VME420	MONITOR RELAY
P/N: B91065100 Type: Irdh275-435	
B91065100w Irdh275w-435	
B915576	
B91065120 / Irdh275bm-727	
B990994	
Sue487	
R420-D6-2/B91016407	

Zc-3	
Stw2	
Mk2430	
Vme420-D-2 /	
B911739	
B91065101, Irdh275b-435	
Ug140p24vdc	RELAY
B91036502/Ir145-4 By B71036402 Ir425-D4-2	
B911787 W0-S20	
B91068501	
B74053100	
Type:2531 Dn25	
Mk2007bm	
B39010004	
Ug140p	
B94042001	
Agh575s-6	
B923813 / Mk2007cbm	
B73010002	
B91065100, Irdh275-435	
Es710-8kva	
B94043042 Rcma423-D9-1+w35abp	
Irdh275w-435	
B91067010	
P/N: B71036402 Type: Ir425-D4-2	
Irdh 250, B91067010	
Sud472	
Agh520s / B913033	
B74043023	
Eds461-L-2	
B94042100	
B91016405 Ir420-D4-2 Ac...460hz 0-300v Us: Dc/Ac 42...460hz 70...300v R-Alarm: 1-200kohm Ri:60kohm A-I	
1000 MI Mit Deckel	
Eds470et-12 By Eds460-Dw-2	

Ir470ly-40	
Wr150x350s690v	TRANSFORMER
Irdh275-435	
B98080008	
B71036403	
P/N: B93010003 Type: Vme421h-D-1	
Mk207	
Irdh275-435 3(N)ac0-793v/Dc0-650v	
Iso685-S-B-Ru+fp200	
B98080503	
Vmd420-D-2 /	
Rk170	
Wr70x175s	TRANSFORMER
P/N: B94014002 Type: Rcm420-D-2	
107td47	
B923813	
W2-S70	
Agh150w-4	
B71036403 Ir425-D4-1 Dc/Ac 15...460 Hz 0...300v Us: Dc 9,6..94v, Ac 15...460hz 16..72v R-Alarm: 1-200kohm Ri: 60kohm A-Isometer	
Cme420-D-2 (B73060002)	
P/N: B93010067 Type: Vmd258	
Cms460-D-2	
B91065500	
B91065504 Irdh575b1-4235	
B91068500	
P/N: B73060002 Type: Cme420-D-2	
B91080002	
7204-1421	
Irdh375-427	
B92016003 107td47	
Sua145	
B913056 / Agh675s-7-500	
B91016405 (Ir420-D4-2 Ac42...460hz 0-300v Us: Dc/Ac 42..460hz 70..300v R-Alarm: 1- 200kohm Ri: 60kohm A-Isometer)	
Rcma470	

Irdh275bw-425	GROUND FAULT DETECTOR 10-30VDC DIN RAIL MOUNT
Sud1423ac380-440v057	
Dsiadt25-D4-1	
Ir470ly2-4061	
Wr115x305s	TRANSFORMER
DbIm6412f72	
B73010006	
B71036402 Ir425-D4-2 A	
Irg 143 P	
B94012015	
B91065116	GROUND FAULT DETECTOR 10-30VDC DIN RAIL MOUNT
B98080016	
Irdh275-345	
B913054 / Agh675s-7-2000	
Agh ?Lr-3	
B91065108 / Irdh275-425	
Rcm470ly	
B95018013 Pgh474e	
Cme420-D-1 (B73060001)	
Irdh275-425	
B91065100	
Vme420-D-1 (B73010001)	
B986841	
B94042001 Rcma470ly	
B91016307	
P/N: B73060001 Type: Cme420-D-1	
2155631	
P/N: B74014001 Type: Rcm420-D-1	
B98080009	
B924215	
B91065004	
Art.No. B91080006, Type: Eds461-D-2	
Ir 420 D4 2	
Sb476-34	VOLTAGE MONITOR AC 65V/DC 90V
Ir420-D6-2	IR420-D6-2 AC42...460Hz 0...480V US: DC/AC 42...460Hz 70...300V R-ALARM: 100KOHM...10MOHM RI: 1,2MOHM CE MAX: 10µF A-ISOMETER,

FK-Nr. 09/43

B93010002
Eds460-Dw-2
Ir155-3204 / B91068139cv4
B91065101
Wo-S20
B94014001
Cms460-D-1
420-D-2
P/N: B98080028 Type: W120
B92016003
B74043001
Irdh575b1-435
B91065703w Isolr275-335+agh-Lr-3 Ac0-793v/Dc0-1100v
Irdh275-435 (Ex. Irdh-265-4)
B93010001
Irdh275bm-727
Vmd258
B98018006, Agh150w-4
Ir470ly-4015, Art. B91048008
B9808008 W20ab
Type:2531 Dn15
Rcm470ly-13
Rcm470ly B94012017
Agh 204s-4
B924197
B913060
B91048026, Ir470ly-4023 Ac/3(N)ac0-793v
P/N: B98080018 Type: W60
Ir145y-4
B91068098, Ir485p-421
Irdh375-435
B933557, Sud142 By B93010007
Ir155-3204
Isolated Power Panel 10kva With 12 Output

P/N: B91023005 Type: Ir125y-4	
Agh204s-4	3AC 50-400Hz 0-1650V Coupling device for isometer with Ri = 80 / 160kOhm
Ir470ly-4021	INSULATION MONITORING DEVICE
Ir125y-4 (B91023005)	
B71036402	
B91048008 Ir470ly-4015 Ir470ly-4015 Ac/3(N)ac0-793v A-Isometer Mit Led-Laufpunktanzeige, Us: Ac400v Alarm: 1-200k-Ohm, Cemax. 20uf	
Ird251lyx (B914584)	
B73010003	
Irdh275-427 B91065104	
B 91065101	
B91068099, Ir486p-421	
B93010014	
Irdh275	
B984800	
Type:2531 Dn20	
W2-70	
Irdh275bu-627	GROUND FAULT DETECTOR 10-30VDC DIN RAIL MOUNT
P/N: B71016405 Type: Ir420-D4-2	
B98018006	
Isolated Power Panel 10kva With 24 Output	
B916382, Uq140p	
B94042010, Rcma471ly-21	
Rdh275bm-727	
B93010007	
Agh150w-4 Dco-1760v	
Ir420-D4-2	
B91067024	
Iso685-D	ISOMETER AC 0...690 V / DC 0...1000 V
Vme421h-D-1 Dc/Ac 15...460hz 9,6...150v	AC / DC VOLTAGE RELAY, TRUE RMS, UNDER AND OVERVOLTAGE: 9.6 ... 150 V LOW AND OVER FREQUENCY: 10 ... 500 Hz WITHOUT SUPPLY VOLTAGE INTEGRATED ENERGY STORAGE STARTUP DELAY: 0 ... 99 s RESPONSE DELAY: 0 ... 99 s RELAY DELAY: 0 ... 99 s 2 CHANGERS, LC DISPLAY
B91048008 (Ir470ly-4015 Ac/3(N)ac0-793v A-Isometer Mit Led-Laufpunktanzeige, Us: Ac400v Alarm: 1-200k-Ohm, Cemax. 20uf)	
Ir125y-2	

Irdh275-427	A-ISOMETER INSULATION MONITOR
Prc487	
Irdh275-435 (Ex:Irdh265-435 E)	
B91080019 Eds460-Dg-2	
Irdh 275-435 (Ex Irdh 265-4)	
B93060002	
Eds490-Dg-2	
Vme420-D-2 (B73010002) Voltage Relay	
B91080004, Eds460-L-2	
B942613 Cse141 By B93060002 Cme420-D-2	
Ir 470ly-40	
P/N: B91065109 Type: Irdh275b-425	
Gs.160.3	
Irdh-275-415	
B911732	
Code:100068, Type:Vmd420-D-2	
B94043001 Rcma420-D-1 Dc/Ac O..2000hz 10..500ma	
P/N: B91016409 Type: Ir420-D4-1	
2156024	
B93060002 Cme420-D-2	
B95061010 Com460ip	
B91065500, Irdh575b1-435	
B933667	
Rcma470ly-21	Residual Current Monitor Module RCM Serie 470
P/N: B91067010 Type: Iso685-D	
Irdh265	
Vmd421h-D-3	
B98080026	
Cme420-D-1	
B71036402 Ir425-D4-2 Dc/Ac 15...460 Hz 0...300v Us: Dc 70...300v/Ac 15..460hz 70..300v R-Alarm: 1-200kohm Ri: 60kohm A-Isometer	
P/N: B91065101 Type: Irdh275b-435	
Eds474-12 - By B91080006 Eds461-D-2	
Vme420-D-1	
B91016407	

B91065000	
B91068038	
Isopv-335	
P/N: B71016409 Type: Ir420-D4-1	
Ir425	
Ir155-3203 B91068138cv4	
Wr150x350s	TRANSFORMER
107td47 (B92016003)	
Agh204s-4 B914013	
Rcma472ly-21	Residual Current Monitor Module RCMA 472
Vmd420-D-2	
Irdh275b-435	
P/N: B73010006 Type: Vmd420-D-2	
Ir145y	
B91065500w	
P/N: B74014002 Type: Rcm420-D-2	
P/N: B71036403 Type: Ir425-D4-1	
P/N: B73010002 Type: Vme420-D-2	
2155632	
Pem735	
B73010007	
Ir140y-4	Insulation Monitoring Module
An450	
Irdh265-4	
9604-1421	INDİKATÖR EXTERNAL KΩ MEASURING INSTRUMENTS TYPE 9604-1421
Es710	
Com460ip	
B93010007, Vmd421h-D-3	
Ir1570w-435	
Agh204s	
B93010018, Vmd420-Dm-2	
B91065000, Irdh375-435	
B924213	
Agh520s	ADAPTER
Eds3096p	



Yursat DıŐ Tic. M¼nendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

[B91080006](#)