



Bertoli Homogenizers

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Bertoli Homogenizers Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Bertoli Homogenizers T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
BH	Capacity 13.500 LT / H, Working Pressure 200 BAR, Electric Motor Power 75 KW, Working Temperature? 90 ° C, Cip Application Temperature? 90 ° C, Sterilization Temperature 140 ° C, Maximum Working Pressure 240 BAR, Number of Stages 3 PISTON, Which MILK HOMOGENIZER Used for the Product
BH 31018	Capacity 3.000 Liter / Hour, Working Pressure 200 bar, Electric Motor Power 22 kw, Working Temperature 90 °, Cip Application Temperature 85 °, Sterilization Temperature 85 °, Maximum Working Pressure 200 bar, Number of Steps 2-stage, Which Product Used For Yoghurt Milk Additional Technical Feature: NO
HA 34075	Capacity 10.000 Liter / Hour, Working Pressure 200 bar, Electric Motor Power 75 kw, Working Temperature 90 °, Cip Application Temperature 85 °, Sterilization Temperature 85 °, Maximum Working Pressure 250 bar, Number of Steps 2-stage, Which Product Used for Raw Milk Additional Technical Feature: Bobet type remote plc controlled
	Capacity 1.000 Liter / Hour, Working Pressure 200 bar,

BH 30008	Electric Motor Power 7.5 kw, Working Temperature 90 °, Cip Application Temperature 85 °, Sterilization Temperature 85 °, Maximum Working Pressure 200 bar, Number of Steps 2-stage, Which Product Is Used For Yoghurt milk and labneh Additional Technical Feature: NO
XTRA032	
XCIK040	
XECD008	
110029/31	
222783	
DUD002	
GSC092N	
GUH011	
GUH019	
GUH023	
GUH032	
GUI004	
GUI005	
GUI011	
X101468/04	
X103275/62	
X103317/53	
X106979/101	
X108047/101	
X108893/36	
X108902/36	
XDUC006	
XDUC013	
XDUC030	
XDUC031	
XDUD008	
XGUG018	

XGVG126
XGVR024
XI0040912/33
XI00420/33
XI03004/07
XI0743204/39
XMOR006
XRII050
XSFO047
XTSC043N
XYAD008
X105426/101
X108047/101
Xgvg126 Ring Xgvg126
Xgug018 Dichtung Xgug018
Xduc013 Seal(On The Drawing Number 33)
110008/86
X103275/62 Ring(On The Drawing Number 28)
Gui004 Sealing
Xi03004/07 X103004/07
Gui011 Sealing
X101220/36
Guh019 Sealing
Xi00420/33 Drum-Kopf X100420/33
Xgvr024 Ring(On The Drawing Number 50)
Xi0743204/39 Ventil Sitz X10743204/39
Guh023 Sealing
110029/31 Sealing Teflon
Guh011 Sealing

X107989/04
Xi0040912/33 Durchgangskopf X10040912/33
Xdud008 Seal(On The Drawing Number 50)
Xsfo047 Kugelhahn Xsfo047
Xdud030 Seal(On The Drawing Number 3)
Xdud008 Seal(On The Drawing Number 27)
Xmor006 Clamp-Verbindung Xmor006
Xdud006 Seal(On The Drawing Number 13)
Dud002 Sealing
Xdud031 Seal(On The Drawing Number 14)
?105426/101 Ventil Sitz X105426/101
222783 Riemenscheibe Xpfe500f. Homogenisator H3075 S.N.2573
X103317/53 Ring(On The Drawing Number 24)
Xyad008 Nuss Xyad008
Gsc092n Plunger Seal Set
Xtsc043n Seal(On The Drawing Number 23)
Xrii050 Seal(On The Drawing Number 17)
X102205/36
Guh032 Sealing
Gui005 Sealing
?108047/101 Ventil X108047/101
X101468/04 Ring(On The Drawing Number 22)