

## Bonetti Armaturen / Cesare Bonetti

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Bonetti Armaturen / Cesare Bonetti** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Bonetti Armaturen / Cesare Bonetti T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">110345</a>	
<a href="#">16898</a>	
<a href="#">18150</a>	
<a href="#">2FAN32PN</a>	
<a href="#">32126BOX</a>	
<a href="#">40105</a>	
<a href="#">693704/102 &amp; 693704/112</a>	
<a href="#">7173004020</a>	
<a href="#">73238</a>	
<a href="#">79050</a>	

<a href="#">79060</a>
<a href="#">79070</a>
<a href="#">79090</a>
<a href="#">79170</a>
<a href="#">79280</a>
<a href="#">79370</a>
<a href="#">79390BT32</a>
<a href="#">A105 CS</a>
<a href="#">AR128003IRR012081152020GR</a>
<a href="#">BC28 LG</a>
<a href="#">BR 14 MOD</a>
<a href="#">BR 14 SIZE 4 ES. 52/GR</a>
<a href="#">BR 23 - G 11</a>
<a href="#">BR 23 mod 007</a>
<a href="#">BR12 Size 5</a>
<a href="#">BR12, MOD. 5</a>
<a href="#">BR12, mod.5, mat.52</a>
<a href="#">BR12, mod.7, mat.52</a>
<a href="#">BR12-G11</a>
<a href="#">BR14B-G11</a>
<a href="#">BR14-GP11</a>
<a href="#">BV-1010</a>
<a href="#">G11</a>
<a href="#">GP11</a>
<a href="#">GZGP12GR</a>
<a href="#">IGR000001152020GR</a>
<a href="#">IGR000001152025GR</a>
<a href="#">IGR000001252020GR</a>
<a href="#">IGR0000GP1252020GR</a>
<a href="#">ILR012071152000GE</a>

<a href="#">ILR012071152000GR</a>
<a href="#">ILR014041152000GR</a>
<a href="#">ILR023071152000GR</a>
<a href="#">ILR14041152000GR</a>
<a href="#">IRR012071152020GR</a>
<a href="#">IRR014041152020GR</a>
<a href="#">IRR01406P152020GRA</a>
<a href="#">LG BR12-GP12</a>
<a href="#">MAG/TLP</a>
<a href="#">PA750013052MONTINE</a>
<a href="#">PA750013052MONTSUPICI</a>
<a href="#">REFLEX A7, BOROSILICATE, DIN 7081</a>
<a href="#">sfa dn32 pn32</a>
<a href="#">SFAN32PN</a>
<a href="#">SFAN40PN</a>
<a href="#">TT290040009</a>
<a href="#">X53150004051UNIGR</a>
<a href="#">XXX200DB2541UNIGR</a>
<a href="#">Ar121604</a>
<a href="#">40108</a>
<a href="#">Din7081</a>
<a href="#">Pa750013052montsupici Parte Anteriore Sup. Montata Es.52 Con Flangetta,Viti,Guarnizioni, Tappo</a>
<a href="#">7173004020 Kit Of Gaskets/Rings For G11- G12 Valves</a>
<a href="#">Ar126001</a>
<a href="#">79390</a>
<a href="#">Br 23</a>
<a href="#">Reflex A7, Borosilicate, Din 7081 Dim. 280x30x17 Mm</a>
<a href="#">110108 Repair Kit For Ball Valve</a>

[Igr000001152020gr Sleeve Packed Cocks  
G11 \(1 Upper, 1 Lower\) Pn40 Dn20  
Material Schedule 52/Gr](#)

[Br14-G11](#)

[Br-14 75 Glass 220x30 , Flange Spacing  
320 Mm, Carbon Steel, Complete With  
Valves.](#)

[693704/102 & 693704/112 Remote  
Transmitter Type Mst.Aehtag No.  
20ekc10cl501 & 20ekx10cl502](#)

[Vd080050](#)

[Tt290040009 Mica Plate For Bbt / Bc 23-  
29 Mod.B9](#)

[Sfan32pn Ball Valve, Floating Type Sfa  
\(Dn-32\)\(Pn-40\)\(Body A105/Lf2\)  
\(Flanged\)manual Operated](#)

[Mr 25 Mod 4 Direct Water Level  
Indicator Without Faucets For Ici  
Caldaie Ax-1750 Steam Boilers](#)

[Br23-Gp11](#)

[Kf604220](#)

[G-11 Es 52](#)

[79390bt32 Bont Sight Glass Type  
Transparent B 9 \(340 \\* 34 \\* 17\) Kit](#)

[Br14](#)

[Water Level Gauge Model Br23 Mod.7-  
52](#)

[Bv-1010 Valvola A Stantuffo, Mat. JI  
1040 \(Gg25\)dn25 Pn16 Flangiata](#)

[Kf607220](#)

[Din 7081 Glas Pegelanzeige A6](#)

[Br12-Mod.7-52 Sensor](#)

[Ar120900](#)

[Kf605220](#)

[Vd130050](#)

[Indicatori Di Bonetti Su Caldaie Ici  
Caldiaie](#)

[Watermark](#)

[Sfa Dn32 Ball Valve, Floating Type Sfa  
\(Dn-32\)\(Pn-40\)\(Body A105/Lf2\)  
\(Flanged\)manual Operated](#)

[Vk313001](#)

[- Shut Off Valve, Distance Between  
Flanges 340 Mm, Glass Lenght 250 Mm](#)

[Tt290040009 Mica Sheets For Bt/Bc 23-  
29 Mod.B9](#)

[Br14 Indicatore Di Livello Con Valvola  
Gp11](#)

[Br14b -g11](#)

[Ar128003irr012081152020gr Reflex  
Level Gauge Br12 Size 8 Mat.Sch. 52/Gr  
With Full Set G11 Pn40 Dn20](#)

[Br14-Gp11 Vetro Di Misurazione  
Dell'Acqua](#)

[Br14 Mod. 5 Liquid Level Gauge](#)

[Sfan32pn Ball Valve Dn 32 Pn 40](#)

[Sfa Dn32 Pn32 Ball Valve](#)

[For Br14 G11 Size 9](#)

[Sfa Dn32 Pn40 Rubinetto](#)

[Sfan32pn Valvola Di Scarico Inferiore  
Della Caldaia A Vapore](#)

[Vk110001](#)

[40105 Reflex Glass With 2 Graphite  
Jointstye A, Size 5, 220x30x17mm, Din  
7081](#)

[Sfa 40 Pn 40 A105/Lf 2/ Ball Valve](#)

[Br12-Gp11](#)

[Glass For Watermark](#)

[Ar000001](#)

[40104](#)