

B&R

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

B&R Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız B&R Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunulmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
7cm211 7 Modul	
8v1090.00-2	ACOPOS servo amplifier, 3x 400-480 V, 8.8 A, 4 kW, line filter, Braking resistor and electronic safe restart interlock integrated
8ac121.60-1	ACOPOS Einsteckmodul, HIPERFACE Interface
8ac122.60-3	ACOPOS plug-in module, Resolver interface 10 kHz
Ac 112	Acopos 1090 Karte
B R X20 Cp1484	
B R 5pc720.1505-K01 5pc7201505k01 Rev.	REV. 00 5P62:R016953-011 5P62: R016953-011 Panel PC 720 15".
X67at1322	X67 Temperatur Eingangsmodul, 4 Eingnge Widerstandsmessung, 2- oder 4-Leitermessung, PT100, PT1000, KTY10, KTY84, Auflsung 0,1 K
X67dm9321.L12	X67 Digitales Mischmodul, 16 Kanle wahlweise als Ein- oder Ausgang parametrierbar, 24 VDC, 0,5 A, Eingangsfilter parametrierbar, 2 Ereigniszhler 50 kHz, M12-Anschlussstechnik, X2X Link Adressschalter, High-Density-Modul
7ex270.50-1	
X20AI4222	X20 analog input module, 4 inputs, ± 10 V, 13 bit converter resolution, Parameterizable input filter
PLC CPU X20CP1484	
PLC X20IF1082 ETHERNET	COMMUNICATION
PLC X20DI6371 DIGITAL INPUT 6 CH	
PLC X20AT2222 ANALOG INPUT 2CH	
PLC X20AI1744 ANALOG INPUT 2CH	

PLC X20HB2880 2X HUB 100	BASE-TX
PLC X20BC8083 2X FAST	ETHERNET HUB
PLC X20PS9400 POWER SUPPLY	MODULE
PLC X20DI9371 DIGITAL INPUT	12 CH
PLC X20DO9322 DIGITAL	OUTPUT 12 CH
PLC X20PS2100 POWER SUPPLY	MODULE
3CP380.60-1 / CPU	
2609540	Endverbleib T¼rkei
PPE-PS	PPE-PS by B&R - Buy or Repair at Radwell - Radwell.co.uk
X20TB12	X20TB12 by B&R - Buy or Repair at Radwell - Radwell.co.uk
X20TB06	X20TB06 by B&R - Buy or Repair at Radwell - Radwell.co.uk
AI MODUL X20AI1744	
3CP360.60-2 Rev.60	41460169396
BLOCK,X20TB12	
MOD¼L,X20 BM 01	
8LSA55.EA030D000-3	
X20ps3310	
4b120000590	
3do4796	
5p30:Bmw-07	
X20ai2622	X20 analog input module, 2 inputs, ± 10 V or 0 to 20 mA / 4 to 20 mA, 13 bit converter resolution, Input filter can be parameterized
X20di9371	X20 digital input module, 12 inputs, 24 VDC, sink, Parameterizable input filter, 1-wire technology
2ex100501	
3am0506	
3bm1509	
X20at4222	X20 temperature input module, 4 inputs resistance measurement, PT100, PT1000, resolution 0.1 ° C, 3-wire technology
X20bm01	
3ps4659	

2di4266	
8lsa44.E3030d100-0	
8v1045.00-2	
8ce007	
3at350.6	
8cr015	
Ai774	Analog Input
Af101	Analog Interface
3di450609	
X20cpu1483	
X20ao2622	X20 analog output module, 2 outputs, ± 10 V or 0 to 20 mA / 4 to 20 mA, 13 bit converter resolution
3do6506	
X20ac0sh1	
Am051	
8ce010	
2do4286	
X20ac0sc1	
8cr010	
3bp150.41 Plc Rock	
0ps1200.1	
X20do9322	X20 digital output module, 12 outputs, 24 VDC, 0.5 A, source, 1-wire technology
8v1090.00-1	ACOPOS servo amplifier, 3 x 400-480 V, 8.8 A, 4 kW, line filter and Integrated braking resistor
5p30:Bmw-13	
Kit Steuerung 500	
3nc1506	
3ex45066-2	
X20cp1584	X20 central unit, ATOM 0.6 GHz, 256 MB DDR2 RAM, 1 MB SRAM, exchangeable program memory: CompactFlash, 1 slot for X20 interface modules, 2 USB interfaces, 1 RS232 interface, 1 ethernet interface 10/100/1000 Base-T, 1 POWERLINK interface, incl. feed module, Terminal block 1x

X20TB12, slot cover and X20 end plate on the right
X20AC0SR1 enclosed, Order program memory separately!

[4a0006.00-000](#)

[8ce005](#)

[2cp100601](#)