

Burocco

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Burocco Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Burocco T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
Pos 1	VR EURO - DN80 - PN16 - CV 105 - GS400-12/15 - FL PN16 - RF - (T PTFE/CG) - OTT EQP - F400-STD+OR - SERV. S340/I - AZ AA - CM 12/30 PSI - C.30MM - T -5/+190°C cod. N1HC1AJK7AAJA1F2G7B ΔPmax 9 bar Pos 2 ELECTRO-PNEUMATIC POSITIONER SMC MOD. IP8000 COMPLETE GAUGE, INPUT 4-20 MA, PROTECTION IP65. (INSTRUMENT PLACED PIPING IN PLASTIC AND FITTING IN BRASS) cod. APOSIFA4-SM1- Pos 3 FILTER SMC MOD. AW20 RANGE 0/4 BAR (ON POSITIONER) cod. AFR-F6C6-SM4-
Pos 1 with digital IP8001 positioner	VR EURO - DN80 - PN16 - CV 105 - GS400-12/15 - FL PN16 - RF - (T PTFE/CG) - OTT EQP - F400-STD+OR - SERV. S340/I - AZ AA - CM 12/30 PSI - C.30MM - T -5/+190°C cod. N1HC1AJK7AAJA1F2G7B ΔPmax 9 bar Pos 2 **DIGITAL** ELECTRO-PNEUMATIC POSITIONER DIGITALSMC MOD. IP8001-034-W-2, INPUT (HART - 4-20 MA), POSITION TRANSMITTER OUTPUT 4-20 MA, N°2 ALLARM, PROTECTION IP65. cod. APOSIGD1KSM1-6 Pos 3 FILTER SMC MOD. AW20 RANGE 0/4 BAR (ON POSITIONER) cod. AFR-F6C6-SM4-
list in the appendix	
526068 VR EURO Flanged Valve PN16 DN80	2000241125
smc ip8001, smc aw20, dc1020, ip convertor	
04D1B21B1H162	
06A1211B1V2X7	
1AAD3QAML2DA	
1AEC2IBES1D2	
1CHC3AAFU1D2	
25211 (OEM)	
35333	
35333(2)	
35333(3)	
35333(4)	
35333(5)	
35334-2016	
35335	
35335(2)	

[35335\(3\)](#)

[35335\(4\)](#)

[35336, 35337](#)

[35336-35337](#)

[35336-35337\(2\)](#)

[35338-2016, 35339, 35340](#)

[35340](#)

[35341](#)

[35341\(2\)](#)

[35341\(3\)](#)

[35342-2016, 35343](#)

[35342-35343](#)

[3KAE1QA2ADE33](#)

[3KBE1QA2ADE3](#)

[3QCE1RA2BDJ3](#)

[5L2AFE9A11](#)

[5M2AEB2A11](#)

[cod. 1AEC2IBES1D2](#)

[COTD0013958AA](#)

[CSED0012403AA](#)

[FILTRO RIDUTTORE SMC](#)

[MOD.IP8000](#)

[S1AC3AJK5NIQA1C2C6C](#)

[S1BC1AJK7AAQA1C2C6B](#)

[S1DC2AJK7AAQA1C2C6B](#)

[S800](#)

[VSP CL DN15/3V T](#)

[VSP/3V - DN15 PN40 IN AISI 316L](#)

[17315](#)

[ROAE00ER2A](#)

PN07990312	VANA;PNMATİK ORANSAL VANA;DN100 PN16;TRIM: INOX-PTFE / PLUG: EQP;MATR:39859-2017 / MOD: S800 / BODY: GS400-12 / CV:160-KVS136;
Ev351	
3qce1va2bdj3 Ball Valve	
Pn16 Dn40	
Valve 25207 , Repair Kit Sil C4500 - Ptfе/Cg Or S.63/R - Nc (Oem*)	
Valve 25207 (Oem For Soren S.R.L), Repair Kit Sil C4500 - Ptfе/Cg Or S.63/R - Nc	
Cod. 1aec2ibes1d2 On-Off Valve	
Vsp/2v - Dn25	
S.63/R - Nc (Oem*)	
Dn80 Pn16	21908 S2003D Please see attached photo
Cod. 1aec2ibes1d2	
Vsp/2v - Dn32	
Gtkn55x90.Np14a	
Sil C4500 - Ptfе/Cg (Oem*)	
01s0842	
26623	
Cv 48 - Gs400-12/15 / Dn50 - Pn16	
3qce1va2bdj3	