

Cam Line

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Cam Line Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Cam Line T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
C35-Da	
3-1059-C30-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C15-Da-Sv2	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 2
0.75-1159-Es3-Lds-G-Ox	
3-1159-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 3
3-1159-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 3
1.5-1159-C1v	
2-1059-Hd3-Lds	STAINLESS STEEL
0.75-1159-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING

35106	BODY TEFZEL-LINED
4-1159-C35-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-C15-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
075-1159-Lds-V	
015-1159	
2-1159-C30-Sr-3-Fc	100 PSIG AVAILABLE AIR
0.75-1059-Hd2-Lds	
C20-Sr	
3-1059-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
4-1059-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
075-1159-Es2	
3-1159-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE3
35102	BODY TEFZEL-LINED
1-1059-C15-Da	
4-1159-C45-Sr-3-Fc	100 PSIG AVAILABLE AIR
1.5-1159-Et1-Lds-G-Clv	
1.5-1159-Hd3	
0.75-1159-C20-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
1.5-1059-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 2
4-1159-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
0.75-1159-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C45-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
20045	
6-1159-C35-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-C15-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)

4-1159-C35-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 4
1.5-1159-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1-1159-C20-Sr-3-Fc	100 PSIG AVAILABLE AIR
1.5-1159-Hd2	
4-1159-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
0.75-1159-Hd2	
6-1059-C35-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Lds-V	
1.5-1059-Hd2-G	
1-1159-Es4-Lds-G-Clv	
4-1159-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
2-1159-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
83256	
1-1059-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1059-C35-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C60-Sr-2c-Fc	COMPACT FACTORY MOUNT ACTUATOR, FAIL CLOSED, SPRING RETURN, 100PSIG, SIZE 6"
6-1159-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
4-1159-C30-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C20-Da	
3-1059-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
1-1159-Lds-V	
1.5-1159-Es4-Lds-G	
20025	
1-1159-C25-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE 1, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR

0.75-1159-C15-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C30-Sr-2c-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
3-1159-C30-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-Lds-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
21660	
1-1159-Es1-Lds-G-V	
2-1159-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
0.75-1059-C20-Da-Sc	
31782	
6-1059-C45-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
015-1159-Lds-V	
1.5-1059-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Hd3-G	
2-1059-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
2-1159-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-Es3-Lds-G-Ox	
2-1159-Hd2-Ox	STEEL
4-1159-C60-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
1.5-1159-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C25-Da-Sc	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Es4-Lds-G	
4-1159-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1059-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 3
4-1059-C35-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Hd3-Clv	

6-1159-Clv	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED
0.75-1159-C20-Da	
0.75-1059-Et1-Lds-G-Ox	
2-1159-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE2
3-1159-C25-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1059-C35-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1.5-1159-Hd2-Lds	
4-1059-C30-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C25-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-Clv	
81780	
2-1159-Hd3-Clv	STAINLESS STEEL
2-1059-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE4
1-1159-C20-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
35091	
0.75-1159-C15-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-Es3-Lds-G-V	
4-1059-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 4
3-1159-C30-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C60-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
23885	
6-1059-C45-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
0.75-1159-Et1-Lds-G	
015-1059	
1-1059-C25-Sr-2ab-Fc	
6-1159-C35-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-C25-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING

4-1059-C60-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
1-1159-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
3-1159-C30-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Es1-Lds-G-Ox	
6-1059-C35-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
2-1159-C35-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
C45-Sr	
3-1159-C30-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Es3	
3-1059-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 3
20039	
2-1159-C35-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
2-1159-C25-Da-Sv1	80PSIG AVAILABLE AIR, DOUBLE ACTING
19973	
4-1159-C35-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 4
1-1159-Hd2-V	
6-1159-C35-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-C30-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C30-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-Ox	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED
1-1059-C20-Da-Sc	
35115	
C35-Sr-2c-Fc	
C35-Sr-3-Fc	

1.5-1159-Hd3-V	STAINLESS STEEL
C30-Sr	
4-1059	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE4
3-1159-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 3
6-1059-C45-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-C30-Sr-2c-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
2-1159-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Hd2-Ox	
1-1159-Clv	
1.5-1059-Hd3	
C75-Da	COMPACT ACTUATOR, W/ ISO PLATE, DOUBLE ACTING 3
6-1059-C45-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
C15-Sr	
075-1159-Es3	
1.5-1059-Et1-Lds-G-V	
015-1059-Hd2	
3-1059-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
1-1159-Hd2-G	
1-1159-C15-Da	
6-1159-C35-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 2
35116	
4-1059-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1.5-1059-Lds-V	
1.5-1059-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-Es1-Lds-G	
4-1059-C30-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-C15-Da-Sc	

C25-Sr	
6-1059-C45-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-C60-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
2-1159-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 2
4-1059-C30-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
0.75-1159-C20-Sr-3-Fc	100 PSIG AVAILABLE AIR
6-1159-C45-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-C30-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
1-1159-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C25-Da-Sv2	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-C25-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
1.5-1059-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C30-Sr-2ab-Fc	
21662	
1-1159-C15-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1059-Clv	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED
2-1159-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-C45-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
075-1059-Es2	
1.5-1059-C25-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
0.75-1059-Hd3-V	
3-1059-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1.5-1159-Et1-Lds-G-Ox	
0.75-1059-Hd3-Clv	
6-1159-C45-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING

4-1159-C45-Sr-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
2-1059-C20-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-C45-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Et1-Lds-G	
3-1159-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
1-1059-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Es4-Lds-G	
3-1059-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
2-1159-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
3-1159-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 3
0.75-1159-Hd3	
1-1159-Et1-Lds-G-V	
4-1059-Et1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, EXTERIOR STAINLESS STEEL TRIM, MATL SIZE4
1-1159-Es3-Lds-G-V	
2-1059-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 2
6-1159-C35-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C15-Da-Sv1	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Es1-Lds-G-Ox	
2-1159-Hd2	STEEL
1-1159-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
81772	
0.75-1159-Et1-Lds-G-V	
0.75-1159-Es2-Lds-G-V	
19988	
1-1059-Es1-Lds-G-V	
3-1059-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP

1.5-1159-C25-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
6-1059-C60-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
075-1159	
0.75-1159-Hd2-Ox	
6-1159-C35-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-C25-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
3-1059-C45-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
2-1159-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1159-C25-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
3-1159	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE3
1-1059-Es2	
015-1159-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 1.5
21664	
6-1159-Lds-V	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
6-1159-C60-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
2-1159-C25-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
0.75-1059-Es4-Lds-G-Clv	
1-1159-Hd3-G	
3-1059-C25-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
3-1159-C25-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3

3-1159-C30-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
21695	
0.75-1159-Es4-Lds-G	
1.5-1159-C20-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
21699	
2-1059-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE2
1.5-1159-C30-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
35088	
1.5-1159-C25-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
2-1159	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE2
2-1059-C35-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
4-1159-C45-Sr-2c-Fc	80 PSIG AVAILABLE AIR
1-1159-C15-Da-Sc	80PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C45-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
3-1059-C30-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C30-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C20-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
4-1159-C30-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Es2-Lds-G	
2-1059-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C60-Da	COMPACT ACTUATOR, W/ ISO PLATE, DOUBLE ACTING 3
0.75-1059-Es3-Lds-G-Ox	
1.5-1059-Hd2-Clv	
3-1059-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
1-1059-C20-Da	
4-1159-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
1-1159-Es2-Lds-G-V	

4-1059-C35-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
015-1059-Hd3	BALL VALVES, DUCTILE IRON TEFZEL-LINED, OVAL STAINLESS STEEL HANDLE, MATL SIZE1.5
6-1159-C45-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Es1-Lds-G-Clv	
1-1059-C15-Da-Sv1	
1.5-1159-Hd3-Ox	STAINLESS STEEL
4-1059-Lds-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
1.5-1159-Es2-Lds-G	
1-1159-Es3-Lds-G-Clv	
4-1059-C35-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
3-1059-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1159-Hd3-Ox	STAINLESS STEEL
35087	
4-1059-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
1-1059-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
1-1059-Es2-Lds-G-Clv	
2-1059-C25-Da	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1059-Es2-Lds-G-Ox	
0.75-1159-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-C20-Sr-2c-Fo	

3-1159-C45-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
1.5-1059-Hd2	
1-1159-Es4-Lds-G-Ox	
1.5-1059-Hd3-Lds	STAINLESS STEEL
1.5-1059-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
2-1059-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
2-1159-Hd3-V	STAINLESS STEEL
3-1059-C25-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-Hd2-Ox	
2-1059-C25-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Es3-Lds-G	
C75-Sr	COMPACT ACTUATOR, W/ ISO PLATE, SPRING RETURN 3
2-1059-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
0.75-1059-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-C15-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C35-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
015-1159-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 1.5
1-1159-C15-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Es1	
0.75-1059-C20-Da	
1.5-1159-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Es3-Lds-G-Clv	
1.5-1159-Hd2-Clv	
2-1059-C25-Da-Sc	80PSIG AVAILABLE AIR, DOUBLE ACTING

3-1159-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1-1059-C20-Da-Sv1	
2-1159-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1159-Lds-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
3-1159-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1059-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
C45-Sr-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 100PSIG, SIZE 4"
1.5-1159-C25-Sr-3-Fc	100 PSIG AVAILABLE AIR
2-1059-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1059-Hd3-Ox	STAINLESS STEEL
4-1059-C45-Sr-3-Fc	100 PSIG AVAILABLE AIR
6-1159-C60-Sr-2c-Fc	80 PSIG AVAILABLE AIR
C25-Da	
4-1159-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
2-1159-Hd2-Lds	STEEL
4-1059-C30-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
3-1159-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED
0.75-1059-C20-Sr-3-Fc	
0.75-1159-Hd2-Lds	
3-1159-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
1-1059-C20-Da-Sv2	
1.5-1059-Hd2-V	
	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END,

4-1159-Es3	3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 4
6-1059-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1059-C35-Sr-2c-Fc	80 PSIG AVAILABLE AIR
1-1059-Hd2-V	
2-1159-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 2
4-1159-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1159-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-Es3-Lds-G-Clv	
3-1059-C25-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
6-1059-C35-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
36451	
0.75-1059-Es2-Lds-G	
0.75-1059-C20-Sr-2c-Fo	
2-1159-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
075-1059-Et1	
6-1059-C45-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Hd2-Clv	STEEL
4-1059-C35-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C45-Sr-2c-Fc	80 PSIG AVAILABLE AIR
0.75-1159-Hd3-Lds	
31784	
3-1059-C35-Sr-3-Fc	100 PSIG AVAILABLE AIR
4-1159-C30-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED
0.75-1059-Hd2-G	
21656	

2-1059-G	
0.75-1159-C25-Sr-2c-Fc	80 PSIG AVAILABLE AIR
0.75-1059-C15-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Hd2	
3-1059-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1159-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
2-1059-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Hd2-G	
1-1059-Es4-Lds-G-Ox	
4-1159-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1159-Es2-Lds-G-Ox	
1.5-1159-Hd2-Ox	
2-1059-Hd2-G	
35110	
3-1059-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 3
0.75-1059-C25-Sr-2a2b-Fo	
2-1059-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
1.5-1059-Es3-Lds-G	
1-1059-Et1	
2-1159-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
31781	
3-1159-C30-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-C25-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4

4-1159-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
4-1159-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
1-1059-Es1-Lds-G-Clv	
0.75-1159-Es1-Lds-G-Clv	
3-1059-C45-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
1-1159-Es2-Lds-G-Ox	
1-1159-C15-Da-Rf2	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
6-1159	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE6
8807	
2-1059-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1159-Hd3-Lds	STAINLESS STEEL
2-1159-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
0.75-1159-C15-Da-Sv1	80PSIG AVAILABLE AIR, DOUBLE ACTING
C45-Sr-3-Fc	COMPACT FACTORY MOUNT ACTUATOR, FAIL CLOSED, SPRING RETURN, 100PSIG, SIZE 6"
6-1059-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1.5-1159-Et1-Lds-G-V	
3-1159-C35-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
C35-Sr-2a2b-Fc	
3-1059-C45-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
075-1159-Es4	
4-1059-C35-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING

20026	
1-1059-Es1-Lds-G-Ox	
6-1059-C45-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C25-Da	80PSIG AVAILABLE AIR, DOUBLE ACTING
21697	
2-1059-C30-Sr-2c-Fc	80 PSIG AVAILABLE AIR
1.5-1159-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
3-1159-C35-Sr-2c-Fc	80 PSIG AVAILABLE AIR
3-1159-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1059-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
2-1159-C30-Sr-2c-Fc	80 PSIG AVAILABLE AIR
0.75-1059-Hd2-V	
4-1159-C35-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
6-1059-Ox	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED
1.5-1059-C20-Da	
C45-Sr-2a2b-Fc	COMPACT FACTORY MOUNT ACTUATOR, FAIL CLOSED, SPRING RETURN, 60 PSIG, SIZE 3"
2-1159-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1059-C25-Sr-2a-Fo	
015-1059-Lds-V	
1-1159-Et1-Lds-G-Ox	
1-1159-Es1-Lds-G	
4-1159-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
0.75-1159-C25-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
3-1159-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3

4-1059-C30-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
4-1059-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
4-1159-C35-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C35-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
075-1059-Hd3	
3-1059-C25-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059	
1.5-1159-C25-Sr-2c-Fc	80 PSIG AVAILABLE AIR
1.5-1159-Et1-Lds-G	
35089	
3-1059-C35-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
4-1159-C35-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
6-1059-C35-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
2-1059-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
4-1159-C35-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
35104	BODY TEFZEL-LINED
2-1059-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1059-C20-Da-Sv2	
3-1159-C25-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
3-1059-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
6-1159-C45-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING

2-1059-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
0.75-1059-C15-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
2-1059-Hd3	STAINLESS STEEL
1.5-1059-Es4-Lds-G-Ox	
4-1059-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED
19998	
1-1159-C25-Sr-2c-Fc	80 PSIG AVAILABLE AIR
3-1059-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
015-1059-Es1	
4-1159-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
1-1159-C25-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
C45-Sr-2c-Fc	COMPACT FACTORY MOUNT ACTUATOR, FAIL CLOSED, SPRING RETURN, 80PSIG, SIZE 4"
4-1059-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
4-1159-C30-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
1-1159-Et1-Lds-G	
3-1059-C25-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-C30-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-C25-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 2
C60-Sr-2a2b-Fc	COMPACT FACTORY MOUNT ACTUATOR, FAIL CLOSED, SPRING RETURN, 80PSIG, SIZE 6"
3-1159-C25-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Es1-Lds-G-Ox	
2-1059-C25-Da-Sv2	80PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-C45-Sr-3-Fc	100 PSIG AVAILABLE AIR

2-1059-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
C25-Sr-2ab-Fc	
1.5-1159-Hd3-Clv	STAINLESS STEEL
6-1159-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 6
C25-Sr-3-Fc	
3-1059-C25-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Es3-Lds-G	
2-1159-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
4-1059-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED
1-1159-Es2-Lds-G-Clv	
4-1159-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
2-1159-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED
3-1159-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
21658	
2-1159-C25-Da-Rf2	80PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
2-1059-Hd2-Lds	
2-1159-Hd2-V	STEEL
0.75-1159-C15-Da-Sv2	80PSIG AVAILABLE AIR, DOUBLE ACTING
075-1059-G	
6-1159-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1059	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE3
3-1159-C30-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C30-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)

1-1059-Hd2-G	
4-1059-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1-1059-Et1-Lds-G-Clv	
2-1059	
015-1159-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 1.5
2-1159-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
2-1159-Hd2-G	STEEL
1.5-1059-Et1-Lds-G-Ox	
2-1159-Hd3-G	STAINLESS STEEL
C30-Sr-3-Fc	
3-1059-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
0.75-1159-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C60-Sr	COMPACT ACTUATOR, W/ ISO PLATE, SPRING RETURN 3
0.75-1059-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-C45-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-Es3-Lds-G	
2-1059-C30-Sr-3-Fc	100 PSIG AVAILABLE AIR
1-1059-Et1-Lds-G	
2-1159-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
4-1159-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED
1.5-1159-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-C35-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
075-1059	
C45-Sr-2a-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 60 PSIG, SIZE 3"
3-1059-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3

2-1159-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
6-1059-C60-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
3-1159-C25-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-C15-Da-Sc	80PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
4-1159-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE4
C35-Sr-2a-Fo	
0.75-1159-Hd2-G	
1.5-1159-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Hd3-V	STAINLESS STEEL
1-1059-Es2-Lds-G	
3-1059-C30-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-C25-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C15-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Hd2-Lds	
4-1059-C35-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Ox	
2-1059-C25-Da-Rf2	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
1.5-1159-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
6-1059-C45-Sr-3-Fc	100 PSIG AVAILABLE AIR
6-1059-C35-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C30-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Hd3-Lds	
3-1159-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
3-1059-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE3

3-1059-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED
31778	
1.5-1059-C25-Sr-2c-Fc	80 PSIG AVAILABLE AIR
6-1159-C45-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
4-1159-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
4-1159-Lds-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
1-1059-Et1-Lds-G-V	
4-1059-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
C25-Sr-2a2b-Fc	
1-1059-Ox	
0.75-1059-Es4-Lds-G	
2-1059-Hd3-Clv	STAINLESS STEEL
0.75-1059-C15-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
0.75-1159-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C60-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
3-1059-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
2-1159-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
1.5-1159-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
4-1159-C30-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
C60-Sr-2ab-Fc	COMPACT ACTUATOR 60PSIG
6-1159-C35-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Hd3-G	STAINLESS STEEL
1-1159-C25-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
C45-Da	DOUBLE ACTING, COMPACT ACTUATOR, 60PSIG, SIZE 6"

C30-Da	
1-1159-Es1-Lds-G-Ox	
3-1159-C45-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
0.75-1159-Hd3-Ox	
2-1059-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
6-1159-C45-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-C30-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Es4-Lds-G-Clv	
1-1059-Es3	
0.75-1059-Es1-Lds-G-Clv	
6-1059-Lds-V	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
6-1059-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 6
3-1159-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1.5-1159-Es2-Lds-G-Clv	
015-1159-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE1.5
1-1059-C25-Sr-2c-Fc	
0.75-1159-Es1-Lds-G-V	
0.75-1159-Es4-Lds-G-Ox	
1-1159-Hd2-Clv	
1.5-1059-Hd3-Clv	STAINLESS STEEL
3-1159-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
0.75-1159-C15-Da-Rf2	80PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 4
4-1059-C45-Sr-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
3-1159-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)

0.75-1159-C25-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE 0.75, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
6-1059-Et1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, EXTERIOR STAINLESS STEEL TRIM, MATL SIZE6
6-1059-C45-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
6-1059	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE6
4-1059-C30-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-C30-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-C15-Da-Sc	
4-1059-C35-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-Et1-Lds-G-V	
1-1059-Hd2	
0.75-1059-Et1-Lds-G-Clv	
3-1059-Et1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, EXTERIOR STAINLESS STEEL TRIM, MATL SIZE3
C45-Sr-2c-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 100PSIG, SIZE 6"
4-1059-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
6-1159-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1059-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
6-1159-C45-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
3-1159-C25-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-G	
C20-Da	
4-1059-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
1-1159-Es4-Lds-G-V	
6-1059-C60-Sr-2c-Fc	80 PSIG AVAILABLE AIR
1.5-1059-C25-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN

1-1159-Hd3-V	
C60-Sr-2a2b-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 100PSIG, SIZE 6"
C25-Sr-2a2b-Fo	
2-1159-Hd3	STAINLESS STEEL
1-1159-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
21709	
015-1059-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 1.5
075-1059-Lds-V	
3-1159-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
6-1059-C45-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
3-1059-C30-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
075-1159-Es1	
2-1059-C35-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
0.75-1059-Es2-Lds-G-V	
3-1059-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1159-C25-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
1-1159-Es3-Lds-G	
0.75-1059-Hd3-Ox	
2-1059-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1-1159-Es2-Lds-G	
4-1059-C30-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
81779	
1.5-1059-Es3-Lds-G-V	
4-1059-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 4
1.5-1159-Hd3-Lds	STAINLESS STEEL

2-1059-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1059-C15-Da-Sv2	
3-1059-C30-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-C15-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1.5-1159-Hd3-G	STAINLESS STEEL
1-1059-Hd2-Lds	
2-1059-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C60-Sr-2a-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 60 PSIG, SIZE 4"
3-1159-C35-Sr-3-Fc	100 PSIG AVAILABLE AIR
2-1059-C25-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1.5-1059-C25-Sr-3-Fc	100 PSIG AVAILABLE AIR
31779	
075-1059-Es4	
6-1059-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
19991	
0.75-1059-C15-Da	
2-1159-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED
3-1059-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED
1-1059-Lds-V	
3-1059-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
1.5-1159	
1.5-1159-Hd2-V	
1-1159-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)

4-1059-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
4-1159-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 4
1-1059-Hd2-Ox	
2-1159-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
1.5-1159-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1.5-1159-Es2-Lds-G-V	
20024	
0.75-1059-Es1-Lds-G	
1.5-1059-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
6-1059-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1-1059-C25-Sr-2a-Fo	
1-1159-Hd3	
6-1059-C35-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 4
4-1159-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
0.75-1059-C15-Da-Sv1	
3-1059-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 3
4-1159	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE4
2-1159-Lds-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
015-1059-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 1.5
2-1059-C25-Da-Sv1	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Et1-Lds-G-Clv	
4-1159-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED

4-1159-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1159-C25-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C45-Sr-2a2b-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 80PSIG, SIZE 3"