

Citel

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Citel Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Citel Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunulmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
Mj8-Poe-B (581518)	Surge arrester in "gas arrester diode technology" for PoE applications Arrester: C2 Max. Transmission rate: 1000 Mbps Highest continuous voltage, Uc: 6 Vac / 8.5 Vdc, PIN 1,2,3,6 41 Vac / 58 Vdc, PIN 4,5,7,8 Max. Operating current Ic: 1 A, PIN 1-8 Nominal leakage current, In: <30 A / <200 A - Line / Line 2500 A - Line / earth Protection level, Up: <12 V / <95 V - Line / Line <640 V line / earth EN50173 standard: Cat5e Connection: input / output - RJ45
Dlu-06d3	2-pole combination arrester in "Diodes - Gas arrester technology". for RS422 applications Arresters: Type C2, D1 Nominal voltage, Un: 6 V C3 protection level, Up: 20 V D1 lightning impulse current, Iimp: 5 kA (10 / 350µs) C2 Nominal discharge current, In: 5 kA (8 / 20µs) Max. Discharge current, Imax: 20 kA (8 / 20µs) Capacitance, C: <25 pF Response time: <1 ns Installation dimensions: 1 TE Telecommunication contact: none
703-MJ8-POE-A	MFR PN: MJ8-POE-A Din Rail POE Surge S Citel Surge Suppressors RoHS: Compliant
Cm160-120t	120/240V, 1PH, 3W +G, SPLIT PHASE

Cm200-120y	120/208V, 3PH, 4W +G, WYE
Sp330-480d	480V, 3PH, 3 W +G, DELTA
M200-480d	SURGE PROTECTION 480VAC 3PH DELTA 3WIRE
Sp330-347y	347/600V, 3PH, 4W +G, WYE
Sp330-120y	120/208V, 3PH, 4W +G, WYE
Ds12-230/G	
Sp165-480d	480V, 3PH, 3 W +G, DELTA
Sp165-277y	277/480V, 3PH, 4W +G, WYE
Cm80-277y	277/480V, 3PH, 4W +G, WYE
P/N: 581519 Type: Mj8-Poe-A	
M200-240dct	240/120/120V, 3PH, 4W +G, HI-LEG
M200-120y	120/208V, 3PH, 4W +G, WYE
Cm160-120y	120/208V, 3PH, 4W +G, WYE
Cm160-480d	480V,3PH, 3W +G, DELTA
Sp165-120y	120/208V, 3PH, 4W +G, WYE
P/N: 311701 Type: Ds240-230	
Cm100-480d	480V,3PH, 3W +G, DELTA
Sp120-120t	120/240V, 1PH, 3W +G, SPLIT PHASE
Rak32-B-So	32 PORT, STAND-OFF, 8 PINS,RJ45, T1
P/N: 560303 Type: Mj8-Cat6s	
Dla-170	
Sp165-347y	347/600V, 3PH, 4W +G, WYE
Cm200-240d	240V, 3PH, 3 W +G, DELTA
Cm200-120t	120/240V, 1PH, 3W +G, SPLIT PHASE
M200-120t	120/240V, 1PH, 3W +G, SPLIT PHASE
M400-240dct	240/120/120V, 3PH, 4W +G, HI-LEG
Pch48-C6	6V, CAT6, 48 PORT, FLUSH, 8 PINS
Cm80-240dct	240/120/120V, 3PH, 4W +G, HI-LEG
M400-277y	277/480V, 3PH, 4W +G, WYE
Sp120-480d	480V, 3PH, 3 W +G, DELTA

M400-240d	240V, 3PH, 3 W +G, DELTA
Cm100-277y	277/480V, 3PH, 4W +G, WYE
Sp330-240d	240V, 3PH, 3 W +G, DELTA
Dla2-12d3	
Cm80-480d	480V, 3PH, 3 W +G, DELTA
P/N: 311721 Type: Ds240-230/G	
M400-347y	347/600V, 3PH, 4W +G, WYE
P/N: 390111 Type: Ds220s-12dc	
Ds42s-280/G	
Sp165-240dct	240/120/120V, 3PH, 4W +G, HI-LEG
P/N: 159280 Type: Kp1-T	
Cm80-220y	220/380V, 3PH, 4W +G, WYE
Cm80-120t	120/240V, 1PH, 3W +G, SPLIT PHASE
Sp165-240d	240V, 3PH, 3 W +G, DELTA
Dla-12d3	
M200-347y	347/600V, 3PH, 4W +G, WYE
P/N: 390101 Type: Ds220-12dc	
M400-120t	120/240V, 1PH, 3W +G, SPLIT PHASE
Cm200-240dct	240/120/120V, 3PH, 4W +G, HI-LEG
Dla2-24d3	
M400-480d	480V, 3PH, 3 W +G, DELTA
P/N: 461402 Model: Ds44-400	
Sp120-220y	220/380V, 3PH, 4W +G, WYE
Cm200-347y	347/600V, 3PH, 4W +G, WYE
Cm200-220y	220/380V, 3PH, 4W +G, WYE
Rak32-G-So	32 PORT, STAND-OFF, 2 PINS, RJ11, TEL
Cm200-480d	480V, 3PH, 3 W +G, DELTA
Cm80-120y	120/208V, 3PH, 4W +G, WYE
Cm100-120y	120/208V, 3PH, 4W +G, WYE
Sp165-120t	120/240V, 1PH, 3W +G, SPLIT PHASE
Cm100-120t	120/240V, 1PH, 3W +G, SPLIT PHASE

P/N: 311731 Type: Ds240s-230/G	
Rak32-T-So	32 PORT, STAND-OFF, 8 PINS, RJ45, RS232
M200-277y	277/480V, 3PH, 4W +G, WYE
Sp330-220y	220/380V, 3PH, 4W +G, WYE
M400-120y	120/208V, 3PH, 4W +G, WYE
Dlu2-06d3	
M200-240d	240V, 3PH, 3 W +G, DELTA
Sp165-220y	220/380V, 3PH, 4W +G, WYE
P8ax25-N/Mf	
Sp330-120t	120/240V, 1PH, 3W +G, SPLIT PHASE
Cm80-240d	240V, 3PH, 3 W +G, DELTA
Mj8-Poe-A(581519)	
Mj8-Poe-B	
Sp120-240d	240V, 3PH, 3 W +G, DELTA
M200-220y	220/380V, 3PH, 4W +G, WYE
Cm160-277y	277/480V, 3PH, 4W +G, WYE
Cm160-220y	220/380V, 3PH, 4W +G, WYE
Cm160-240dct	240/120/120V, 3PH, 4W +G, HI-LEG
Sp330-240dct	240/120/120V, 3PH, 4W +G, HI-LEG
Sp330-277y	277/480V, 3PH, 4W +G, WYE
Cm100-220y	220/380V, 3PH, 4W +G, WYE
Cds60vgpv	2W +G, MOV+GSG, 40 A
Sp120-277y	277/480V, 3PH, 4W +G, WYE
Cm100-240d	240V, 3PH, 3 W +G, DELTA
Cm160-240d	240V, 3PH, 3 W +G, DELTA
Sp120-347y	347/600V, 3PH, 4W +G, WYE
Cm200-277y	277/480V, 3PH, 4W +G, WYE
P/N: 461131 Type: Ds42-280g	
Cm100-240dct	240/120/120V, 3PH, 4W +G, HI-LEG
Sp120-240dct	240/120/120V, 3PH, 4W +G, HI-LEG

Sp120-120y	120/208V, 3PH, 4W +G, WYE
Rak32-E-C6-So	32 PORT, STAND OFF, 8 PINS, RJ45, CAT6
M400-220y	220/380V, 3PH, 4W +G, WYE