

## Cooper Instruments

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Cooper Instruments** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Cooper Instruments T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">086714A0001</a>	
<a href="#">10QNPD-6000</a>	
<a href="#">1463494</a>	
<a href="#">20-932</a>	
<a href="#">24-100P UTP-CMP SOLID BC CAT 3</a>	
<a href="#">403-AP</a>	
<a href="#">5040/UC12W-RTK</a>	
<a href="#">600MM/ VMAX: 15KV (12A)/ IEC60282-2</a>	
<a href="#">600MM/ VMAX: 15KV (3A)/ IEC60282-2</a>	
<a href="#">600MM/ VMAX: 15KV (6A)/ IEC60282-2</a>	
<a href="#">900-151</a>	
<a href="#">90-360022</a>	

<a href="#">ADOM.C.30</a>
<a href="#">CAP 222 594</a>
<a href="#">CAP320</a>
<a href="#">CAPT340</a>
<a href="#">CBG370S</a>
<a href="#">CEB08218-36</a>
<a href="#">CHR0965</a>
<a href="#">EC1002TSNC</a>
<a href="#">EX-7LI</a>
<a href="#">FX201</a>
<a href="#">KC-RUMI-30</a>
<a href="#">KC-RUMI-35</a>
<a href="#">KC-RUMI-40</a>
<a href="#">KC-SIZER</a>
<a href="#">MB 3794910-00004</a>
<a href="#">MCOM EN54-17 DF6000</a>
<a href="#">P/N URT03040A1A1A1A</a>
<a href="#">P3798102-00031</a>
<a href="#">SFDE 400MH</a>
<a href="#">TA 20000</a>
<a href="#">UMO672</a>
<a href="#">UMW676</a>
<a href="#">UMY514</a>
<a href="#">V P1407905-0020</a>
<a href="#">V P1791792-0028</a>
<a href="#">VE/EVG 06236 230V 50/60 Hz(Typ nLLK N 08)</a>
<a href="#">WG320240B-FM DF6000</a>
<a href="#">YPCB2153 DF6000</a>
<a href="#">ZG5-280-340</a>
DIGITAL POWER UNIT, 90-260VAC, ACCESSORY

<a href="#">Wtsd</a>	TYPE:DIGITAL POWER UNIT, FOR USE WITH:COOPER WBTS12 WBTS35 ELECTRIC SCREW DRIVERS, SUPPLY VOLTAGE VAC:260V,
<a href="#">53900299</a>	DIGITAL POWER UNIT, 90-260VAC, ACCESSORY TYPE:DIGITAL POWER UNIT, FOR USE WITH:COOPER WBTS12 WBTS35 ELECTRIC SCREW DRIVERS, SUPPLY VOLTAGE VAC:260V,
<a href="#">58767706</a>	TORQUE TESTER, 2.3-44.2LBF-IN, ACCESSORY TYPE:TORQUE TESTER, FOR USE WITH:COOPER WBTS12 WBTS35 ELECTRIC SCREW DRIVERS, ROHS COMPLIANT: NA
<a href="#">Lgp-310</a>	LOAD CELL PANCAKE RANGE 20000LBS
<a href="#">53909499</a>	IMPERIAL:0.25, FOR USE WITH:WTSD AND WTSA POWER UNITS, RO