

## Corken



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Corken** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Corken T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">T196</a>	
<a href="#">1452-1X3</a>	Seal kit 1452-1X3, piston rod with 1452-1, 1453-1, 1454 (5), 1628, 1714 for cork compressor type D491 and D291 Weight: each approx. 0.005kg Customs: 84139100 Country of origin: US
<a href="#">1775</a>	for cork compressor type 290/291 Weight: each approx. 0.003kg Customs: 84149000 Country of origin: US
<a href="#">FAS-Nr. 21050</a>	Dry running compressor Corken type 91AJ3FBANSNN Output max. 13 m <sup>3</sup> /h, with simple piston rod seal, with flywheel and pressure gauges, Inlet/Outlet 3/4" IT, NPT
<a href="#">Z3200</a>	
<a href="#">Z3200 LPG</a>	Ejector pin. 6pcs Palette. 12pcs Curiosity Packing. Buna-N-SIC. 2 pcs Shirt. 2 pieces
<a href="#">Corken Pump Z-4500 from ASTM A 536</a>	FAS-Nr. 21718 Connections input 4" ANSI, output 3" ANSI Flow rate of the pump 719-1,457 l/min Max working pressure: 28.6 bar Max differential pressure: 8.6 bar
<a href="#">FAS-Nr. 21055</a>	Dry-running piston compressor, type Corken 491, with simple stuffing box, connection 1 1/4" NPT, Housing material made of ductile iron ASTM A536, with drive V-belt pulley, max. speed 825 rpm, max. stroke volume flow 60 m <sup>3</sup> /h, min. inlet pressure 0.21 bar, maximum outlet pressure 23.1 bar
	Pump for propane/butane, type Corken FD-150 Output approx. 60 l/min., max. differential pressure 10.5 bar, Flange according to DIN EN 1092-1 (DIN 2635), PN 40, Inlet DN 40, outlet DN 25, with free shaft end DoEU DECLARATION OF

<a href="#">FAS-Nr. 21608</a>	CONFORMITY FOR ATEX DIRECTIVE ATEX 2014/34/ EU DECLARATION OF INCORPORATION FOR MACHINERY DIRECTIVE 2006/42/ ECummentation: Scope of documentation: - Operation manual
<a href="#">FAS-Nr. 21297</a>	Corken pump, type Z32000HGA6PGE with two free shaft ends (clockwise or counterclockwise rotation) Input ASME flange class 300 for direct connection to the foot valve from TKW and additional auxiliary inlet opening 2" NPT IG. Output 250 l/m at max. 8.6 bar differential pressure without additional accessories Documentation: EU DECLARATION OF CONFORMITY FOR ATEX DIRECTIVE ATEX 2014/34/EU DECLARATION OF INCORPORATION FOR MACHINERY DIRECTIVE 2006/42/EC Scope of documentation: - EU Declaration of Conformity according to Directive 2014/34/EU (94/9/EG - ATEX) - Operation manual
<a href="#">FD150 Pump +5,5kW EX"e</a>	
<a href="#">Gasket Kit 1744-X1A</a>	for Corken compressor type 690
<a href="#">Gasket Kit 1744-X3A</a>	for Corken compressor type 691
<a href="#">491AM3FBANSNN</a>	Dry-running piston compressor, type Corken 491, with simple stuffing box, connection 1 1/4" NPT, Housing material made of ductile iron ASTM A536, with drive V-belt pulley, max. speed 825 rpm, max. stroke volume flow 60 m3/h, min. inlet pressure 0.21 bar, maximum outlet pressure 23.1 bar
<a href="#">Model: HG 601 BB</a>	SN : 0M4FDANSNNN Cylinder SN : 66146 BB
<a href="#">FAS-Nr. 32525</a>	Drive vane for Corken pump 1021, Type Corken 1308-9
<a href="#">Piston rings. Code.1773</a>	
<a href="#">Head gasket. Code: 1481s</a>	
<a href="#">Crankcase gasket. Code: 1489</a>	
<a href="#">Piston ring expanders. Code.1776</a>	
<a href="#">Piston rod seal. Code: 1452 1X1</a>	
<a href="#">Suction valve assembly. Code: 2532-1X</a>	
<a href="#">Discharge valve assembly. Code: 2439-X</a>	
<a href="#">ZV200 By-Pass Valve</a>	
<a href="#">LPG evaporator 1500 kg/h (Supply and Assembly pric</a>	
<a href="#">LPG filling pump Corken 1021 or equaly (Supply and</a>	Assembly price)
<a href="#">Z2000HGAEEU</a>	
<a href="#">491 AM 2 FBNSNN lpg</a>	15 oil filters and 15 safety valves

<a href="#">Model Pt-30</a>	
<a href="#">Model Pt-20</a>	
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 Ring 2-236b</a>	
<a href="#">5tg</a>	
<a href="#">1384-X1</a>	
<a href="#">Bau,S/N:Ggd,Size:1</a>	
<a href="#">1725 2x Packing Set</a>	
<a href="#">Cdbn1022</a>	
<a href="#">F14cd2a</a>	
<a href="#">Model ? F14cd2a Serial No ? Yq214499</a>	
<a href="#">491</a>	
<a href="#">Electric Motor For Model ? F14cd2a Serial No ? Yq214499</a>	
<a href="#">Z3200hgapge</a>	
<a href="#">Bau 1.00 Wz B 166</a>	
<a href="#">691am3fbansnn</a>	
<a href="#">1452-1x3</a>	
<a href="#">3371x1</a>	SWITCH
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 O-Ring 2-248 A,C</a>	
<a href="#">Z-2000</a>	
<a href="#">Model: 491am3fbansnn, 676430k</a>	
<a href="#">3810 X1 Packing Set</a>	
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 O-Ring 2-031 B</a>	
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 Outer Spring 3928</a>	
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 O-Ring 2-231 A</a>	
<a href="#">Sc60-D-B-2a-D-1-4</a>	

[Spares And Tool Kit For Compressor  
Package Thg601bbgm4fbbnsnnn ? 103  
Ring 2-253b](#)

[Model 521](#)

[Spares And Tool Kit For Compressor  
Package Thg601bbgm4fbbnsnnn ? 103  
O-Ring 2-235 B](#)

[Spares And Tool Kit For Compressor  
Package Thg601bbgm4fbbnsnnn ? 103  
Valve Gasket 2114a](#)

[Seal Kit For Model ? F14cd2a Serial No ?  
Yq214499](#)

[Fd150cd6a](#)

[Z4500](#)

[Small Model 51](#)

[Z3200](#)

[Spares And Tool Kit For Compressor  
Package Thg601bbgm4fbbnsnnn ? 103  
Ring 2-228b](#)

[Spares And Tool Kit For Compressor  
Package Thg601bbgm4fbbnsnnn ? 103  
Valve Kit 3857-?](#)

[3551-X1](#)

[Ff150cd6k](#)

PUMP/BRONZE IMPELLER/ SILICONE CARBIDE SEAL/ SEAT  
MATERIAL MUST BE KALREZ

[Spares And Tool Kit For Compressor  
Package Thg601bbgm4fbbnsnnn ? 103  
Gasket Package 3582-?6b](#)

[491am3fbansnn](#)

[Passing Hcl Gas Compressor](#)

[Fas-Nr. 32242](#)

Sealing kit "Packing", for Cork Compr Typ 690/691 / D691 1  
D891, T691, T791 Part No .: 1725-2X with 1723, 1724, 1725-  
2 (4), 1728, 1731 Repair needs for 690/691 - 2 pcs Repair  
requirements for D691 - 4 pcs Repair requirements for D891 -  
2 pcs Repair requirements for T691 - 6 pcs Repair  
requirements for T791 - 6 pcs Customs No .: 84149000  
Country of origin: US

[Spares And Tool Kit For Compressor  
Package Thg601bbgm4fbbnsnnn ? 103  
O-Ring 3811](#)

[Fd-150](#)

<a href="#">291am3fbansnn</a>
<a href="#">1?? B 166</a>
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 O-Ring 3814</a>
<a href="#">3906</a>
<a href="#">B166 By-Pass Valve</a>
<a href="#">2-Way Valve With Filter And Piping For 891</a>
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 Packing Ring 6? - 1752</a>
<a href="#">B166 Code:627741404</a>
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 Rider Ring 3573</a>
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 Standing Valve Kit 3856-?</a>
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 O-Ring 2-258_A</a>
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 O-Ring 2-127_A</a>
<a href="#">Co3195-X2</a>
<a href="#">Sc65</a>
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 Internal Spring 3929</a>
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 O-Ring 2-250_A</a>
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 Scaper Ring 3816</a>
<a href="#">Spares And Tool Kit For Compressor Package Thg601bbgm4fbbnsnnn ? 103 3542</a>
<a href="#">Vane For Z4500</a>
<a href="#">D891jm4fbansnn</a>

[Spares And Tool Kit For Compressor](#)  
[Package Thg601bbgm4fbbnsnnn ? 103](#)  
[O-Ring 4272](#)

[1746](#)

[Spares And Tool Kit For Compressor](#)  
[Package Thg601bbgm4fbbnsnnn ? 103](#)  
[O-Ring 3810](#)

[Model Pt-25](#)

[Spares And Tool Kit For Compressor](#)  
[Package Thg601bbgm4fbbnsnnn ? 103](#)  
[Slinger 1732](#)

[Spares And Tool Kit For Compressor](#)  
[Package Thg601bbgm4fbbnsnnn ? 103](#)  
[Piston-Pin Bushing 3541-?](#)

[Model 1021](#)

[Pine For Z4500](#)

[B166-1](#)

[Co3371-X](#)

[Spares And Tool Kit For Compressor](#)  
[Package Thg601bbgm4fbbnsnnn ? 103](#)  
[Tensioner 6? - 1753](#)

[Spares And Tool Kit For Compressor](#)  
[Package Thg601bbgm4fbbnsnnn ? 103](#)  
[Oil Filter 4225](#)

[1725-2x](#)

[Spares And Tool Kit For Compressor](#)  
[Package Thg601bbgm4fbbnsnnn ? 103](#)  
[Gasket Package 4273-1](#)

[B166-75](#)