



Digmesa

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Digmesa** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Digmesa T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Flowmeter Fhksc	in PVDF, 1.2mm nozzle, with fastening pin, O-ring: Viton Turbine with 2 magnets (medium not touching) Item no .: 932-9301 / P2 Country of origin: CH Customs tariff number: 9026.1000
Flowmeter Fhku 70	in PPS, hose 11 / 12mm ", nozzle 7.0mm, O-ring: silicone, Position pin: Inox 1.4305 el.Connection: 3 pin amp, turbine: 2 magnets (Touching medium) Item no .: 938-3270 / 01
938-6500/01	Flowmeter FHKU, G 1/2 ", in Arnite, 10.0mm nozzle, O-ring: silicone, Bearing pin: Inox 1.4305, turbine: 2 magnets (medium in contact) Article number: 938-6500 / 01 Country of origin: CH Customs tariff: 9026.1000
FLOWMETER FHK 20 PNP G1/4" Arnite (PBT 35%GF)	2 x G1/4" female threads (BSP), el. Anschluss: 3 pin - AMP 2.8 x 0.8 mm PNP D¼se: PPS Ø2,0 mm, Lagerstift: INOX 1.4305, O-Ring MVQ (silicon) Turbine: FT36, PVDF, 2 Magnete, Sr Fe OArtikel Nr.: 937-1520/F18
09193142 10	
18021AUTO	
350-0410	
527-0303	
935-1500/2	
935-1500/4	

937-1510/F01	
937-1556/03	
938-1540/01	
938-1556/01	
938-6300/C014	
938-6500/014	
938-6800/CE01 4	
938-6800/K344	
941-0010/3	
FT 36 2M	
PNP 938-1320 / AE182	
932-9301/P2	Flowmeter FHKSC in PVDF, Schlauch 6,5/6,0mm, O-Ring: Viton Turbine: PFA 2 Magnete (Medium nicht ber¼hrend), Artikel Nr.: 932-9301/P2
937-1556/03	Flowmeter FHKC in Amite, 2 x G1/4", nozzle 5.6 mm, O-ring: silicone Bearing pin: Inox 1.4305, turbine: 2 magnets (touching the medium), electrical connection: Pancon Mas-Con Article No.: 937-1556/03
932-9301/P2	Flowmeter FHKSC in PVDF, hose 6.5/6.0mm, O-ring: Viton Turbine: PFA 2 magnets (not touching the medium),
flowmetre CH-2563	
01B2	
937-1520/F01	FHK 20, in Amite, G1/4", electrical connection 3-pin AMP, PPS nozzle 2.0mm, Bearing pin 1.4305, O-ring silicone, turbine FT36 2 magnets
932-930/P2	
937-1520/FO1	
80431320100	
Flowmeter: FHKU 100 Highflow,	Flowmeter: FHKU 100 Highflow, in PPS (Larton), with 10.0mm nozzle, G ½", O-ring: silicone, bearing pin and bearing: zirconium oxide, Turbine: 4 magnets (does not touch medium), electrical connection: 3 pin AMP Item no.: 938-6200/K344
938-3270/182	
932-9301/P2	Flowmeter FHKSC in PVDF, hose 6.5/6.0mm, O-ring: Viton Turbine: PFA 2 magnets (not in contact with medium), Country of origin: CH Customs tariff number: 9026.1000 Article number: Article number: 932-9301/P2
932-9301/P2	Flowmeter FHKSC in PVDF, hose 6.5/6.0mm, O-ring: Viton Turbine: PFA 2 magnets (not in contact with medium), Country of origin: CH Customs tariff number: 9026.1000 Article number: Article number: 932-9301/P2
938-6300/C014	FHKU 100, material: PVDF, G 1/2", nozzle: 10mm, bearing: PCTFE, O-ring: Viton, turbine: 4 magnets (non-contacting medium) el. connection: 3Pin AMP 2.8x0.8mm,
Ch-Ipsach	
938-1556/01 Flowmeter Fhku	
938-6500/01 Flowmeter Fhku	
935-2500/4	

930-0073_Oem	
Fhksc 932-9506/B	
93b-0620/F01	Flowmeter FH slim, full Brass, G1/4", 2,0 mm D¼se aus Ryton, O-Ring: Silikon Lagerstift: INOX 1.4305, Turbine FT36 (2 Magnete, Medium ber¼hrend)
938-3270/012	
932-9301 / P2	Flow meter FHKSC in PVDF, hose 6.5 / 6.0mm, O-ring: Viton Turbine: PFA 2 magnets (medium not in contact),
937-1825/09	
938-6500/014 Ch-2563 Ipsach	
932.9301/P2	
934-1550	
932-9308m2	
937-1520/F01	
938-6500/014 Flowmeter	
Fhk 5.6mm Pbt (Arnite)	