

Dittmer

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Dittmer Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Dittmer T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
D150606022	Screw-in RTD with coupling nut M12x1,5 measuring range 0-150°C connection head Type MA(J) neckpipe 20xø6 mm bulid in length 68xø4 mm Material 1,4571 sensor 1xPT100 DIN Kl.B 2-wire inclusive manufactory certificate 2.2
1 PT100/3-WIRE	
1*PT100/3-WIRE L1=2000mm L2=4000mm	
104394 45	
120909093	
130707229	
14007	
14149-01	
1721-9	
181117246	

1xPT100
1xPT100 3
1xPT100 EN60751 B/4/150
1xPT100 EN60751 B/41100
1XPT100 OHM DIN, S/N: D99/085705
1XPT100/208
2 x PT100 DIN KI.A
2XPT100
2xPT100DIN A 3-Leiter
2XPT100E D 0711/1364B
4,35,04,21
4,51,20,21
4,91,01,81
4,95,02,22
51.3612700.2B (eng101001489)
68511415
68512015
68512815 /1XPT100
8,30,00,38en g
at14149-01
b101015373=2xPt100/3L DN-A
BVS 04 ATEX E 138 X (7.33.06.10)
D07/031701
D08/116653
D08/116654
D09/041685
D121212535
D1310499201
D140910585 (2 x PT100 B 2L)
D150201632

D150202064
D160604873
D170100603
D180202279
D180913352
DI8BDIT013
eng005
eng007
eng101011661kal
eng101012977kal
eng101012978kal
eng101013144kal
eng101015373
eng101017287kal
eng101018745
eng-10122-1
eng-10122-2
eng110604263
eng11072349
eng11072350
eng11072361
eng11072363
eng11072365
eng11072373
eng-11473
eng14149-01
eng150504539
eng-156081
eng160617200001
eng170201300
eng-610708467

eng87129215	
engD04/105751	
kali2xPT100/ 3pun	
MA-E1A1513759	
poverka	
PT-100	
PT100 (D170201300)	
rus10641191G	
V-2158-401-A-745	
temperature radial bearing turbine 10MAC10 DE	
temperature radial bearing turbine 10MAC20 DE	
Probe 1XNiCr-Ni MU -50+500°C	
Sensor with EEx d ATEX certification	type: 2xPT100-B3L- du5.416077 3-wire Connection Head: 55VA Tube: length 50mm/Diameter 6mm Welded connection: G 3/4 Temperature sensor for HP Pumps
Small Resistance Thermometer	type: 2xPT100-B2L 2-wire Connection Head: 25mm Tube: length 50mm/Diameter 6mm Adjustable fitting : 1/8 Temperature sensor for Turbines
Immersion Resistance thermometer	type: 1xPT100-B-3L 3-wire Connection Head: Tube: length 100mm/Diameter 6mm Adjustable fitting : 1/4 Temperature sensor for pump
1XPT100-B-4L-EXİ	CONNECTION JOINT DIAMETER: 14MM PROBE DIAMETER: 6 MM PROBE LENGTH 30 MM 4 WIRE PT100 MEASURING BED TEMPERATURE OF 552 M01 MOTOR
D120707394	Screw-in sensor with spring function. according to data sheet 3.3 without GL certificate Connection head MA (J), thread G1/2" 1 x PT100 EN 60751 class B 2-wire Installation length: 275 mm Sensor Ø 6 mm Weight approx. 0.5kg/probe
test report	Manufacture Certificate Werkszeugnis 3.1B Manufacture Certificate 3.1B (Test Report) ATTENTION: This is not a Calibration Certificate Price per Position
DITTMER 1XPT100-B-4L-EXİ	
RTD Sensor	RTD Sensor pt100 Type 4-Sim -40... 180 °C Element length 13100 mm size U = 1100 mm length cable interface 12 m element form Direct Brand DITTMER Technical Number 68512115
	Bearing WTH / tilting pad bearing sensor 1xPT 100 DIN KI.B

eng68512115	4-Wire / 4 wire insert Exi BVS 03 ATEX E292 X Ex II 2G Ex ia IIC T4/T6 Gb Ex 2D Ex ia IIIC T135°C Db Model 4,69,11,12 Flex length 1100 mm Transition /cable connecting 60xø8 mm Tip / top ø3 x 15 mm Cable length /cable 12,000 mm blue /blue TC.:
D150606022	Screw-in RTD with coupling nut M12x1,5 measuring range 0-150°C connection head Type MA(J) neckpipe 20xø6 mm bulid in length 68xø4 mm Material 1,4571 sensor 1xPT100 DIN Kl.B 2-wire inclusive manufactory certificate 2.2
V-X6-G14-1.TC-5 Safety Valve 1"	
1.5-B116-VSPG30-Y ITT valve positioner	
1.5-B116-VSPS48-Y TT valve positioner	
engLV057275-01	Wth for tilting pad bearing 2xPT100DIN B 3-wire/ / 3 wire, top/ top 3.2x11mm Flex area /flex length 1500 mm Cable length/cable-length 8,500 mm Cable white (L2=Cable-length+flex-length=1.5m+ 8.5m =10m) Cable transition sleeve ø6x60mm (BHS/Alstom drawing) W-No. 1.4571 without screw connection /without screw Version according to LV57275-01, BHS drawing 5128815002 !!!! Attention: Cable transition sleeve according to alst11473 and BHS 5128815002 ø6x60 mm!! attention:cableconnecting tube according to alst11473 and BHS 5128815002 ø6x60 mm!!!!!! TK: Weight / weight r.a. 1 kg
160604873	
D131111072	
Eng-1846-8	
Eng-8bdit030	
63241890	
D07/095757	
D09/052227	
Eng60751b/4/ 150	
Fisc9804-1 ,Exf01 ,Tisa+ 3001 ,Resistant Thermometer Pt100 ,Temperature Monitoring Bearing 1 Exhaust	
1xpt100-B-4l-Exia Atex-1846-8 Temperatursensor	
1xpt100-B-3l	
D08/052998	
1?Pt100-1.3850 Temperatursensor(-40...+200)grad C-Ph3 Mm-174 Mm-470 Mm (4.48.160.450)	

P/N. 6166 4790
D06/096147
D20191101
4,91,00,62
2?Pt100-1.4541-(0...180)
Eng151111321
2xpt100 3wire Classb
4,91,00,92
4.46.00.31
68512915
Eng6961275
D140303047
1xpt100 Ohm Din, S/N: D99/085705
Bvs 03 Atex E 292 1xpt100b3le Drucksensor
D130908620
Eng57275-1
D20191103
Eng101006637
Eng68512915
1xpt100 3l
K Iec 584 Ki.1
Eng04562
D160807216
Eng-1722
Eng101012681
Pt100b 4l
Eng60751b/4/ 250
4.91.2500.2800
D06/117484

Siemens Standard
Engd06/09614 7
Famaga2019-0 8-30
Eng100179
D160807234
Eng-1721-3
Eng9705016
D20191102
4.44.20.12
4.91.2000.2300
4.46.00.11
4.48.160.450
Pt100,3/8quot;X1/4quot;
63241890, 2500 Mm
Part No: 61664890
4.91.01.81
121212535 Widerstandsthermometer
Eng-Riva0809 -1 1xpt100 4l
1xpt100 /4l Din-B -20/+195 04 Atex E
138x
D160807224
180507198
61664790
Eng520643
Eng180403217
Eng312237
100179
Eng60751b/4/ 1100
312237-2xpt100/3l
Alst 11473 Widerstandsthermometer
61664790, 1500 Mm

4,91,34,52
Pt 100/3-Wire Widerstandsthermometer Lager
Di8bdi055
4.9xxx 2xpt100,3-Wire
Pt100 3lt
Eng123907
150202064 Temperatursensor
Eng101003910
Di8bdi051
68512815
Fisc9804-1 ,Exf01 ,Tisa+ 3002 ,Resistant Thermometer Pt100 ,Temperature Monitoring Bearing 2 Exhaust
1xpt100 4-Wire M18x1.5
Si 10122
4.44.30.12
4,91,00,91
Eng6961276
Lv057275/01
Eng101003911
P/N. 6166 4890
1?Pt100-1.4541 Temperatursensor(0...200)g.C-F3 Mm- 2500 Mm (4.91.2500.2800)
D130909168
1?Pt100-1.4541 Temperatursensor(0...200)g.C-F3 Mm- 2000 Mm (4.91.2000.2300)
130100207
9,03,00,21