

Domnick Hunter

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Domnick Hunter Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Domnick Hunter T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



| ¼r¼n | A¼ıklama |
|------------------------------------|----------|
| 015AA, 015AC , EF1 | |
| 020AA | |
| 020AO | |
| 025AO | |
| AAP020DGFI | |
| AOP020DGFI | |
| K145AA | |
| K145ACS | |
| K145AO | |
| K924AA-GE3 | |
| K924AO-GE3 | |
| P020AA | |

| | |
|---|--|
| P020AO | |
| WSP020DGFx | |
| ZCHB-1C | |
| ZCHB-2C | |
| ZCHB-AT-S1 | |
| ZCSS1-001C | |
| ZCSSA-025T | |
| Complett | Hausing's body and filter protection cover will be stainless 316L food standard. Protection cover length will be 20 inches according to the filter |
| Ack013ac | |
| Ar0040gbmx | |
| K220ao/Sf(Ex K220a0/Sf) | |
| 1950f-Ma22 | |
| 1950f-Maa22 | |
| K620aa Sf | |
| Aa0040gbfx | |
| K620ao Sf | |
| Aa040hbfx | OIL-X EVOLUTION HIGH EFFICIENCY AA FILTERS SIZE 2 L/S 220 M3 |
| 370q | |
| Acs-015bbmx | |
| 2110500120 | |
| Spl009-A23015016txs | REFRIGERATION DRYERS PIPE CONG 1/2 FLOWRATE M3/HCFM 54/32 |
| 506080110 | |
| Ao040hbfx | OIL-X EVOLUTION AO PRE FILTERS SIZE 2 |
| 504035120 | |
| 2110100140 | |
| 045aa | |
| Ba-4350 | BA-4350 4 MAN BREATHING AIR PURIFIER INLET CONECTION 1/2 G O |
| Sgb004 | |

| | |
|---|---|
| Sgb024 | |
| E085-A0 | |
| K030 Aa (Ex K030 Aa Hb) | |
| Ao040gbfx | OIL-X EVOLUTION AO PRE FILTERS SIZE 1.1/2 L/S 220 M3/MIN 13. |
| 045ao | |
| 205s | |
| Aa-015bbfx | |
| 503030610 | |
| C4epo50-303-0130 | |
| 205q | |
| 606032430 | BA-4350 4 MAN BREATHING AIR PURIFIER INLET CONECTION 1/2 G O |
| 370s | |
| 608203087 | |
| Spl018-A23015016txs | REFRIGERATION DRYERS PIPE CONG 3/4 FLOWRATE M3/HCFM 108/64 |
| 2110150050 | |
| Aa035gbfx | OIL-X EVOLUTION HIGH EFFICIENCY AA FILTERS SIZE 1.1/2 L/S 9. |