



Douglas Chero

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Douglas Chero Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Douglas Chero T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
1- Patrs For "douglas" Bimetallic Thermostatic	STEAM TRAPS REF. DOUGLAS-CHERO SPA.,ITALY STEAM TRAP 3/4 IN. MODEL DC8 ,FLANGED ENDS ,CLASS 150 RF. MAT. BODY & COVER TO ASTM A105 STEAM TRAP COMPLETE ,3/4 IN.
Steam Trap 1 In. Model Dc8 ,Flanged Ends	CLASS 150 RF. MAT. BODY & COVER TO ASTM A105 STEAM TRAP COMPLETE ,1IN.
Steam Trap 1-1/2 In. Model Dc8 ,Flanged Ends	CLASS 150 RF. MAT. BODY & COVER TO ASTM A105 STEAM TRAP COMPLETE ,2 IN
Steam Trap 3/4 In. Model Bd100 ,Flanged Ends	CLASS 600 RF. MAT. BODY & COVER TO ASTM A182-F304 STEAM TRAP COMPLETE 3/4 IN.
Steam Trap 1/2 In. Model Dcs8 ,Flanged Ends	CLASS 150 RF. MAT. BODY & COVER TO ASTM A351 GR.CF8 STEAM TRAP COMPLETE 1/2 IN.
Steam Trap 3/4 In. Model Dcs8 ,Flanged Ends	CLASS 150 RF. MAT. BODY & COVER TO ASTM A351 GR.CF8 STEAM TRAP COMPLETE 3/4 IN.
Patrs For "douglas" Ball Float Steam Traps	STEAM TRAP 4 IN. MODEL GE8-HC4 ,FLANGED ENDS ,CLASS 150 RF. MAT. BODY TO ASTM A216 GR.WCB, COVER A516 GR.70 STEAM TRAP COMPLETE 4 IN.
Steam Trap 2 In. Model Ge8 ,Flanged Ends	CLASS 300 RF. MAT. BODY & COVER TO ASTM A217 GR.WC6 STEAM TRAP COMPLETE 2 IN.
Patrs For "douglas" Thermodynamic Steam Traps	STEAM TRAP 3/4 IN. MODEL DC50 ,FLANGED ENDS ,CLASS 300 RF. MAT. BODY TO ASTM A182-GR.F11,COVER AISI 303
Patrs For "douglas" Air Ball Float Traps	AIR TRAP 3/4 IN. MODEL GY25 ,FLANGED ENDS ,CLASS 150 RF. MAT. BODY & COVER TO ASTM A216 GR.WCB AIR TRAP COMPLETE 3/4 IN.
DC 50	STEAM TRAP THERMODYNAMIC 1/2" RATING 600 LINE CONNECTIONS 150RF ASTM A105 B7/2H

DC 50 3/4"	STEAM TRAP THERMODYNAMIC 3/4" RATING 600 LINE CONNECTIONS 150RF ASTM A105 B7/2H
DC 50 3/4" 300 RF	STEAM TRAP THERMODYNAMIC 3/4" RATING 600 LINE CONNECTIONS 300RF ASTM A105 B7/2H
DK 100	STEAM TRAP THERMODYNAMIC 3/4" RATING 1500 LINE CONNECTIONS 600RJ ASTM A105 B7/2H
DK 100 600 RF	STEAM TRAP THERMODYNAMIC 3/4" RATING 1500 LINE CONNECTIONS 600 RF ASTM A105 B7/2H
PACKING:GLAND,AISI316,I/C:I1651005	DRAWING:3871-XH-VD-PG-430-53682-02/V02CIC0111JX POS:15,ITEM CODE:I1651005,EQUIP DESCR:1.5IN GLOBE VALVE CL800
SEAT,VALVE:ASTM A182/F6A,STALLED,I/C:I124662	DRAWING:3871-XH-VO-PG-430-53682-02/V01GIC0111230 POS:14,ITEM CODE:I124662,EQUIP DESCR:1.5IN GATE VALVE CL800
WEDGE,VALVE:SOLID,ASTM A182/F6A,I/C:I124662	DRAWING:3871-XH-VO-PG-430-53682-02/V01GIC011123 POS:13,ITEM CODE:I124662,EQUIP DESCR:1.5IN GATE VALVE CL800
PACKING:GLAND,AISI316,I/C:I1651005	DRAWING:3871-XH-VD-PG-430-53682-02/V01GIC011123 POS:15,ITEM CODE:I124662,EQUIP DESCR:1.5IN GATE VALVE CL800
SEAT:ASTM A182/F6A,STELLITED	DRAWING:3871-XH-VD-PG-430-53682-02/V02CIC0111JX POS:14,ITEM CODE:I1651005,EQUIP DESC:1.5IN GLOBE VALVE CL800
DISC:TYPE SWIVEL PLUG,ASTM A182/F6A	DRAWING:3871-XH-VD-PG-430-53682-02/V02CIC0111JX POS:13,ITEM CODE:I1651005, EQUIP DESC:1.5IN GLOBE VALVE CL800
TYPE : DC 50, ANSI 600	PMA : 68 Bar 1.1/2" (NW 40) TERMODİNAMİK KONDENSTO Welding
PACKING:GRAPHITE,BRAIDED/DIE FORMED	DRAWING:3871-XH-VO-PG-432-53682-02 POS:23,ITEM CODE:I2535873,EQUIP DESCR:3/4IN GATE VALVE CL800
GASKET,SPIRAL WOUND:BODY,AISI 316/GRAPHITE	DRAWING:3871-XH-VO-PG-432-53682-02 POS:22,ITEM CODE:I2535873 EQUIP DESCR:3/4IN GATE VALVE CL800
SEATS,VALVE:ASTM A182/F304,I/C:I2535873	DRAWING:3871-XH-VO-PG-432-53682-02/V01GIL2A113M POS:14,EQUIP DESCR:3/4IN GATE VALVE CL800
WEDGE,VALVE:ASTM A182/F304,I/C:I2535873	DRAWING:3871-XH-VO-PG-432-53682-02/V01GIL2A113M POS:13,EQUIP DESCR:3/4IN GATE VALVE CL800
22-0773-I-MP	STEAM TRAP TYPE: BALANCED PRESSURE MODEL: TJ22 A105 SIZE 1/2" CONNECTIONE #600 RF MATERIAL ASTM A105 Standard packing: included Visual inspection, dimensional check, and hydraulic test: included External Surface Protection: CS = INORGANIC ZINC Mat certificate EN 10204 3.1: included Tagging and Marking on Aluminium nameplate: included

VALVE GATE DN50 CL2700 F91 HP	
Valve GATE DN25 CL2700 F91 HP	
VALVE GLOBE DN80 PN160 STEAM	
VALVE DN40 CL2700 BLOWOFF HP	
10mal11/12at001	
Dc 50 A 105 Ø 1.1/2"	1.1 / 2 "THERMODYNAMIC CONDENSER CONNECTION: SOURCE TYPE and DC 50, PMO: 50 BAR Steam Trap rating ANSI 600 PMA: Max allowable pressure 68 bar TMA: max allowable temperature 400°C PMO: max working pressure 50 bar TMO: max working temperature 350°C Minimum Working Pressure 0.25 bar PMOB: max working back pressure 80% Sizes: 1½
10lae10at001	
Our Model Dc50	COMPLETE STEAM TRAP THERMODYNAMIC TYPE, OUR MODEL DC50 ASTM A105 BODY, LINE CONNECTIONS 1.1/2" SW Materials, design and operating conditions according to our data sheet DC 50 (attached) I offered SW connections because in RFQ there is no connection type detail.
10lcp11/12at001	