

## Dungs



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Dungs** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Dungs Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">Mb-Dle 407 B01 S20 Ac230v</a>	DUNGS GasMultiBloc slowly opening Pmax. 360 mbar Outlet pressure: 4 - 20 mbar Degree of protection: IP 54 Customs tariff no.84818059 Unit weight: 5 kg Country of origin: DE
<a href="#">Lgw 10 A2</a>	Ag-M-V9 Air pressure switch 1 - 10 mbar Customs tariff no.90262080
<a href="#">Lgw 150 A4</a>	Ag-M-MS9-V0-VS3 Air and gas pressure switches 30-150 mbar
<a href="#">Lgw 3 A4</a>	Ag-M-MS9-V0-VS3 Air and gas pressure switches 0.4 - 3 mbar
<a href="#">Gw 150 A6</a>	Ag-G3-MS9-V0-VS3 Compact pressure switch 5 - 150 mbar
<a href="#">Gw 500 A6</a>	Ag-G3-MS9-V0-VS3 fa-se 1P Compact pressure switch 100 - 500 mbar Degree of protection: IP 54
<a href="#">88.90006-0010</a>	Ers.Magnet kpl.Nr.1215 AC 230 V IP 54 Dungsnr .: 227251
<a href="#">MPA22 S02 V1.30 kpl. 230V/50-60Hz</a>	Burner control
<a href="#">DMV-DLE 5065/11 AC 230V</a>	Double solenoid valve slowly opening DN 65 flange Pmax. 500 mbar Protection class: IP 54
<a href="#">VPS 504 S02</a>	Valve test system 230V, 50Hz max. 500 mbar with plug
<a href="#">GW 150 A5</a>	Ag-G3-MS6-V12 Pressure switch 5 - 150 mbar Protection class: IP 54
<a href="#">GW 500 A5</a>	Ag-G3-MS6-V12 Compact pressure switch with cable socket 100 - 500 mbar
<a href="#">DMV-D 503/11 220-240 V</a>	Double solenoid valve Pmax. 500 mbar AC 220-240 V Protection class: IP 54

<a href="#">Nr.1011</a>	224980 Replacement magnet No. 1011 230 VAC for use as a replacement drive Protection class: IP 54 Customs tariff no.85059029 Net weight 7 KG Country of origin: DE
<a href="#">FRNG 510</a>	Gas zero and constant pressure regulator DN 25 - Rp 1 " Pmax. 500 mbar Pmax. 50 mbar at zero pressure Pmax. 200 mbar at constant pressure
<a href="#">VPS 504 S02</a>	Valve test system 230V 50Hz IP 40 including plug Customs tariff number 90262080
<a href="#">GW 500 A5</a>	Ag-G3-MS6-V12 Compact pressure switch with cable socket 100 - 500 mbar
<a href="#">210318</a>	Mating connector 3-pin. + E gr. Standard device plug for GW
<a href="#">MVDLE 210/5 230 VAC</a>	013524 Gas solenoid valve normally closed opening slowly, closing quickly DN 25, Rp 1 " Pmax. 360 mbar Protection class: IP 54
<a href="#">Dungs MB-DLE 407 B01, S20 AC230V</a>	Art nr. 015.SBDU226561
<a href="#">LGW 50 A2P</a>	Ag-M-MS3-V0 Air pressure switch with test button 2.5 - 50 mbar
<a href="#">VPS 504 S02</a>	Art Nr: 95219877 valve proving system 230V 50Hz IP 40 incl. plug
<a href="#">231580</a>	MPA display AM01 with connector coding
<a href="#">MB ZRDLE B01 S20 VALF</a>	
<a href="#">GW 3 A6</a>	Ag-G3-MS9-V0-VS3 Compact pressure switch 0.7 - 3 mbar Pmax. 500 mbar Customs Tariff No. 90262080 Unit weight: 0.3 kg Country of origin: DE
<a href="#">214209</a>	Replacement magnet 400 230 VAC for use as a replacement drive Protection class: IP 54
<a href="#">MB-VEF 412 B01 S10 AC230V FS G</a>	95216648 GasMultiBloc gas-air conn.reg Customs tariff number 84818059
<a href="#">(157530) MVD 507/5 Rp3/4</a>	
<a href="#">011767</a>	
<a href="#">013524</a>	
<a href="#">015412</a>	
<a href="#">015446</a>	
<a href="#">058446</a>	
<a href="#">058446 FRS 515</a>	
<a href="#">058628</a>	
<a href="#">058628 FRS 520</a>	

<a href="#">058792 FRS 5065</a>
<a href="#">068932</a>
<a href="#">070409</a>
<a href="#">077222</a>
<a href="#">078980</a>
<a href="#">100-500M BAR</a>
<a href="#">107409</a>
<a href="#">1100 S50 AC 230V</a>
<a href="#">1100 AC 110V IP 54</a>
<a href="#">1100 S50</a>
<a href="#">110379</a>
<a href="#">1117119</a>
<a href="#">1120 IP 54 (272337)</a>
<a href="#">13009689</a>
<a href="#">135437515 LGW150A4/2</a>
<a href="#">138630</a>
<a href="#">1411 IP 54 AC 230 V</a>
<a href="#">157060</a>
<a href="#">157530 MVD 507.5</a>
<a href="#">157550</a>
<a href="#">169130</a>
<a href="#">169410</a>
<a href="#">171/2P</a>
<a href="#">178940</a>
<a href="#">209 898</a>
<a href="#">210931</a>
<a href="#">211202</a>
<a href="#">213 793 AC 50-60HZ 230V IP 54 15 VA ED 100%</a>
<a href="#">215242</a>
<a href="#">219006</a>

<a href="#">219877</a>
<a href="#">219877 VPS 504 S02</a>
<a href="#">219881 VPS 504 S04</a>
<a href="#">221207</a>
<a href="#">221924</a>
<a href="#">222331</a>
<a href="#">222331 (DMV-D 507/11)</a>
<a href="#">222332 DMV-DLE 507/11</a>
<a href="#">222343</a>
<a href="#">222825 DMV-D 520 /11 24 VDC</a>
<a href="#">223155</a>
<a href="#">224424</a>
<a href="#">224554</a>
<a href="#">224980</a>
<a href="#">224983</a>
<a href="#">225009</a>
<a href="#">225940 GW 150 A5</a>
<a href="#">225940/GW 150 A5 AG-G3-MS6-V12 FA-SE SET</a>
<a href="#">226 382</a>
<a href="#">226107 DMV-DLE 5125/11</a>
<a href="#">226561</a>
<a href="#">226721</a>
<a href="#">226799</a>
<a href="#">226803 MB-DLE 420 B01 S20</a>
<a href="#">226868</a>
<a href="#">227639 GW 500 A5</a>
<a href="#">227639/GW 500 A5 AG-G3-MS6-V12 FA-SE SET</a>
<a href="#">228724</a>
<a href="#">228725 GW 50 A6</a>

<a href="#">231111</a>
<a href="#">231113</a>
<a href="#">231168</a>
<a href="#">232046 (LGW 10 A4/2 Ag-M-MS9-V0-VS3 st-se 1P)</a>
<a href="#">232048</a>
<a href="#">232719</a>
<a href="#">233-12"- 5 bar-72 DN 50.</a>
<a href="#">239077</a>
<a href="#">240115</a>
<a href="#">240324</a>
<a href="#">241246 GW 50 A5/1</a>
<a href="#">241247</a>
<a href="#">241281 SV-D 507 V1</a>
<a href="#">241352</a>
<a href="#">242033</a>
<a href="#">242639</a>
<a href="#">242676 GW 50 A6/1</a>
<a href="#">242678</a>
<a href="#">243051</a>
<a href="#">243413</a>
<a href="#">244294</a>
<a href="#">244299</a>
<a href="#">244300</a>
<a href="#">244427</a>
<a href="#">244428</a>
<a href="#">246023</a>
<a href="#">246159</a>
<a href="#">246665</a>
<a href="#">247322</a>
<a href="#">247986</a>

<a href="#">248494</a>
<a href="#">248688 (GGW 50 A4/2 Au-M-MS9-V0-VS3 st-se 1P)</a>
<a href="#">249012</a>
<a href="#">250376</a>
<a href="#">253459</a>
<a href="#">254 176 IP54</a>
<a href="#">254285 (GW 500 A4 HP Au-G3-V0 st-se 1P)</a>
<a href="#">255477</a>
<a href="#">256206</a>
<a href="#">256296</a>
<a href="#">256459</a>
<a href="#">257434</a>
<a href="#">257435</a>
<a href="#">257604</a>
<a href="#">261646</a>
<a href="#">261654</a>
<a href="#">270279</a>
<a href="#">272336</a>
<a href="#">272338</a>
<a href="#">272339</a>
<a href="#">272340</a>
<a href="#">272353</a>
<a href="#">272355</a>
<a href="#">30253125</a>
<a href="#">400</a>
<a href="#">40055150</a>
<a href="#">407B01S30</a>
<a href="#">5065</a>
<a href="#">5065/11</a>
<a href="#">605321</a>

<a href="#">660300 AM20.02 24V DC</a>
<a href="#">691378</a>
<a href="#">691381</a>
<a href="#">85210537</a>
<a href="#">88.70215-0012</a>
<a href="#">88.70215-0015</a>
<a href="#">88.75000-0110</a>
<a href="#">A3220</a>
<a href="#">AA-A2-6-3</a>
<a href="#">AO3220</a>
<a href="#">AQM0673</a>
<a href="#">ART. 135435700</a>
<a href="#">Art.Nr. 211222 VDK 200A S02 230V 50Hz</a>
<a href="#">BCS 300</a>
<a href="#">BCS 330</a>
<a href="#">BCS EM1</a>
<a href="#">BCS FLW 4I</a>
<a href="#">DG6U-3</a>
<a href="#">DMV 5040/5050</a>
<a href="#">DMV 5065/11 eco AC 230V IP 54</a>
<a href="#">DMV 5080/12 (244427)</a>
<a href="#">DMV-D 503/11</a>
<a href="#">DMV-D 512/11 (222336)</a>
<a href="#">DMV-D 5125/11 AC 220-240 V IP 54 STECK-A</a>
<a href="#">DMV-D 5125/11, 241532</a>
<a href="#">DMV-D 525/11 ECO 110 V</a>
<a href="#">DMV-D 702/622</a>
<a href="#">dmv-del 507/11</a>
<a href="#">DMV-DLE 5125/11, Nr. 256459</a>

<a href="#">DMV-SE 507/11 520</a>
<a href="#">DN 100, FRS 5100,</a>
<a href="#">DUNGS GW 150 A5 AG-G3-MS6-V12 FA-SE SET</a>
<a href="#">DUNGS GW 500 A6 Ag-G3-MS9-V0 fa-se Druckwachter GW A..</a>
<a href="#">DUNGS MBC-700-SE-S22 AC 230 V</a>
<a href="#">DUUR01REZ001</a>
<a href="#">filter housing for a gas train used on Jenbacher J320</a>
<a href="#">FRNG 505</a>
<a href="#">FRNG 507</a>
<a href="#">FRNG 5080 (226874)</a>
<a href="#">FRNG 515, Rp 1 ?"</a>
<a href="#">FRS 505</a>
<a href="#">FRS 507</a>
<a href="#">FRS 510</a>
<a href="#">FRS 520 RP</a>
<a href="#">FRS415</a>
<a href="#">FRS505 30-70mbar</a>
<a href="#">FRS5125</a>
<a href="#">FRSBV 1010</a>
<a href="#">FRSBV 1010 (226284)</a>
<a href="#">FRSBV 226284</a>
<a href="#">GF 40080/4</a>
<a href="#">GF40100/3, DN100,</a>
<a href="#">GGW 10 A4-U , Art. nr. 240358</a>
<a href="#">GGW 50 A4-U/2 , Art. nr. 248692</a>
<a href="#">GW 150 A4 AG-M-MS9-V0 ST-SE</a>
<a href="#">GW 150 A5, 5-150mbar</a>
<a href="#">GW 150 A6 , 228726</a>
<a href="#">GW 150 A6 AG-G3-MS9-V0 FA-SE</a>



<a href="#">GW 1500</a>
<a href="#">GW 2000 A4 HP</a>
<a href="#">GW 2000 A4.</a>
<a href="#">GW 50 A4</a>
<a href="#">GW 50 A5</a>
<a href="#">GW 50 A6 , Art. nr.228725</a>
<a href="#">GW 50 A6 5-50mbar</a>
<a href="#">GW 50/150 A6 (229241)</a>
<a href="#">GW 500 A4 157060</a>
<a href="#">GW 500 A4 Ag-M-MS9-V0 st-se</a>
<a href="#">GW 500 A42 ID NO:CE-0085A 03200</a>
<a href="#">GW 500 A6 (272618)</a>
<a href="#">GW 500 A6 , 228727</a>
<a href="#">GW 500 A6 AG-G3-MS9-V0 FA-SE</a>
<a href="#">GW10 A6</a>
<a href="#">GW500A4 AG-M-VO</a>
<a href="#">GW500A6/S-special for Japan</a>
<a href="#">IR243-12-52</a>
<a href="#">KH 160065</a>
<a href="#">LGW 10 A2P</a>
<a href="#">LGW 10 A4</a>
<a href="#">LGW 10 A4 (221591)</a>
<a href="#">LGW 150 A2</a>
<a href="#">LGW 150 A4 (221593)</a>
<a href="#">LGW 3 A4 Ag-M-MS9-V0-VS3</a>
<a href="#">LGW 50 A</a>
<a href="#">LGW 50 A2P (221207)</a>
<a href="#">LGW 50 A4 AG-M-MS9-V0-VS3 ST-SE</a>
<a href="#">LGW 6 A2-7</a>
<a href="#">LGW50 A4 272342</a>
<a href="#">LV-D 215/4 (256861)</a>

<a href="#">MAG NR 1105 – MAT NR 222092</a>
<a href="#">MAG.NR.300</a>
<a href="#">MB DLE 415 B01 S50</a>
<a href="#">MBC 1900 SE</a>
<a href="#">MBC 700 SE 82</a>
<a href="#">MBC-1200 SE S22</a>
<a href="#">MBC-1200-SE S82</a>
<a href="#">MBC-65-DLE-S20</a>
<a href="#">MBC-700-SE-S22</a>
<a href="#">MB-DLE 405 B01 S50</a>
<a href="#">MB-DLE 407 B01 S20 AC230V (Ord.Nr. 226561)</a>
<a href="#">MB-DLE 410 B01</a>
<a href="#">MB-DLE 410 B01 S20 226562</a>
<a href="#">MB-DLE 412 B01 S20</a>
<a href="#">MB-DLE 420 B01 S20</a>
<a href="#">MB-VEF 407 B01 S30 AC230V</a>
<a href="#">MB-VEF 407 B01 S30 AC230V gem. NF</a>
<a href="#">MB-VEF 407 B01 S32 AC230V</a>
<a href="#">MB-VEF 412 B01</a>
<a href="#">MB-VEF 425 B01 S32</a>
<a href="#">MB-ZRD-412 B01 S52</a>
<a href="#">MB-ZRDLE 412 B01 S50</a>
<a href="#">MPA22 S03 OEM!!</a>
<a href="#">MPA4111 V1.1 (259058)</a>
<a href="#">MPA4112/230V</a>
<a href="#">MVD 205/4</a>
<a href="#">MVD 2050/5</a>
<a href="#">MVD 2065/5</a>
<a href="#">MVD 207/5</a>

<a href="#">MVD510 1"</a>	
<a href="#">MVDLE 210/5 (013524)</a>	
<a href="#">NB 50 A4</a>	
<a href="#">Nr.200, 230VAC, IP54,</a>	
<a href="#">position 21</a>	
<a href="#">SL 10 , RP 1"</a>	
<a href="#">TYP: DMV-D 5100/11</a>	
<a href="#">UB 150 A2</a>	
<a href="#">VDK 200A S02</a>	
<a href="#">VDK 200A S02 230V 50HZ.</a>	
<a href="#">VDK200A</a>	
<a href="#">VPS 504 S02 230V</a>	
<a href="#">VPS 504 S02 230V 50HZ</a>	
<a href="#">VPS 504 S02 Bestellnr. 219877</a>	
<a href="#">VPS 504 S04 223426</a>	
<a href="#">VPS 504S02</a>	
<a href="#">VPS504S04</a>	
<a href="#">VPS504S04, IP54</a>	
<a href="#">W-FM25 V1.1 - OEM</a>	
<a href="#">W-MF SE512 S22</a>	
<a href="#">W-MF-SLE 507 C01 S22</a>	
<a href="#">ZM 300-1 230V (029312)</a>	
<a href="#">MB-VEF 420 B01 S32</a>	Gas-Multi-Bloc AC230V getr. NF m.
<a href="#">MPA22 S02 V1.30 kpl. 230V/50-6</a>	95250780
<a href="#">LGW 3 A4 Ag-M-MS9-V0-VS3 st-se</a>	Gas pressure switch Air differential pressure switch Customs tariff number 90262080
<a href="#">LGW 150 A4 Ag-M-MS9-V0-VS3 st-</a>	Gas pressure switch Air differential pressure switch Customs tariff number 90262080
<a href="#">LGW 150 A4</a>	Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar
<a href="#">Mbc-1900-Se-65 (248139)</a>	
<a href="#">MVDLE 507/5 AC 230V</a>	222079 gas solenoid valve normally closed slow opening, fast closing DN 20, Rp 3/4" Pmax. 500 mbar Degree of protection: IP 54

<a href="#">LGW 3 A2 Ag-M-V9 st-se 1P</a>	Gas pressure switch Air differential pressure switch Customs tariff number 90262080 Unit weight: 0.190 kg Item weight: 0.760 kg
<a href="#">SAD 1.5, 24V 7W 1.5NM STEP MOTOR</a>	
<a href="#">GSVDLE 207 AC 230VRp3/4"</a>	
<a href="#">DMA 50 A 06(230V-D-)+</a>	DTR-F 5065 BUTTERFLY VALVE SHAFT + DMA/DTR 5065-125 BAGLANTI SETÝ.(DN65) komplett
<a href="#">DMA 50A 06 (230V-D-)</a>	7SN/90
<a href="#">DMA 50 A 15(230V-S-)</a>	DTR-F 50100 BUTTERFLY VALVE SHAFT + DMA/DTR 5065-125 BAGLANTI SETÝ (DN100)
<a href="#">MB-DLE 407 B01 S50 AC230V</a>	Gas Multi Bloc slowly opening Rp 1/2" to 1" Pmax. 360 mbar Degree of protection: IP 54 Customs Tariff No. 84818059 Unit weight: 6 kg Country of origin: DE
<a href="#">MB-VEF 412 B01 S30 AC230V FS G</a>	GasMultiBloc gas-air conn.reg Customs tariff number 84818059 Unit weight: 5.670 kg Position weight: 5.670 kg
<a href="#">229987</a>	Replacement magnet no. 400 230 VAC for use as a replacement drive Protection class: IP 65
<a href="#">229982</a>	Replacement magnet no. 100 230 VAC for use as a replacement drive Protection class: IP 65
<a href="#">232719</a>	LGW 150 A4/2 Ag-G3-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar Pmax. 500 mbar Degree of protection IP 54
<a href="#">LGW 3 A4 Ag-M-MS9-V0-VS3 st-se</a>	Gas pressure switch Air differential pressure switch
<a href="#">GW 150 A5 Ag-G3-MS6-V12 fa-se</a>	
<a href="#">LGW 50 A4 Ag-M-MS9-V0-VS3 st-s</a>	
<a href="#">95222698</a>	Replacement filter insert GF 40200 with O ring Customs tariff number 84219900
<a href="#">95264353</a>	Z¼ndtrafo DIZ 100 230VAC
<a href="#">MVD 215/5 230 VAC</a>	gas solenoid valve normally closed quick opening, quick closing DN 40, Rp 1 1/2" Pmax. 200 mbar Degree of protection: IP 54
<a href="#">MVD 210/5 230 VAC</a>	gas solenoid valve normally closed quick opening, quick closing DN 25, Rp 1" Pmax. 360 mbar Degree of protection: IP 54
<a href="#">95214209</a>	Replacement magnet cpl. No. 400 AC 230 V
<a href="#">95214206</a>	Replacement magnet cpl. no. 100 AC 230 V
<a href="#">95232719</a>	LGW 150 A4/2 Ag-G3-MS9-V0-VS3 Gas pressure switch Air differential pressure switch Customs tariff number 90262080

<a href="#">95270282</a>	FRM 100040 MD/SAV MD Flange DN 40 with SAV pe max: 10 bar, pa 90-420 mbar Customs tariff number 90322000 ***** OPERATING DATA: Medium: natural gas Inlet pressure pe/pu: unknown mbar Max. permitted inlet pressure pe/PS: 10 bar Outlet pressure pa/pe: 130 mbar SAV upper switch-off point pso: 180 mbar SAV lower switch-off point psu: unknown mbar SBV blow-off pressure psa: 190 mbar Volume flow standard Qmin: unknown /Qmax: unknown m <sup>3</sup> /h (n) ***** *****
<a href="#">95226284</a>	FRSBV 1010 safety relief valve, female thread Rp 1" pe max: 1 bar, Response pressure: 70 ... 830 mbar Customs tariff number 90322000
<a href="#">LGW 50 A4</a>	Ag-M-MS9-V0-VS3 Air and gas pressure switch 2.5 - 50 mbar
<a href="#">Mbc-1900-Se-65</a>	
<a href="#">MB-DLE 407 B01 S20 AC230V</a>	(Ord.Nr. 226561)
<a href="#">226803 MB DLE 420 B01 s20multibloks</a>	
<a href="#">272615</a>	GW 50 A6 5- 50 mbar /gaz prosestadi
<a href="#">VPS 504</a>	
<a href="#">MPA4112 V1.1 kpl. 230VAC</a>	259066 burner management system for optimization and monitoring of oil and gas burners compound control Mains voltage 230 VAC complete with base without parameterization
<a href="#">MB-ZRLE 407 B01 S50</a>	
<a href="#">MB-ZRDLE-410 P01 S20</a>	
<a href="#">259066</a>	MPA4112 V1.1 cpl. 230VAC burner management system for optimization and monitoring of oil and gas burners compound control Mains voltage 230 VAC complete with base without parameterization
<a href="#">256692</a>	UV41 Sensor UV-Sonde
<a href="#">LGW 50 A4</a>	Ag-M-MS9-V0-VS3 Air and gas pressure switch 2.5 - 50 mbar Degree of protection: IP 54
<a href="#">GW 500 A4</a>	Au-M-MS9-V0-VS3 gas pressure switch 100 - 500 mbar Degree of protection: IP 54
<a href="#">LGW 150 A4</a>	Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar
<a href="#">GW 50 A4</a>	153600
<a href="#">GW 150 A5/1</a>	Ag-G3-MS6-V12 gas pressure switch with damping nozzle 5 - 150 mbar Pmax. 500 mbar
<a href="#">DMV 5080/12 AC 220-240 V</a>	double solenoid valve normally closed quick opening, quick closing Pmax. 500 mbar DN 80 flange Degree of protection: IP 54

<a href="#">Gw 150 A6 (272616)</a>	Ag-G3-MS9-V0 pressure switch 5 - 150 mbar Degree of protection: IP 54
<a href="#">263729</a>	
<a href="#">262585</a>	
<a href="#">262585</a>	
<a href="#">263729</a>	
<a href="#">263728</a>	
<a href="#">ÜB 150 A4</a>	A4 Ag-PG-MS9-V0 Part: 138630 gas pressure limiter 30 - 150 mbar Pmax. 600 mbar Degree of protection: IP 54
<a href="#">070383 FRS 505</a>	Gas-Druckregler DN 15, Rp 1/2" Pmax. 500 mbar
<a href="#">222326 DMV-D 503/11 220-240 V</a>	double solenoid valve Pmax. 500 mbar AC 220-240V Degree of protection: IP 54
<a href="#">GW 500 A5</a>	Ag-G3-MS6-V12 Compact pressure switch with line socket 100 - 500 mbar
<a href="#">251984</a>	GW 500 A4/2 HP X Au-M-V0st-se gas pressure switch ATEX version 100 - 500 mbar Degree of protection: IP 65
<a href="#">251985</a>	Au-M-V0st-se gas pressure switch ATEX version 400 - 2000 mbar Degree of protection: IP 65
<a href="#">251986</a>	GW 6000 A4/2 HP X Au-M-V0st-se gas pressure switch ATEX version 1000-6000 Degree of protection: IP 65
<a href="#">245811</a>	GGW 50 A4/2 X Au-M-V0st-se gas pressure switch ATEX version 2.5 to 50 mbar Degree of protection: IP 65
<a href="#">259696</a>	VPM-VC V1.0 230V Control unit for system and valve leak tests Degree of protection: IP 42 complete with base Mains voltage: 230 VAC
<a href="#">224980</a>	Replacement magnet #1011 for use as a replacement drive 230VAC, IP 54
<a href="#">MVDLE 210/5 230 VAC*</a>	gas solenoid valve normally closed slow opening, fast closing DN 25, Rp 1" Pmax. 360 mbar Degree of protection: IP 54
<a href="#">DG-50 Air Pressure Switch</a>	
<a href="#">VPS 504 S02 230V, 50Hz</a>	valve proving system 230V, 50Hz max. 500 mbar with plug
<a href="#">MB-DLE 412 B07 S22 AC 230V</a>	182040 Gas Multi Bloc slowly opening 4 to 20 mbar Pmax. 360 mbar Degree of protection: IP 54
<a href="#">MB ZRDLE 410 S 50</a>	
<a href="#">1011 MAT-NR.217488</a>	
	95226868 GasMultiBloc two-stage OPERATING DATA: Medium: unknown Inlet pressure pe/pu: unknown mbar Max.

<a href="#">MB-ZRDLE 412 B01 S50 AC230V FS</a>	permissible inlet pressure pe/PS: 0.36 bar Outlet pressure pa/pe: unknown mbar Volume flow standard Qmin: unknown /Qmax: unknown m <sup>3</sup> /h (n)
<a href="#">LGW 50 A4</a>	Ag-M-MS9-V0-VS3 Air and gas pressure switch 2.5 - 50 mbar
<a href="#">LGW 150 A4</a>	Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar
<a href="#">0085A03220</a>	
<a href="#">W-FM25 V2.0</a>	
<a href="#">LGW 10 A2 pMax: 500mbar</a>	
<a href="#">95219878</a>	VPS 504 S02 valve proving system 230V 50Hz IP 40 or plug
<a href="#">SAD 1.5, 24V 7W 1.5NM</a>	
<a href="#">VPS 504 S02</a>	219878 valve proving system 230V, 50Hz max. 500 mbar without plug
<a href="#">LGV 507/5 230V</a>	119271 Bleed Gas Solenoid Valve normally open quick opening, quick closing DN 20 - Rp 3/4" Pmax. 500 mbar Degree of protection: IP 54
<a href="#">MB-DLE 412 B01 S20 AC 230V</a>	226563 Gas Multi Bloc slowly opening Rp 3/4" to 1 1/4" 4 to 20 mbar Pmax. 360 mbar Degree of protection: IP 54
<a href="#">LGW3A1</a>	
<a href="#">95232716</a>	LGW 3 A4/2 Ag-G3-MS9-V0-VS3 st Gas pressure switch Air differential pressure switch
<a href="#">95259066</a>	MPA4112 V1.1 Burner Control cpl. 230VAC
<a href="#">95259070</a>	MPA4112 V1.1 Burner Control Alternative cpl. 115VAC
<a href="#">MB-VEF 412 B01 S30 AC230V FS G</a>	95223143 GasMultiBloc gas-air conn.reg
<a href="#">95274807</a>	DMA 100 A 06 (230V -S-)
<a href="#">MVD 507/5 230V</a>	232420 gas solenoid valve normally closed quick opening, quick closing DN 20, Rp 3/4" Pmax. 500 mbar Degree of protection: IP 65
<a href="#">LGW 50 A4</a>	Ag-M-MS9-V0-VS3 272342 Air and gas pressure switch 2,5 - 50 mbar
<a href="#">Multiblok MB ZR DLEB 420</a>	" " VEF425 B02 510 MVD 215 " BOBİN ART-NR 224 400MAGN Nr:150 " " MVD " " ART-NR 219 916 0,16 - 0,30A " " ART-NR 219 917 0,00-0,15A " 40065/3 " " " 40080/3 " " " GF510-515/1 " " " 1/2" " " " 7/C " " " GF520/1 " " " MB VEF 420
<a href="#">LGW 150 A4</a>	Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar
<a href="#">VD-V-AC</a>	
<a href="#">GW 500 A6</a>	Ag-G3-MS9-V0 Compact pressure switch 100 - 500 mbar Degree of protection: IP 54
	Ag-G3-MS6-V12 pressure switch 5 - 150 mbar Degree of

<a href="#">GW 150 A5</a>	protection: IP 54
<a href="#">DMA 100 A 06 (230V -S-)</a>	
<a href="#">GW150 A 5 Ag-G3-MS6 O RİNG,5-150 Mbar</a>	
<a href="#">DMA 100 A A 06 (230-S-)+ DTR-F 50150</a>	
<a href="#">MBC-65-ND-S00</a>	Gas Multi Bloc Voltage: AC 230V Degree of protection: IP 54
<a href="#">GW 150 A5</a>	Ag-G3-MS6-V12 pressure switch 5 - 150 mbar Degree of protection: IP 54
<a href="#">GW 3 A6</a>	Ag-G3-MS9-V0 pressure switch 0.7 - 3 mbar Degree of protection: IP 54
<a href="#">MBC65-ND-S00 251 195 1506 0T6</a>	
<a href="#">80W NO:500 ART.NR:213799</a>	
<a href="#">100W NO:550 ART.NR:213800</a>	
<a href="#">GW 3 A6</a>	Ag-G3-MS9-V0 pressure switch for gas, air, smoke and exhaust gases Pressure connection G 1/4 0.7 - 3 mbar Degree of protection: IP 54
<a href="#">MB-VEF 412 B01 S30 220 VAC</a>	223143 Dungs-GasMultiBloc with compound controller Pmax. 360 mbar Degree of protection: IP 54 according to NF with GW
<a href="#">95256692</a>	UV41 Sensor kpl.
<a href="#">95272342</a>	LGW 50 A4 Ag-M-MS9-V0-VS3 st-s Gas pressure switch Air differential pressure switch
<a href="#">95219877</a>	VPS 504 S02 valve testing system 230V 50Hz IP40 including plug
<a href="#">95259066</a>	MPA4112 V1.1 Burner control unit complete 230VAC
<a href="#">95226805</a>	MB-DLE 420 B01 S50 AC230V acc. GasMultiBloc single stage
<a href="#">95272340</a>	GW 50 A5 Ag-G3-MS6-V12 fa-se S Optional Gas pressure switch
<a href="#">MB-DLE 420 B01 S50</a>	
<a href="#">FRNG 5100</a>	Gas zero and constant pressure regulator Flange DN 100 Pmax. 500 mbar Input pressure range Zero pressure regulator/constant pressure regulator: 5 to 200 mbar Pmax. 500 mbar
<a href="#">95272349</a>	GW 500 A5 Ag-G3-MS6-V12 fa-se Gas pressure switch
<a href="#">MBC-1900-SE-65 AC 230 V</a>	Gas Multi-Bloc 248139 as a control and safety combination with servo pressure regulator DN 65 flange Voltage: AC 230V Input 15 - 500 mbar Burner 4 - 140 mbar (depending on spring)



<a href="#">MB-VEF 412 B01 S30 220 VAC</a>	Dung-GasMultiBloc 223143 with compound controller Pmax. 360 mbar Protection class: IP 54 according to NF with GW
<a href="#">80 20 04/1 DN80</a>	
<a href="#">GGW 50 A4 Au-M-MS9-V0-VS3 st-s</a>	Gas differential pressure switch 95246176
<a href="#">GW 150 A5 Ag-G3-MS6-V12 fa-se</a>	
<a href="#">GW 500 A6 Ag-G3-MS9-V0-VS3 fa</a>	
<a href="#">GW 150 A6 Ag-G3-MS9-V0 fa-se 1</a>	
<a href="#">GW 50 A6 Ag-G3-MS9-V0-VS3 fa-s</a>	
<a href="#">223143</a>	MB-VEF 412 B01 S30 220 VAC Dung-GasMultiBloc with compound controller Pmax. 360 mbar Protection class: IP 54 according to NF with GW
<a href="#">95221688</a>	DMV-D 5100/11 AC 220-240 V IP Double solenoid valve quick opening and closing
<a href="#">95221593</a>	LGW 150 A4 Ag-M-MS9-V0-VS3 st pressure switch gas Air differential pressure switch Large packaging of 48 pieces each
<a href="#">95272344</a>	LGW 10 A4 Ag-M-MS9-V0-VS3 st-s Gas pressure switch Air differential pressure switch
<a href="#">W-FM25 V1.1</a>	
<a href="#">LGW 10 A4</a>	Ag-G3-MS9-V0-VS3 Air and gas pressure monitors 1 - 10 mbar
<a href="#">100 LGV 507/5</a>	
<a href="#">95261654</a>	MBC-700-VEF AC 230 V GasMuliBloc multiple control device
<a href="#">MVD507</a>	
<a href="#">95256356</a>	DMV 5080/11 eco AC 230V IP 54 Double solenoid valve quick opening and closing
<a href="#">95224380</a>	DMV-D 5040/11 AC 220-240 V IP Double solenoid valve quick opening and closing
<a href="#">2300036958</a>	
<a href="#">95158110</a>	MVD 505/5 solenoid valve Internal thread Rp 1/2", 230 VAC pe max: 500 mbar
<a href="#">95272615</a>	GW 50 A6 Ag-G3-MS9-V0 fa-se 1P Gas pressure switch
<a href="#">95272339</a>	GW 150 A5 Ag-G3-MS6-V12 fa-se Gas pressure switch
<a href="#">95272349</a>	GW 500 A5 Ag-G3-MS6-V12 fa-se Gas pressure switch
<a href="#">No. 1611 900 X Ip54 Ac 230v</a>	
<a href="#">Kdgo-2/71a</a>	

<a href="#">227141</a>	MVD 530/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 4 (FORMERLY 241-006)
<a href="#">241006</a>	
<a href="#">226465</a>	FRG 730/6 PROPORTIONATOR / ZERO GOVERNOR 3 NPT(FORMERLY 226-465)
<a href="#">258-321pp</a>	DMV 5125/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 24 VDC
<a href="#">267098</a>	DMV-ZRDLE 702/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE
<a href="#">46060-17</a>	
<a href="#">228223</a>	
<a href="#">242659</a>	
<a href="#">Lqw 3a4/2, Ip 65, G3, 0,4 - 3 Mbar</a>	
<a href="#">Pr390054</a>	
<a href="#">226108</a>	DMV-DLE 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 200 VA, NEMA TYPE 12 (FORMERLY 226-108)
<a href="#">269265</a>	
<a href="#">224385</a>	DMV-D 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 200 VA, NEMA TYPE (FORMERLY 224-385)
<a href="#">225-378</a>	
<a href="#">267312</a>	
<a href="#">Gw 3 A5</a>	
<a href="#">240837</a>	
<a href="#">225004</a>	
<a href="#">267256</a>	
<a href="#">267027</a>	DMV-DLE 703/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 9
<a href="#">251762</a>	DMV 50050 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN16 24 VDC STARTING POWER [W] 2X80, HOLDING POWER [W] 2X15, IP65 (FORMERLY 251-762)
<a href="#">269225</a>	
	MVD 525/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA

<a href="#">217441</a>	TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 12 (FORMERLY 217-441)
<a href="#">220758</a>	FLANGED DN. 125 5" NOMINAL PIPE SIZE (FORMERLY 220-758)
<a href="#">266940</a>	
<a href="#">258-313pp</a>	DMV 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 24 VDC
<a href="#">229841</a>	
<a href="#">222876</a>	DMV-DLE 507/11 DUAL MODULAR VALVE 1/2, 3/4, 1 RP OR NPT 24VDC (-10%/-15%), 45VA, IP 54 (FORMERLY 222-876)
<a href="#">77396</a>	
<a href="#">Gw 150 A6 Sensor</a>	
<a href="#">231791</a>	
<a href="#">Gw 50</a>	
<a href="#">238582</a>	
<a href="#">258-336np</a>	DMV 5100/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC VITON SEAT
<a href="#">058792 Druckregler Gas</a>	
<a href="#">238582 Kh-160050</a>	
<a href="#">229850</a>	
<a href="#">Id No. Ce-0085 Aq0673 Tu 12/94 0163 S-15t70 / Lgw 50 A2p</a>	
<a href="#">267042</a>	SV-D 520 SINGLE AUTOMATIC SHUT-OFF VALVE IP 65 VARIANT 7 220 VAC (+10%/-15%), 50/60 HZ 50 VA, IP 65 LARGE BODY (FORMERLY 240-332NP)
<a href="#">48070-14</a>	
<a href="#">242227</a>	
<a href="#">229613</a>	FRS 730/6 STAND ALONE PRESSURE REGULATOR 2 1/2" NPT OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12 W.C. (BLUE) (FORMERLY 229-613)
<a href="#">Gw 150 A6 Ag-G3-Ms9-V0 Fa-Se (272616)</a>	
<a href="#">260774</a>	
<a href="#">Dmv 525/12</a>	
<a href="#">226239</a>	
<a href="#">266853</a>	

<a href="#">266908</a>	
<a href="#">079681</a>	FLANGED DN. 80 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE) 3
<a href="#">229848</a>	
<a href="#">267040</a>	
<a href="#">223158</a>	
<a href="#">Lgw 3 A2</a>	
<a href="#">224926</a>	DMV-DLE 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-926)
<a href="#">229362</a>	
<a href="#">Frg-707/6</a>	
<a href="#">254280 Type Gw 500 A4 Hp</a>	
<a href="#">Gw 150 A6/1</a>	
<a href="#">267327</a>	VCW-755 BRASS ORIFICES VENTURI METERS 10 NPT HEAD LOSS 10% (FORMERLY 48070-12)
<a href="#">269239</a>	
<a href="#">226102</a>	DMV-DLE 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 226-102)
<a href="#">266938</a>	
<a href="#">243690</a>	
<a href="#">266932</a>	
<a href="#">267473</a>	
<a href="#">268449</a>	
<a href="#">228731</a>	
<a href="#">228724 Drucksensor</a>	
<a href="#">Druckregler 25050025 Frs 510 Pmax-500mbar Dn 25</a>	
<a href="#">269411</a>	
<a href="#">230989</a>	
<a href="#">248183</a>	
<a href="#">226075</a>	DMV-D 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 135 VA,

NEMA TYPE 12 (FORMERLY 226-075)	
<a href="#">217641</a>	
<a href="#">Gw 150 A6 (272616)</a>	
<a href="#">248507 , Ers.Lp.Kpl.Mag.Nr.1511-1811/2p Dc (1 Pack 1x4pcs)</a>	
<a href="#">240804</a>	
<a href="#">Dmv-D512/11</a>	VALVE DUAL MODULAR 110VAC 1INCH
<a href="#">229839</a>	
<a href="#">225043</a>	
<a href="#">229852</a>	
<a href="#">Mbdle412b01s20</a>	
<a href="#">46060-6</a>	
<a href="#">267095</a>	DMV-ZRDLE 701/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORME
<a href="#">229826</a>	
<a href="#">269273</a>	
<a href="#">255018</a>	
<a href="#">229853</a>	
<a href="#">267079</a>	
<a href="#">1212</a>	
<a href="#">227639 Druckschaltertyp Gw 500 A5</a>	
<a href="#">268451</a>	
<a href="#">238585</a>	
<a href="#">244-731vp</a>	DMV-ZRDLE 701/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ
<a href="#">222889</a>	DMV-DLE 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY 222-889)
<a href="#">224844</a>	DMV-D 703/602 DUAL MODULAR VALVE 1/2",11/4", 1 1/2, 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 224-844)
<a href="#">266934</a>	
<a href="#">Gw 50 A5/1</a>	

<a href="#">242221</a>	
<a href="#">120212a</a>	
<a href="#">225170</a>	MAG. TYPE 1411 ACCESSORIES REPLACEMENT COILS 24 VDC, NEMA TYPE 12, IP 54 FITS: DMV 525, DMV-DLE 525, DMV 5065, DMV-DLE 5065 (FORMERLY 225-170)
<a href="#">Frng-520</a>	
<a href="#">11775</a>	
<a href="#">229869</a>	
<a href="#">88.90006-0010 Mbc 300 Se S02 Ac 230</a> <a href="#">Vdungsnr: 261380</a>	
<a href="#">228222</a>	DMV-D 703/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 80 VA, NEMA TYPE 12 (FORMERLY 228-222)
<a href="#">240-339np</a>	
<a href="#">70409</a>	
<a href="#">267016</a>	DMV-D 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 23
<a href="#">267070</a>	
<a href="#">217606</a>	
<a href="#">Lqw 50 A2p</a>	
<a href="#">13284</a>	
<a href="#">231844</a>	DMV-ZRD 701/602 DUAL MODULAR VALVE TWO STAGE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORMERLY 231-844)
<a href="#">229906</a>	
<a href="#">Mb-Dle 407 B01 S20 (223746)</a>	
<a href="#">W-Mf Se 507 ( For Weishaupt)</a>	
<a href="#">221926</a>	
<a href="#">269237</a>	
<a href="#">217322</a>	
<a href="#">229873</a>	
<a href="#">229913</a>	
<a href="#">261303</a>	
<a href="#">Mb-Dle 410 B01 S50 (Ord. Code 226873)</a>	

<a href="#">222873</a>	DMV-D 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-873)
<a href="#">229657</a>	
<a href="#">241003</a>	
<a href="#">258-320np</a>	DMV-DLE 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
<a href="#">267054</a>	DMV-DLE 704/634 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-490)
<a href="#">267228</a>	
<a href="#">91876</a>	
<a href="#">227146</a>	
<a href="#">224382</a>	DMV-D 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-382)
<a href="#">Gw50a4 Type Gwa By Lgw 50 A4</a>	
<a href="#">269388</a>	
<a href="#">43032-6</a>	
<a href="#">Vps 504 S04</a>	
<a href="#">227139</a>	
<a href="#">267156</a>	DMV 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC 50-60 HZ (FORMERLY 257-242NP)
<a href="#">269253</a>	
<a href="#">107417</a>	
<a href="#">Two Single-Stage Solenoid Valvesdmv-D 507/11</a>	
<a href="#">257846</a>	
<a href="#">238823</a>	
<a href="#">Vdk 200a S02 Valve Proving Systemtype: Vdk200a S02 , 120vac 60hz</a>	
<a href="#">Gw 2000 A4 Hp Au-G3-V0</a>	
<a href="#">Gf 25065/2</a>	
<a href="#">Vdk-200a</a>	
<a href="#">229846</a>	

<a href="#">266847</a>	
<a href="#">242229</a>	
<a href="#">267245</a>	EMP-9430550 IN LB OUTPUT, 90 DEG 100 OHM, 20S FIXED 120 VAC, 60 HZ, 1.8A, AUX SW 6A @ 120 VAC, REQUIRES CRANK ARM (267239), REQUIRES (2) 50007 AND (1)
<a href="#">217442</a>	MVD 530/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 12 (FORMERLY 217-442)
<a href="#">267471</a>	
<a href="#">Gw500a6</a>	
<a href="#">Emp-423-5</a>	
<a href="#">229881</a>	
<a href="#">266939</a>	
<a href="#">223112</a>	
<a href="#">217326a</a>	
<a href="#">209064</a>	
<a href="#">013268</a>	FLANGED DN. 150 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE)
<a href="#">267022</a>	DMV-D 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 (FORMERLY 230-793P)
<a href="#">229838</a>	
<a href="#">Gw 50 A6 Ag-G3-Ms9-V0 Fa-Se</a>	
<a href="#">Gw150a5/1</a>	
<a href="#">222695</a>	
<a href="#">Art N: 214207 Type Magnet Kpl.Nr.200</a>	
<a href="#">269259</a>	
<a href="#">222697</a>	
<a href="#">266956</a>	
<a href="#">219659</a>	
<a href="#">267020</a>	DMV-DLE 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA
<a href="#">P/N: 211 222 Type: Vdk 200 A S02</a>	



<a href="#">226991</a>	DMV-D 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 65 VA, NEMA TYPE 12 (FORMERLY 226-991)
<a href="#">232173</a>	DMV-ZRDLE 701/602 DUAL MODULAR VALVE TWO STAGE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORMERLY 232-173)
<a href="#">48060-18</a>	
<a href="#">266893</a>	
<a href="#">267087</a>	DMV-D 702/624L WITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%)
<a href="#">Gw 150 A5/1 Sensor</a>	
<a href="#">269414</a>	
<a href="#">267535</a>	
<a href="#">240458</a>	
<a href="#">269263</a>	
<a href="#">229900</a>	
<a href="#">227143</a>	
<a href="#">224983 Vps 504 S05</a>	
<a href="#">222878</a>	DMV-DLE 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-878)
<a href="#">Gw500a4 100-500mbar 1/4i</a>	
<a href="#">Gw50 A4 G2p</a>	
<a href="#">Mvd5065-5</a>	
<a href="#">Ce-0085ap0168</a>	
<a href="#">209068</a>	FLANGED DN. 65 2 1/2" NOMINAL PIPE SIZE (FORMERLY 209-068)
<a href="#">257126</a>	
<a href="#">Mvd 2080/5</a>	
<a href="#">260769</a>	
<a href="#">266928</a>	
<a href="#">232-214v</a>	DMV-ZRDLE 702/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA,

<a href="#">228725</a>	
<a href="#">Dmv-D 507/11 Dc 24- 28 V Ip 54 Steck-Ans</a>	
<a href="#">223376</a>	DMV-DLE 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY 223-376)
<a href="#">230 609 - , No</a>	
<a href="#">46020-2</a>	
<a href="#">Mvd510 1quot;</a>	
<a href="#">267782</a>	
<a href="#">Sv-1007/614</a>	
<a href="#">107425</a>	
<a href="#">270012</a>	
<a href="#">228787</a>	
<a href="#">230-472</a>	
<a href="#">217-331a</a>	
<a href="#">222884</a>	DMV-DLE 512/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 65VA, IP 54 (FORMERLY 222-884)
<a href="#">258-312np</a>	DMV-DLE 5080/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
<a href="#">229658</a>	
<a href="#">229822</a>	
<a href="#">66209</a>	
<a href="#">217251</a>	MVDLE 230/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 12 (FORMERLY 217-251)
<a href="#">266936</a>	
<a href="#">Vps 504 S02 219 877</a>	
<a href="#">221590 Lgw 3 A4</a>	
<a href="#">VPS 504 S04 230V, 50Hz</a>	219881 valve proving system max. 500 mbar conn. on screw terminals
<a href="#">267097</a>	DMV-ZRD 702/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 5
<a href="#">13250</a>	

<a href="#">Lgw 150 A5, Pmax500mbar Gt;Gt; Discontinuedgt;Gt; Gt;Gt;225940/ Gw 150 A5 Ag-G3-MS6-V12 Fa-Se Set</a>	
<a href="#">220566</a>	
<a href="#">Stecksocket Mpa41xx (Ord. Nr. 261413)</a>	
<a href="#">224384</a>	DMV-D 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50- 60 HZ, 135 VA, NEMA TYPE (FORMERLY 224-384)
<a href="#">266901</a>	
<a href="#">Mvdle 515/5 (222081)</a>	
<a href="#">Emp-454-1</a>	
<a href="#">213910</a>	
<a href="#">238822</a>	
<a href="#">266919</a>	
<a href="#">221-591</a>	
<a href="#">222689</a>	
<a href="#">229614</a>	FRS 730/6 STAND ALONE PRESSURE REGULATOR 3" NPT OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO (FORMERLY 229-614)
<a href="#">267052</a>	DMV-D 704/634 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-489PP
<a href="#">258-336pp</a>	DMV 5100/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 100 TO ISO 7005-1 PN16 24 VDC VITON SEAT
<a href="#">6w 50 Ab</a>	
<a href="#">269267</a>	
<a href="#">267051</a>	DMV-D 704/624 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-489P)
<a href="#">269258</a>	
<a href="#">Aa-A2-4-5</a>	
<a href="#">Art. Nr. 211840 Type: Mb-Dle 410 B01 S20</a>	
<a href="#">Aa-A2-6-3, Art N: 266934 (Old: 217- 330a)</a>	
<a href="#">266949</a>	
<a href="#">267423</a>	

<a href="#">225217</a>	MAG. TYPE 1511 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 5080, DMV-DLE 5080 (FORMERLY 225-217)
<a href="#">259696</a>	
<a href="#">D228294</a>	
<a href="#">267805</a>	
<a href="#">216-965</a>	
<a href="#">103697</a>	
<a href="#">217-086a</a>	
<a href="#">222003</a>	
<a href="#">Gaoa448</a>	
<a href="#">223373</a>	DMV-DLE 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 220 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 223-373)
<a href="#">269335</a>	
<a href="#">224382 Einheit Gas-Ventile</a>	
<a href="#">269408</a>	
<a href="#">228770</a>	
<a href="#">Gf40100</a>	
<a href="#">251876</a>	DN. 150 LUG BUTTERFLY VALVESMANUALLY OPERATED, CAST IRON BODY. 6" NOMINAL PIPE SIZE (FORMERLY 251-876)
<a href="#">166150</a>	
<a href="#">226103</a>	DMV-DLE 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-103)
<a href="#">Gw50 A4</a>	
<a href="#">269281</a>	
<a href="#">219881 Vps 504 S04</a>	
<a href="#">Lqw-50-A2-P</a>	
<a href="#">260778</a>	
<a href="#">216-864a</a>	
<a href="#">267311</a>	
<a href="#">Frs 520</a>	

<a href="#">Dungs Lgw 50 A2</a>	
<a href="#">232079</a>	DMV-ZRD 703/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 232-079)
<a href="#">269392</a>	
<a href="#">Coil For Electromagnet ?1100</a>	
<a href="#">Emp-423-1</a>	
<a href="#">269346</a>	
<a href="#">252113</a>	
<a href="#">268447</a>	
<a href="#">229871</a>	
<a href="#">267332</a>	
<a href="#">Wegeventil 30153250 Dmv - D 520/11 1.1/2" 220v Ac Pmax-500 Mbar</a>	
<a href="#">157530</a>	
<a href="#">225167</a>	MAG. TYPE 1411 ACCESSORIES REPLACEMENT COILS 230 VAC NEMA TYPE 12, IP 54 FITS: DMV 525, DMV-DLE 525, DMV 5065, DMV-DLE 5065 (FORMERLY 225-167)
<a href="#">267292</a>	
<a href="#">219968</a>	
<a href="#">68940</a>	
<a href="#">247986 Mbc-65-Dle-S20</a>	
<a href="#">83410</a>	
<a href="#">267108</a>	
<a href="#">269409</a>	
<a href="#">267010</a>	LINEREGULATOR1 1/2 CL1 LINE PRESSURE REGULATOR 1 1/2" NPT, NPTF 4-10" WC SETTING 10-22" WC OPD (FORMERLY 229-611LP1)
<a href="#">269387</a>	
<a href="#">222342</a>	
<a href="#">229876</a>	
<a href="#">222687</a>	
<a href="#">241000</a>	
<a href="#">43033</a>	

<a href="#">222616</a>	
<a href="#">252120</a>	
<a href="#">269256</a>	
<a href="#">Lgw-10-A2</a>	
<a href="#">222370</a>	
<a href="#">Mb-Dle-412-B01-S20</a>	
<a href="#">214210</a>	
<a href="#">266828</a>	
<a href="#">Ord.Code: 157 550 Type: Mvd 515/5 230 Vac Ip 54</a>	
<a href="#">266971</a>	DMV-D 703/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (F
<a href="#">266974</a>	DMV-DLE 703/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12
<a href="#">K01/1</a>	
<a href="#">266930</a>	
<a href="#">221-593a</a>	
<a href="#">43158-6</a>	
<a href="#">225009 Mb-Dle 412 B01 S22multieinheiteinstufige,Pmax=360 Mbar, Pout=4-20mbar, Eingang: 1 1/4"</a>	
<a href="#">Ord.Nr. 272353 ( Type: Lgw 150 A4 Ag- M-Ms9-V0-Vs3)</a>	
<a href="#">069005</a>	FRS 5125 REPAIR KITFITS FRS 5125 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 069-005)
<a href="#">83386</a>	
<a href="#">6w 150 Ab</a>	
<a href="#">267341</a>	
<a href="#">253274</a>	
<a href="#">268444</a>	
<a href="#">P/N: 058 453 350.3 Not Sold Separately 229657</a>	

<a href="#">229610</a>	
<a href="#">228754</a>	
<a href="#">P/N: 272339 Type: Gw 150 A5</a>	
<a href="#">159350</a>	
<a href="#">Lqw50</a>	
<a href="#">66217</a>	
<a href="#">269223</a>	
<a href="#">267319</a>	
<a href="#">267323</a>	
<a href="#">267163</a>	DMV-DLE 5065/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ (FORMERLY 258-308PP)
<a href="#">267154</a>	DMV 5080/602 ECO DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 DN 80 PN 16 DUAL SSOV NBR CSA CE NEMA 12 (FORMERLY 257-220NP)
<a href="#">Mb-Dle-412-B01</a>	
<a href="#">82552</a>	
<a href="#">267194</a>	
<a href="#">267541</a>	VENT LINE KIT ACCESSORIES VENT LINE KIT 24VDC FOR THE DMV704/525-5125, INCLUDES LGV 507, K01 3/4" PIPE WIRING NOT INCLUDED. (FORMERLY 50252)
<a href="#">Gw 3 A6 Ag-G3-Ms9-V0-Vs3 Fa-Se 1p</a>	
<a href="#">267293</a>	
<a href="#">267103</a>	
<a href="#">88.90006-0010 Mbc 300 Se S22 Ac 230</a> <a href="#">Vdungsnr: 229645</a>	
<a href="#">223374</a>	DMV-DLE 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 110 VAC (+10%/-15%) 50-60 HZ, 110 (FORMERLY 223-374)
<a href="#">226462</a>	
<a href="#">Ks 1000 A2-7 Au-M-V9 St-Se Pa Ce 1p</a>	
<a href="#">258411</a>	
<a href="#">Dkh Rp 1/2</a>	
<a href="#">224843</a>	DMV-D 702/602 DUAL MODULAR VALVE 1/2",11/4", 1 1/2, 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 224-843)

<a href="#">195550</a>	
<a href="#">Mb-Dle 407</a>	
<a href="#">229884</a>	
<a href="#">267305</a>	
<a href="#">240994</a>	MVDLE 210/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 1" NPT 120 VAC (+10%/-15%), 60 HZ 25 VA, NEMA TYPE 4 (FORMERLY 240-994)
<a href="#">258-312pp</a>	DMV-DLE 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
<a href="#">222326</a>	
<a href="#">217439</a>	
<a href="#">241001</a>	
<a href="#">Vpm-Vc V1.0</a>	
<a href="#">Gao-A2-4-3</a>	
<a href="#">245044</a>	
<a href="#">267314</a>	
<a href="#">Art.Nr. 272352 Type: Lgw 3 A2p Ag-M- Ms3-V0</a>	
<a href="#">Druckschalter 40055050 Gw50a5 P 5- 50mbar</a>	
<a href="#">267472</a>	
<a href="#">Mb-Vef-407-412-B01</a>	
<a href="#">Lgw 3 A4/2</a>	
<a href="#">A4-A2-6-2</a>	
<a href="#">238583</a>	
<a href="#">225048</a>	MAG. TYPE 1212 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV520/11, DMV-DLE 520/11 DMV 5040, DMV-DLE5040, DMV 5050, DMV-DLE 5050 (FORMERLY 22
<a href="#">Dmv-Vef5080</a>	
<a href="#">267101</a>	
<a href="#">Dmv-Dle702/622</a>	
<a href="#">267236</a>	
<a href="#">228555</a>	



<a href="#">Rs257 Dn250 Pn16</a>	
<a href="#">107-425a</a>	
<a href="#">243760</a>	
<a href="#">267096</a>	DMV-ZRD 702/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE 12
<a href="#">Vdk200a-02</a>	
<a href="#">Lgw-50-A2</a>	
<a href="#">267002</a>	
<a href="#">258-313np</a>	DMV 5080/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC
<a href="#">Sv-D 520 !! By Mvd 520/5</a>	
<a href="#">267208</a>	
<a href="#">227137</a>	
<a href="#">267073</a>	
<a href="#">232402</a>	
<a href="#">Mbc-1200-Vef</a>	
<a href="#">267304</a>	
<a href="#">271331</a>	
<a href="#">228723 Gw 3 A6</a>	
<a href="#">269235</a>	
<a href="#">Dmv-D520/11</a>	DOUBLE SOLENOID VALVE 500MBAR 220-240VAC 50/60HZ
<a href="#">266855</a>	
<a href="#">266993</a>	
<a href="#">229891</a>	
<a href="#">226111</a>	DMV-DLE 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE (FORMERLY 226-111)
<a href="#">058446 Frs 515 Druckregler</a>	
<a href="#">226114</a>	DMV-DLE 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),135 VA, NEMA TYPE 12 (FORMERLY 226-114)
<a href="#">Lgw 500 A5, Pmax600mbar Gt;Gt; Discontinuedgt;Gt; Gt;Gt;227639/ Gw 500 A5 Ag-G3-Ms6-V12 Fa-Se Set</a>	

<a href="#">267298</a>	
<a href="#">269229</a>	
<a href="#">Aa-A1-0-3</a>	
<a href="#">MB-VEF 407 B01 S30 AC230V m. G</a>	GasMultiBloc gas-air conn.reg Customs tariff number 84818059 Unit weight: 2.660 kg Position weight: 2.660 kg ***** ***** OPERATING DATA: Medium: unknown Inlet pressure pe/pu: unknown Outlet pressure pa/pd: unknown (ONLY FOR REGULATORS) Heat output H: unknown Flow rate Qn: unknown Flow rate Qb: unknown
<a href="#">267012</a>	LINEREGULATOR2 CL1 OPD LINE PRESSURE REGULATOR 2" NPT, NPTF 4-10" WC SETTING 10-22" WC OPD (FORMERLY 229-612LP1)
<a href="#">219 006</a>	
<a href="#">Nr 280</a>	
<a href="#">226112</a>	DMV-DLE 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 226-112)
<a href="#">Rp 1/2 Pvb - Usa Version, Eu Version - Dkh Rp 1/2</a>	
<a href="#">267021</a>	DMV-DLE 702/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 6
<a href="#">267025</a>	DMV-DLE 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY
<a href="#">104307</a>	
<a href="#">46014-6</a>	
<a href="#">Dmv-Dle 5125/11</a>	
<a href="#">Dmv-Dle5065/11</a>	
<a href="#">238584 Kh-160080</a>	
<a href="#">222608</a>	
<a href="#">267342</a>	
<a href="#">225222</a>	MAG. TYPE 1611 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 5100, DMV-DLE 5100 (FORMERLY 225-222)
<a href="#">Druckregler Dungs Frs 520 Dn50 (140-200 Mbar)</a>	
<a href="#">267105</a>	

<a href="#">269231</a>	
<a href="#">217102</a>	
<a href="#">266892</a>	
<a href="#">Ce-0085-Aq0673</a>	
<a href="#">Line Socket For The Electrical Connection Of The Dmv</a>	
<a href="#">267331</a>	
<a href="#">240996</a>	
<a href="#">266973</a>	DMV-DLE 702/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12
<a href="#">269243</a>	
<a href="#">229892</a>	
<a href="#">269240</a>	
<a href="#">266947</a>	
<a href="#">269318</a>	
<a href="#">Ks 3000 A2-7 , 257846</a>	
<a href="#">Druckregler Dungs Frs 515 Dn40</a>	
<a href="#">217321</a>	
<a href="#">233150</a>	MVD 525/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 1/2 110 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 233-150)
<a href="#">Mb-Dle 410 B01 S50 (229780)</a>	
<a href="#">223368</a>	DMV-D 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 223-368)
<a href="#">269269</a>	
<a href="#">229823</a>	
<a href="#">266979</a>	
<a href="#">220970</a>	
<a href="#">229897</a>	
<a href="#">222161</a>	VALVE DUAL MODULAR DN80 500MBAR 24-28VDC
<a href="#">226069</a>	DMV-D 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY 226-069)

<a href="#">269418</a>	
<a href="#">211229</a>	, Type Vdk 200a S02 240v 50hz
<a href="#">246516</a>	
<a href="#">221 207</a>	
<a href="#">Gw150a6/150a6</a>	
<a href="#">70391</a>	
<a href="#">230444</a>	
<a href="#">222599</a>	DMV-DLE 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY222-599)
<a href="#">267001</a>	
<a href="#">222696</a>	Filtrierendes Einbauteil Gf 40125
<a href="#">Lgw 50 A4/2 Ag-M-Ms9-V0-Vs3 St-Se</a>	
<a href="#">229896</a>	
<a href="#">242032</a>	
<a href="#">Frsbv 226284</a>	Sicherheitsventil
<a href="#">Lgw 1,5 A1</a>	
<a href="#">232407</a>	
<a href="#">267094</a>	DMV-ZRD 701/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORMERL
<a href="#">214209</a>	
<a href="#">267044</a>	
<a href="#">266923</a>	
<a href="#">Lqv507/5</a>	
<a href="#">Lgw 3 A2 Ag-M-V9 St-Se</a>	
<a href="#">243416</a>	
<a href="#">258-308np</a>	DMV-DLE 5065/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
<a href="#">229834</a>	
<a href="#">222621</a>	
<a href="#">267008</a>	

<a href="#">266890</a>	
<a href="#">Dmvd506511</a>	FLANGED VALVE DUAL MODULAR 24VDC
<a href="#">226992</a>	DMV-D 703/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 80 VA, NEMA TYPE 12 (FORMERLY 226-992)
<a href="#">210318</a>	
<a href="#">267075</a>	
<a href="#">Lgw3a4</a>	
<a href="#">107-417</a>	
<a href="#">Magnet Nr. 1200</a>	
<a href="#">224381</a>	DMV-D 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 220-240 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE (FORMERLY 224-381)
<a href="#">Frs520</a>	
<a href="#">229903</a>	
<a href="#">266926</a>	
<a href="#">W-Mf 507 S22 230v</a>	
<a href="#">258-317pp</a>	DMV 5100/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 100 TO ISO 7005-1 PN16 24 VDC
<a href="#">267345</a>	
<a href="#">258-316pp</a>	DMV-DLE 5100/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 100 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
<a href="#">225228</a>	MAG. TYPE 1711 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 5125, DMV-DLE 5125 (FORMERLY 225-228)
<a href="#">269221</a>	
<a href="#">224924</a>	DMV-DLE 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 220-240 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE (FORMERLY 224-924)
<a href="#">252121</a>	
<a href="#">260773</a>	
<a href="#">222611</a>	
<a href="#">Mb-Dle 405 B01 S20 Ac230v (226560)</a>	
<a href="#">229893</a>	
<a href="#">Mvd-2050/5</a>	VALVE SOLENOID AUTO SHUT-OFF W/COIL DN50 FLANGE

<a href="#">Dg50u</a>	
<a href="#">Gw 50 A6</a>	
<a href="#">Ema-418-1</a>	
<a href="#">226188</a>	
<a href="#">46014-5 Low</a>	
<a href="#">15412</a>	
<a href="#">Kh 160065 238583 Metallsitzhahn, Pmax 16 Bar,Der Beitritt Dn65</a>	
<a href="#">267041</a>	
<a href="#">082552</a>	FLANGED DN. 100 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE)
<a href="#">157550 Ventil Mvd 515/5 11/2" 500mbar 230v</a>	
<a href="#">224925</a>	DMV-DLE 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50- 60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-925)
<a href="#">Rp3/4</a>	
<a href="#">225220</a>	MAG. TYPE 1611 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV 5100, DMV-DLE 5100 (FORMERLY 225- 220)
<a href="#">85210537 Drucksensor</a>	
<a href="#">Gw 10 A5</a>	
<a href="#">229663</a>	FRNG 5150 REPAIR KITFITS FRNG 5150 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 229-663)
<a href="#">227156</a>	HIGH PRESSURES DN. 80 3" NOMINAL PIPE SIZE (FORMERLY 227-156)
<a href="#">269413</a>	
<a href="#">226555</a>	
<a href="#">Mpa 4112 V1.1 Ord. Nr. 259066</a>	
<a href="#">267157</a>	DMV 5100/602 ECO DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 DN100 PN 16 DUAL SSOV NBR CSA CE NEMA 12 (FORMERLY 257-256NP)
<a href="#">217-092a</a>	
<a href="#">266921</a>	
<a href="#">225047</a>	

<a href="#">Lgw22406 Id02-Lgw22406 00 KI Id02</a>	
<a href="#">Frs-520</a>	
<a href="#">41306-1</a>	
<a href="#">K01/1 Ip 65</a>	
<a href="#">Dmv 5080/12</a>	
<a href="#">Vdk200as02</a>	
<a href="#">267083</a>	DMV-DLE 703/624L WITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%
<a href="#">224093</a>	
<a href="#">226805</a>	
<a href="#">Dmv-D 5040/11</a>	
<a href="#">Ggw 3 A4/2 X-Au-M-Ms9-V0-Vs3 St-Se 1p, Art. Nr. 245810</a>	
<a href="#">223159</a>	
<a href="#">223280</a>	
<a href="#">267309</a>	
<a href="#">268488</a>	
<a href="#">267315</a>	
<a href="#">35.1 230vac Ip54 Art.216878</a>	
<a href="#">Gw 500 A4 Hp</a>	
<a href="#">225940</a>	
<a href="#">229911</a>	
<a href="#">224383 Valve Dmv-D 5080/11 224383</a>	
<a href="#">227153</a>	HIGH PRESSURES DN. 25 1" NOMINAL PIPE SIZE (FORMERLY 227-153)
<a href="#">230992</a>	
<a href="#">244021</a>	
<a href="#">217-324a</a>	
<a href="#">217329a</a>	
<a href="#">Mvd-512/6</a>	
<a href="#">269340</a>	

<a href="#">225167 , Type Ers.Magnet Kpl.Nr.1411</a>	
<a href="#">Ip 54 Ac 230 V</a>	
<a href="#">Gw 3 A6 (272343)</a>	
<a href="#">Gw 500 A5 Druckschalterttyp Gw 500 A5</a>	
<a href="#">Mbdle415b01s20</a>	
<a href="#">266849</a>	
<a href="#">217438</a>	
<a href="#">240997</a>	
<a href="#">Pe 360</a>	
<a href="#">256410</a>	
<a href="#">226106</a>	DMV-DLE 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-106)
<a href="#">228726</a>	
<a href="#">254849</a>	DMV 50050 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN16 230 VAC STARTING POWER [W] 2X80, HOLDING POWER [W] 2X15, (+10%/-15%) 50-60HZ, I
<a href="#">217202</a>	
<a href="#">269389</a>	
<a href="#">230993</a>	MAG. TYPE 550 ACCESSORIES REPLACEMENT COILS 120 VAC, NEMA TYPE 12 FITS: MVD 530/6 (FORMERLY 230-993)
<a href="#">267089</a>	DMV-DLE 702/624L WITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%
<a href="#">Gw500a5 Relais Druckdifferenz</a>	
<a href="#">228225</a>	DMV-DLE 703/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 228-225)
<a href="#">229912</a>	
<a href="#">Mag Nr 1105 ? Mat Nr 222092</a>	
<a href="#">148830</a>	
<a href="#">209065</a>	
<a href="#">178940 , Type Fru 5050</a>	
<a href="#">Dmv-Dle512/11, Art N: 216904</a>	
<a href="#">267467</a>	
<a href="#">267252</a>	



<a href="#">267011</a>	
<a href="#">221073 , Type Vps 504 S06</a>	
<a href="#">Mbc-700-Se-S22 Gas Valve</a>	
<a href="#">269252</a>	
<a href="#">Ks600c2</a>	
<a href="#">58792</a>	
<a href="#">221356</a>	
<a href="#">266941</a>	
<a href="#">266996</a>	
<a href="#">266914</a>	
<a href="#">267058</a>	
<a href="#">Gw 500 A6 Gas Pressure Switch</a> <a href="#">Adjustable Adjustment Range: 100-500</a> <a href="#">Mbar</a>	
<a href="#">269255</a>	
<a href="#">266994</a>	
<a href="#">267324</a>	
<a href="#">269228</a>	
<a href="#">225003</a>	
<a href="#">237675</a>	
<a href="#">267069</a>	DMV-DLE 701/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEM
<a href="#">135930</a>	
<a href="#">300 Mvd - , - Nr.300 Ac 230 V Ip 54</a> <a href="#">(Ord.Nr. 214208)</a>	
<a href="#">229240</a>	
<a href="#">223367</a>	DMV-D 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 220 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY223-367)
<a href="#">058628 Frs 520 Druckregler</a>	
<a href="#">Mb-Vef 412 B01 S30 220 Vac</a>	Dungs-GasMultiBloc mit Verbundregler Pmax. 360 mbar Schutzart: IP 54 Nennweite: Rp 1" - Rp 1 1/4" (abh¼ngig von Zubeh¼r)
<a href="#">Lqw 50 A4 (272355)</a>	

<a href="#">222614</a>	
<a href="#">68932</a>	
<a href="#">242226</a>	
<a href="#">267107</a>	
<a href="#">267343</a>	
<a href="#">267099</a>	DMV-ZRD 703/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12
<a href="#">267081</a>	SV-DLE 1020/614 SINGLE AUTOMATIC SHUT-OFF VALVES NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT 120 VAC (+10%/-15%), 50/60 HZ 45 VA, NEMA TYPE 4 (FORMERLY 2
<a href="#">Dmk 710/6</a>	
<a href="#">229833</a>	
<a href="#">266957</a>	
<a href="#">217330a</a>	
<a href="#">213795</a>	
<a href="#">266906</a>	
<a href="#">219878</a>	
<a href="#">269404</a>	
<a href="#">Dmv-D 507/11</a>	
<a href="#">46060-16</a>	
<a href="#">Gw50a6</a>	
<a href="#">231944</a>	
<a href="#">269250</a>	
<a href="#">214206</a>	
<a href="#">214207</a>	
<a href="#">Gw3 - A4</a>	
<a href="#">167200</a>	MVD 520/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 167-200)
<a href="#">Lqw 6 A2-7 Drucksensor</a>	
<a href="#">225 167</a>	
<a href="#">247481</a>	

<a href="#">222344</a>	
<a href="#">266856</a>	
<a href="#">267253</a>	
<a href="#">226076</a>	DMV-D 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 200 VA, NEMA TYPE 12 (FORMERLY 226-076)
<a href="#">266961</a>	
<a href="#">214975</a>	
<a href="#">266912</a>	
<a href="#">Gw-500-A6</a>	
<a href="#">Line Socket For The Electrical Connection Of The Gw</a>	
<a href="#">Sad1.2 (229813)</a>	
<a href="#">269257</a>	
<a href="#">Gw150a5</a>	
<a href="#">227157</a>	HIGH PRESSURES DN. 100 4" NOMINAL PIPE SIZE (FORMERLY 227-157)
<a href="#">Lgw 50</a>	
<a href="#">Gao-A2-4-6</a>	
<a href="#">134450210</a>	
<a href="#">217101</a>	
<a href="#">269401</a>	
<a href="#">50007</a>	
<a href="#">Druckregler Gas</a>	
<a href="#">269233</a>	
<a href="#">157530 Mvd 507/5magnetventil Mitdrossel Durchfluss, Pmax=500 Mbar, 230 Vac, Prozessanschluss: 3/4"</a>	
<a href="#">69005</a>	
<a href="#">266966</a>	
<a href="#">219008</a>	
<a href="#">Ga-262-450pp</a>	
<a href="#">230475</a>	

<a href="#">267303</a>	
<a href="#">225-256</a>	
<a href="#">226284</a>	
<a href="#">225000</a>	
<a href="#">48070-7</a>	
<a href="#">226120</a>	DMV-DLE 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 24 VDC (+10%/-15%),90 VA, NEMA TYPE 12 (FORMERLY 226-120)
<a href="#">222693</a>	
<a href="#">229661</a>	FRNG 5100 REPAIR KITFITS FRNG 5100 BODY, INCLUDES ALL INTERNAL HARDWARE TO INTERNAL HARDWARE TO REBUILD THE CONTROL.(FORMERLY 229-661)
<a href="#">Gw 500 (272349)</a>	
<a href="#">226063</a>	DMV-D 5040/11 DUAL MODULAR VALVE FLANGED VERSION DN. 40 TO ISO 7005-1 PN40 24 VDC (+10%/-15%), 90 VA, NEMA TYPE 12 (FORMERLY 226-063)
<a href="#">226107</a>	DMV-DLE 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50- 60 HZ, 200 VA, NEMA TYPE (FORMERLY 226-107)
<a href="#">267307</a>	
<a href="#">267300</a>	CO-792-12 BRASS ORIFICES VENTURI METERS 12 BETA RATIO 0.792, HEAD LOSS 25% (FORMERLY 48050-14)
<a href="#">217-093a</a>	
<a href="#">267061</a>	DMV-D 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERLY 243-761P)
<a href="#">267077</a>	
<a href="#">267224</a>	
<a href="#">222341</a>	
<a href="#">Frs 5065</a>	
<a href="#">268443</a>	
<a href="#">267310</a>	
<a href="#">268347</a>	
<a href="#">229849</a>	
<a href="#">266920</a>	
<a href="#">Lgw 3 A4 Ag-M-Ms9-V0-Vs3 St-Se</a>	

<a href="#">266998</a>	
<a href="#">258-321p</a>	DMV 5125/11 ECO 622 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 24 VDC
<a href="#">103705</a>	
<a href="#">240999</a>	MVDLE 230/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 4 (FORMERLY 240-999)
<a href="#">267085</a>	DMV-D 703/624LWITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 5
<a href="#">229612</a>	
<a href="#">240457</a>	
<a href="#">219881</a>	
<a href="#">269224</a>	
<a href="#">267007</a>	
<a href="#">Ggw 150 A4</a>	
<a href="#">267330</a>	
<a href="#">Sv-D507</a>	
<a href="#">240998</a>	MVDLE 225/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 4 (FORMERLY 240-998)
<a href="#">227644</a>	
<a href="#">269324</a>	
<a href="#">266985</a>	DMV-DLE 5080/11 HL DUAL MODULAR VALVE HAZARDOUS LOCATION VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-106HL)
<a href="#">230474 Regulator Pressure Dungs Fri 710/6component Name: Modular Pressure Regulatorpn: Fri 710/6</a>	
<a href="#">Magnet Kpl.Nr.1231 Ac 230 V Ip 54 (228295)</a>	
<a href="#">240993</a>	
<a href="#">Lgw 3 A2 (272337)</a>	
<a href="#">99028</a>	
<a href="#">266987</a>	DMV-DLE 703/602 HL DUAL MODULAR VALVE HAZARDOUS LOCATION VERSION 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC

<a href="#">Gw 50 A6/1</a>	(+10%/-15%), 90 VA, NEMA TYPE 12 (FORMERLY 22
<a href="#">Dma 30p 230/03 0l</a>	
<a href="#">217440</a>	
<a href="#">Lqv 3a4</a>	
<a href="#">269323</a>	
<a href="#">267088</a>	DMV-DLE 702/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE
<a href="#">107-409a</a>	
<a href="#">267102</a>	
<a href="#">Lgw 3 A2, 0.4-3.0mbar</a>	
<a href="#">Lgw150a2p</a>	
<a href="#">267333</a>	VCW-743 BRASS ORIFICES VENTURI METERS 6" NPT BETA RATIO 0.743, HEAD LOSS 10%, 16122 SCFH (FORMERLY 48070-8)
<a href="#">229611</a>	
<a href="#">240311</a>	
<a href="#">Mvd 515/5 (157550)</a>	
<a href="#">40055150 Drucksensor</a>	
<a href="#">Valve Proving System Du-219881vps 504 S04</a>	
<a href="#">231420</a>	
<a href="#">Dmv-D 507/11 Ac 220-240 V Ip 54 Steck-An</a>	
<a href="#">266970</a>	DMV-D 702/602 WITH VLADUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FO
<a href="#">Lgw 50 A2 Ag-M-V9 St-Se</a>	
<a href="#">267328</a>	VCW-721 BRASS ORIFICES VENTURI METERS 16 NPT HEAD LOSS 10% (FORMERLY 48070-15)
<a href="#">269227</a>	
<a href="#">222637</a>	
<a href="#">229824</a>	
<a href="#">225987</a>	

<a href="#">267318</a>	
<a href="#">231945</a>	
<a href="#">Vps 504 S05 24v Dc</a>	
<a href="#">221884</a>	
<a href="#">Dmv-D 507/11 Ac 220-240 V Ip 54 Viton</a>	
<a href="#">227639</a>	
<a href="#">226347</a>	
<a href="#">241016</a>	
<a href="#">266989</a>	
<a href="#">266958</a>	
<a href="#">245100 Gas Valve Dmv 5080/12</a>	
<a href="#">121962 , Type: Mvd 207/5</a>	
<a href="#">269416</a>	
<a href="#">226110</a>	DMV-DLE 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),200 VA, NEMA TYPE 12 (FORMERLY 226-110)
<a href="#">Vps 504 S02</a>	
<a href="#">267158</a>	DMV 5065/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ NEMA TYPE 12 (FORMERLY 257-298NP)
<a href="#">267084</a>	DMV-D 703/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 4
<a href="#">218163</a>	FLANGED DN. 150 6" NOMINAL PIPE SIZE (FORMERLY 218- 163)
<a href="#">66233</a>	
<a href="#">231774</a>	
<a href="#">242657</a>	
<a href="#">Mvdle 207/602 Kdi 120 Vac</a>	
<a href="#">244157</a>	
<a href="#">13 009 689</a>	
<a href="#">269344</a>	
<a href="#">269398</a>	
	DMV 5065/11 ECO 632 DUAL MODULAR VALVE FLANGED

<a href="#">257-298pp</a>	VERSION WITH PROOF OF CLOSURE DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
<a href="#">268454</a>	
<a href="#">Dmv-Se S12/11 S22</a>	
<a href="#">267344</a>	
<a href="#">Lqw 10 A2 Ag-M-V9 St-Se 1p</a>	
<a href="#">238554</a>	
<a href="#">269220</a>	
<a href="#">226104</a>	DMV-DLE 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 226-104)
<a href="#">242656</a>	
<a href="#">267521</a>	
<a href="#">266999</a>	
<a href="#">228220</a>	
<a href="#">Emp4534</a>	
<a href="#">258-320pp</a>	DMV-DLE 5125/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
<a href="#">23030100430</a>	
<a href="#">66191</a>	
<a href="#">Aa-A2-6-3, Nr:266934</a>	
<a href="#">225171</a>	MAG. TYPE 1511 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV 5080, DMV-DLE 5080 (FORMERLY 225- 171)
<a href="#">Mvdle 515/5 Ac 230v</a>	Gas solenoid valve closed normally slowly opening, fast closing DN 40, Rp 1 1/2 " Pmax. 500 mbar Protection class: IP 54
<a href="#">267039</a>	
<a href="#">13524</a>	
<a href="#">269386</a>	
<a href="#">243096</a>	
<a href="#">267005</a>	
<a href="#">Automatisches Absperrventil Dungs Sv- D 507 (Pmax 500mbar)</a>	
<a href="#">269236</a>	



<a href="#">Mvd 520/5</a>	
<a href="#">222388</a>	
<a href="#">13009689 Servosad 1.2</a>	
<a href="#">269325</a>	
<a href="#">229 659</a>	
<a href="#">266898</a>	
<a href="#">266896</a>	
<a href="#">258-321np</a>	DMV 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDC
<a href="#">267028</a>	DMV-ZRDLE 701/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE
<a href="#">217-087a</a>	
<a href="#">267254</a>	
<a href="#">132430420</a>	
<a href="#">266848</a>	
<a href="#">242654</a>	
<a href="#">271329</a>	
<a href="#">267781</a>	
<a href="#">258-309np</a>	DMV 5065/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC
<a href="#">266889</a>	
<a href="#">267317</a>	
<a href="#">W-Mf-Se 507 C01 S22 By W-Mf Se 507 S22 (605320)</a>	
<a href="#">For Frs 520</a>	
<a href="#">229820</a>	
<a href="#">266905</a>	
<a href="#">216-752a</a>	
<a href="#">Gf520/1</a>	
<a href="#">217471</a>	
<a href="#">242230</a>	
<a href="#">267074</a>	

<a href="#">058792</a>	FLANGED DN. 65 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE) 2
<a href="#">222613</a>	
<a href="#">267026</a>	DMV-DLE 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA
<a href="#">251529</a>	HIGH PRESSURES DN. 125 5" NOMINAL PIPE SIZE (FORMERLY 251-529)
<a href="#">Dmv-D503/11</a>	
<a href="#">Sv-D 507 - , -Mvd 507/5</a>	
<a href="#">069013</a>	FRS 5150 REPAIR KIT FITS FRS 5150 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 069-013)
<a href="#">238804</a>	
<a href="#">226064</a>	DMV-D 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 226-064)
<a href="#">Dma 30 Q 230/10 0 L</a>	
<a href="#">240326</a>	
<a href="#">222337</a>	DMV-DLE 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-337)
<a href="#">269405</a>	
<a href="#">Lgw150a4\2</a>	
<a href="#">214208</a>	
<a href="#">238587</a>	KH DN. 150 FLANGED BALL VALVES DN. 150 MANUALLY OPERATED, CAST IRON BODY. 6" NOMINAL PIPE SIZE (FORMERLY 238-587)
<a href="#">266943</a>	
<a href="#">266995</a>	
<a href="#">229901</a>	
<a href="#">252119</a>	
<a href="#">269406</a>	
<a href="#">254394a</a>	
<a href="#">119271</a>	
<a href="#">254285</a>	

<a href="#">230443</a>	
<a href="#">229887</a>	
<a href="#">269222</a>	
<a href="#">269262</a>	
<a href="#">Ks 1000 C2 , Ks 1000 A2-7 Au-M-V9 St- Se Pa Ce 1p</a>	
<a href="#">Lgw50a4\2</a>	
<a href="#">170750</a>	MVD 525/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 1/2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 170-750)
<a href="#">224847</a>	DMV-DLE 703/602DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 224-847)
<a href="#">98459</a>	
<a href="#">228221</a>	DMV-D 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 60 VA, NEMA TYPE 12 (FORMERLY 228-221)
<a href="#">48060-15</a>	
<a href="#">Dmv-Dle 512/11</a>	
<a href="#">229916</a>	
<a href="#">269415</a>	
<a href="#">267316</a>	
<a href="#">226995</a>	DMV-DLE 703/602DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 80 VA, NEMA TYPE 12 (FORMERLY 226-995)
<a href="#">222691</a>	
<a href="#">216-864ca</a>	
<a href="#">83.58520</a>	
<a href="#">011767 Ventil Mvd 220/5 2" 200mbar 230v</a>	
<a href="#">267143</a>	
<a href="#">157530 Ventil Magnetische Gas-Sv-D 507 Dn 3/4" Art.-Ce-0085bm0332</a>	
<a href="#">222332</a>	DMV-DLE 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-332)
<a href="#">216870</a>	

<a href="#">135960</a>	
<a href="#">228779</a>	
<a href="#">266944</a>	
<a href="#">253734</a>	
<a href="#">Gw-50-A2</a>	
<a href="#">Mpa4112</a>	
<a href="#">267086</a>	DMV-D 702/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 4
<a href="#">Mbc-700-Vef</a>	
<a href="#">225049</a>	MAG. TYPE 1212 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 520/11, DMV-DLE 520/11 DMV 5040, DMV-DLE 5040, DMV 5050, DMV-DLE 5050 (FORMERLY
<a href="#">267062</a>	DMV-D 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (
<a href="#">272618 Type Gw 500 A6</a>	
<a href="#">229877</a>	
<a href="#">225816</a>	
<a href="#">258-341np</a>	DMV 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDCVITON SEAT
<a href="#">227155</a>	HIGH PRESSURES DN. 50 2" NOMINAL PIPE SIZE (FORMERLY 227-153)
<a href="#">269279</a>	
<a href="#">269280</a>	
<a href="#">267019</a>	DMV-DLE 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY
<a href="#">229875</a>	
<a href="#">230983</a>	
<a href="#">269282</a>	
<a href="#">232-232v</a>	DMV-ZRDLE 703/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA,
<a href="#">217488 Solenoid .Nr. 1011</a>	
<a href="#">245563</a>	

<a href="#">226806</a>	
<a href="#">52415</a>	
<a href="#">269268</a>	
<a href="#">W-Mf-Se 507 C01 S22</a>	VALF SOLENOID
<a href="#">222619</a>	
<a href="#">267296</a>	
<a href="#">267191</a>	
<a href="#">266904</a>	
<a href="#">267112</a>	
<a href="#">Frng 515 (209064)</a>	
<a href="#">Art N: 214208 Type Magnet Kpl.Nr.300</a>	
<a href="#">226464</a>	FRG 725/6 PROPORTIONATOR / ZERO GOVERNOR 2 1/2 NPT(FORMERLY 226-464)
<a href="#">Dungs Dmv-D 507/11</a>	
<a href="#">267322</a>	
<a href="#">229837</a>	
<a href="#">266969</a>	DMV-D 701/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERLY
<a href="#">205360</a>	
<a href="#">224846</a>	DMV-DLE 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 224-846)
<a href="#">222692</a>	
<a href="#">257127</a>	
<a href="#">267104</a>	
<a href="#">267000</a>	
<a href="#">222688</a>	
<a href="#">229870</a>	
<a href="#">211222</a>	VDK 200A S02 VALVE PROVING SYSTEMS, PIPE MOUNT 12 MM RP CONNECTIONS, MAX. VOL. 0,7 CU FT (20 LITERS) 230 VAC (+10%/-15%), 50 HZ, RUN CONTACT 4A @ 200
<a href="#">267024</a>	DMV-D 703/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2",

	2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90
<a href="#">224845</a>	
<a href="#">266909</a>	
<a href="#">231-844v</a>	DMV-ZRD 701/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12
<a href="#">266913</a>	
<a href="#">269272</a>	
<a href="#">266963</a>	
<a href="#">267257</a>	
<a href="#">Gw150a6</a>	
<a href="#">266910</a>	
<a href="#">229894</a>	
<a href="#">Re550/250-2 Si-S By Ge 550 Ac 2000s</a>	
<a href="#">267465</a>	
<a href="#">222828</a>	DMV-D 512/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 65VA, IP 54 (FORMERLY 222-828)
<a href="#">229662</a>	FRNG 5125 REPAIR KITFITS FRNG 5125 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 229-662)
<a href="#">215953</a>	
<a href="#">258-309pp</a>	DMV 5065/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 65 TO ISO 7005-1 PN16 24 VDC
<a href="#">104083</a>	
<a href="#">242660</a>	
<a href="#">244-733vp</a>	DMV-ZRDLE 702/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%)
<a href="#">Frng 5065</a>	
<a href="#">231789</a>	
<a href="#">Kit Repair For Frs 5065</a>	
<a href="#">270489</a>	
<a href="#">Gw-50-A4</a>	

<a href="#">Ers510</a>	
<a href="#">225225</a>	MAG. TYPE 1711 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV 5125, DMV-DLE 5125 (FORMERLY 225-225)
<a href="#">48050-10</a>	
<a href="#">245147</a>	
<a href="#">216590</a>	
<a href="#">269261</a>	
<a href="#">Lqw 150 A4/2</a>	
<a href="#">156630</a>	
<a href="#">Bm-740-010</a>	
<a href="#">267297</a>	
<a href="#">Dmv-Dle 520/11</a>	
<a href="#">240-821np</a>	
<a href="#">Mvdle-215/602</a>	
<a href="#">269320</a>	
<a href="#">210537</a>	
<a href="#">227142</a>	
<a href="#">242225</a>	
<a href="#">269334</a>	
<a href="#">222077</a>	
<a href="#">227140</a>	
<a href="#">251874</a>	
<a href="#">222825</a>	DMV-D 520/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 90VA, IP 54 (FORMERLY 222-825)
<a href="#">Lqw 10 A4 Ag-M-Ms9-V0-Vs3 St-Se</a>	
<a href="#">Dmv-507/11</a>	VALVE DUAL MODULAR 110VAC
<a href="#">Gw500a4 Ag-M-Vo Gas Pressure Switch</a>	
<a href="#">221073</a>	
<a href="#">267055</a>	
<a href="#">260768</a>	
<a href="#">Ord.Code: 226874 Type: Mb-Dle 407</a>	

<a href="#">B01_S50</a>	
<a href="#">242220</a>	
<a href="#">224212</a>	FLANGED DN. 150 6" NOMINAL PIPE SIZE (FORMERLY 224-212)
<a href="#">216633</a>	MVDLE 225/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 12 (FORMERLY 216-633)
<a href="#">223426</a>	
<a href="#">267273</a>	
<a href="#">244-735vp</a>	DMV-ZRDLE 703/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%)
<a href="#">267071</a>	
<a href="#">224094</a>	
<a href="#">Nr.300 Ac 230 V Ip 54 (Ord.Nr. 214208)</a>	
<a href="#">267014</a>	
<a href="#">226342</a>	
<a href="#">Lqw 3 A1</a>	
<a href="#">266960</a>	
<a href="#">224383</a>	DMV-D 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-383)
<a href="#">242650</a>	
<a href="#">158110</a>	
<a href="#">267308</a>	
<a href="#">240456</a>	
<a href="#">221590</a>	
<a href="#">D507</a>	
<a href="#">216967</a>	
<a href="#">226072</a>	DMV-D 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY 226-072)
<a href="#">208382</a>	
<a href="#">Gmh-A4-4-8 (Ä220;B 500 A4 Ag-Npt-Ms9-V0 1p)</a>	



<a href="#">269246</a>	
<a href="#">229842</a>	
<a href="#">Mvs-120-Dle-S-40</a>	
<a href="#">070383</a>	
<a href="#">267207</a>	
<a href="#">222369</a>	
<a href="#">224380</a>	DMV-D 5040/11 DUAL MODULAR VALVE FLANGED VERSION DN. 40 TO ISO 7005-1 PN40 220-240 VAC (+10%/-15%) 50- 60 HZ, 90 VA, NEMA TYPE (FORMERLY 224-380)
<a href="#">230986</a>	
<a href="#">Lgw 150 A4 Ag-M-Ms9-V0-Vs3 St-Se</a>	
<a href="#">Lgw34a Ag-Pg-Ms9-V0-Vs3 St-Se</a>	
<a href="#">Gw 150 (272339)</a>	
<a href="#">214422</a>	FLANGED DN. 100 4" NOMINAL PIPE SIZE (FORMERLY 214- 422)
<a href="#">Lgw150a4</a>	
<a href="#">219967</a>	
<a href="#">Mb Dle 410 B01 S52</a>	
<a href="#">239316-231</a>	
<a href="#">267320</a>	
<a href="#">Mb Dle 410 B01</a>	
<a href="#">258-331pp</a>	DMV 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 24 VDC VITON SEAT
<a href="#">Druckregler 25050040 Frs 515 Pmax- 500mbar Dn 40</a>	
<a href="#">240992</a>	
<a href="#">224253a</a>	
<a href="#">119073</a>	
<a href="#">269322</a>	
<a href="#">266888</a>	
<a href="#">267018</a>	DMV-D 702/622 W/VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA,
<a href="#">Lgw 150 A4 Sgv</a>	

<a href="#">269232</a>	
<a href="#">229899</a>	
<a href="#">Druckschalter 42050010 Lgw 10 A2 250v 10a 50 Hz P 1-10mbar</a>	
<a href="#">248239</a>	
<a href="#">269274</a>	
<a href="#">269230</a>	
<a href="#">217-341a-Gml-A4-4-6</a>	
<a href="#">86462</a>	
<a href="#">267651</a>	
<a href="#">269393</a>	
<a href="#">267326</a>	VCW-750 BRASS ORIFICES VENTURI METERS 8 NPT HEAD LOSS 10% (FORMERLY 48070-11)
<a href="#">267218</a>	
<a href="#">169130 , Type: Fru 510</a>	
<a href="#">Mvd-507/6</a>	
<a href="#">Ub-50-A2</a>	
<a href="#">270490</a>	
<a href="#">222001</a>	
<a href="#">217148</a>	
<a href="#">232-079v</a>	DMV-ZRD 703/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NE
<a href="#">217332a</a>	
<a href="#">271332</a>	
<a href="#">266902</a>	
<a href="#">226118</a>	DMV-DLE 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 226-118)
<a href="#">269332</a>	
<a href="#">229821</a>	
<a href="#">267076</a>	
<a href="#">267468</a>	

<a href="#">Gw 6000 A4 Hp Ag-M-V0</a>	
<a href="#">256409</a>	
<a href="#">268490</a>	
<a href="#">256357</a>	
<a href="#">267313</a>	
<a href="#">228224</a>	DMV-DLE 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 228-224)
<a href="#">Dmv-D507/11</a>	
<a href="#">13276</a>	
<a href="#">251877</a>	DN. 200 LUG BUTTERFLY VALVES MANUALLY OPERATED, CAST IRON BODY. 8" NOMINAL PIPE SIZE (FORMERLY 251-877)
<a href="#">267067</a>	DMV-DLE 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERLY 244-000P)
<a href="#">229836</a>	
<a href="#">1411/2p</a>	
<a href="#">225224</a>	MAG. TYPE 1611 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 5100, DMV-DLE 5100 (FORMERLY 225-224)
<a href="#">222890</a>	DMV-DLE 520/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 90VA, IP 54 (FORMERLY 222-890)
<a href="#">Vdk200a-S02</a>	
<a href="#">Ce-0085ap0035</a>	VALVE DUAL MODULAR DN80 500MBAR 24-28VDC
<a href="#">258-316np</a>	DMV-DLE 5100/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
<a href="#">229848 Die Feder 7 Schwarze 60-110 Mbar Frs 510 Rp 1"</a>	
<a href="#">Dmv-D5080/11</a>	
<a href="#">Dmv-D 512/11 Ac</a>	
<a href="#">Emp-424-1</a>	
<a href="#">246502</a>	
<a href="#">266981</a>	
<a href="#">W-Mf Se 507 S22 230v (605320)</a>	
<a href="#">231773</a>	

<a href="#">266897</a>	
<a href="#">267155</a>	DMV 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ (FORMERLY 257-220PP)
<a href="#">217640</a>	
<a href="#">231790</a>	
<a href="#">262-450np</a>	DMV 5065/11 ECO 604 DUAL MODULAR VALVE NEMA TYPE 4 FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC
<a href="#">229880</a>	
<a href="#">222368</a>	
<a href="#">232-401</a>	
<a href="#">222872</a>	
<a href="#">269242</a>	
<a href="#">Gw-150-A4</a>	
<a href="#">269327</a>	
<a href="#">229890</a>	
<a href="#">Lgw 50 A4 Ag-M-Ms9-V0-Vs3</a>	
<a href="#">227158</a>	HIGH PRESSURES DN. 150 6" NOMINAL PIPE SIZE (FORMERLY227-158)
<a href="#">267306</a>	
<a href="#">612-6a020e</a>	IGNITION TRANSFORMER 1.5AMP 120V
<a href="#">246503</a>	
<a href="#">Lgw 1.5 C3</a>	
<a href="#">221-592a</a>	
<a href="#">267142</a>	
<a href="#">222698</a>	
<a href="#">267229</a>	
<a href="#">269285</a>	
<a href="#">Filterelement Gfk 150</a>	
<a href="#">Gw10a5(Ex.Gw10a5)</a>	
<a href="#">Lgw 3 A2 Diff.</a>	pressure switch
<a href="#">221-924</a>	DMV-D 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY 221-924)

<a href="#">219878 Vps 504 S02</a>	
<a href="#">48070-13</a>	
<a href="#">225028</a>	
<a href="#">222327</a>	
<a href="#">Gw 150 A5</a>	
<a href="#">230441</a>	
<a href="#">230474</a>	
<a href="#">222-331</a>	DMV-D 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-331)
<a href="#">Gao-A4-4-2</a>	
<a href="#">218164</a>	
<a href="#">243083 Mbc-1900-Vef Dn65 230 Vac</a>	
<a href="#">W-Fm20 (0085 As 310)</a>	
<a href="#">226993</a>	
<a href="#">225219</a>	MAG. TYPE 1511 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 5080, DMV-DLE 5080 (FORMERLY 225-219)
<a href="#">256411</a>	
<a href="#">269399</a>	
<a href="#">258-331np</a>	DMV 5080/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDCVITON SEAT
<a href="#">229915</a>	
<a href="#">222082</a>	MVDLE 520/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 222-082)
<a href="#">269352</a>	
<a href="#">Dmv-D-5080/11</a>	VALVE DUAL MODULAR DN80 500MBAR 24-28VDC
<a href="#">091876</a>	FRS 5100 REPAIR KIT FITS FRS 5100 BODY, INCLUDES ALL INTERNAL HARDWARE TO TO REBUILD THE CONTROL. (FORMERLY 091-876)
<a href="#">267182</a>	
<a href="#">226078</a>	DMV-D 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 200 VA, NEMA TYPE 12 (FORMERLY 226-078)
<a href="#">238586</a>	KH DN. 125 FLANGED BALL VALVES DN. 125 MANUALLY OPERATED, CAST IRON BODY. 5" NOMINAL PIPE SIZE

	(FORMERLY 238-586)
<a href="#">267004</a>	
<a href="#">232025</a>	DMV-ZRD 702/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE 12 (FORMERLY 232-025)
<a href="#">229817</a>	
<a href="#">222882</a>	DMV-DLE 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-882)
<a href="#">240995</a>	
<a href="#">228783</a>	
<a href="#">91868</a>	
<a href="#">269241</a>	
<a href="#">238584</a>	
<a href="#">232214</a>	DMV-ZRDLE 702/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE 12 (FORMERLY 232-214)
<a href="#">266984</a>	DMV-DLE 5065/11 HL DUAL MODULAR VALVE HAZARDOUS LOCATION VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-103HL)
<a href="#">217-341a</a>	
<a href="#">267013</a>	
<a href="#">Mb-Dle 405 B01 S22 Ac230v (225006)</a>	
<a href="#">W-Fm100</a>	
<a href="#">241004</a>	
<a href="#">Mv 502</a>	
<a href="#">222875</a>	DMV-D 507/11 DUAL MODULAR VALVE 1/2, 3/4, 1 RP OR NPT 24VDC (-10%/-15%), 45VA, IP 54 (FORMERLY222-875)
<a href="#">269331</a>	
<a href="#">Art. Nr. 272341 , Type Gw 50 A2 Ag-M-V9 St-Se 1p</a>	
<a href="#">267321</a>	
<a href="#">226067</a>	DMV-D 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY226-067)
<a href="#">269234</a>	
<a href="#">Gao-A2-4-5</a>	

<a href="#">Sv 520 -2quot; !! By Mvd 520/5</a>	
<a href="#">269249</a>	
<a href="#">229895</a>	
<a href="#">267167</a>	DMV 5080/11 ECO 622 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 24 VDC (FORMERLY 258-313P)
<a href="#">232403</a>	
<a href="#">Lgw 50 A4</a>	
<a href="#">Mb-Dle 407 B07 S22 ( Ord. Nr.191390)</a>	
<a href="#">238807</a>	
<a href="#">Lgw 10 A2,1-10mbar,</a>	
<a href="#">266959</a>	
<a href="#">266900</a>	
<a href="#">238583 Kh-160065</a>	
<a href="#">Gw 150 A4 (157050)</a>	
<a href="#">268453</a>	
<a href="#">217340a</a>	
<a href="#">167200 Ventil Mvd 520/5 2" 500mbar 230v</a>	
<a href="#">222371</a>	
<a href="#">238803</a>	
<a href="#">100876253</a>	
<a href="#">217327a</a>	
<a href="#">Dmv-D 507/11 1/2quot; - 1quot;</a>	
<a href="#">229879</a>	
<a href="#">224380 , Type Dmv-D 5040/11</a>	
<a href="#">222826</a>	DMV-D 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-826)
<a href="#">245046</a>	
<a href="#">266982</a>	
<a href="#">267110</a>	

<a href="#">222081</a>	
<a href="#">Wegeventil 30152550 Dmv - D 512/11 1" 220v Ac Pmax-500 Mbar</a>	
<a href="#">267223</a>	
<a href="#">218162</a>	FLANGED DN. 125 5" NOMINAL PIPE SIZE (FORMERLY218-162)
<a href="#">227283</a>	
<a href="#">Dmv 50050 S02</a>	
<a href="#">Lqw50a2 Ce-0085 Aqm0673 Pressure Switch</a>	
<a href="#">225034-231 - Not Available</a>	
<a href="#">222 637</a>	
<a href="#">216904</a>	
<a href="#">269260</a>	
<a href="#">269412</a>	
<a href="#">269417</a>	
<a href="#">Ks3000c2</a>	
<a href="#">266911</a>	
<a href="#">238826</a>	
<a href="#">231100</a>	
<a href="#">251870</a>	
<a href="#">225005</a>	
<a href="#">266972</a>	DMV-DLE 701/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERL
<a href="#">229360</a>	
<a href="#">229910</a>	
<a href="#">Sad 15.0</a>	
<a href="#">267299</a>	CO-775-10 BRASS ORIFICES VENTURI METERS 10 BETA RATIO 0.775, HEAD LOSS 28% (FORMERLY 48050-13)
<a href="#">258-317np</a>	DMV 5100/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC
<a href="#">241005</a>	MVD 525/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 4 (FORMERLY 241-005)



<a href="#">267053</a>	DMV-DLE 704/624 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-490)
<a href="#">267470</a>	
<a href="#">Frs5020</a>	
<a href="#">267204</a>	
<a href="#">Lgw 3 A4/2 Ag-M-Ms9-V0-Vs3</a>	
<a href="#">229609</a>	
<a href="#">Ipdk248245s00001543</a>	
<a href="#">Frs5100</a>	
<a href="#">269407</a>	
<a href="#">232232</a>	DMV-ZRDLE 703/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 232-232)
<a href="#">Mat. Nr: 257 382</a>	
<a href="#">Art. Nr. 226562 Type: Mb-Dle 410 B01 S20</a>	
<a href="#">Wegeventil 30151525 Dmv-D 507/11 1" 220-240v Ac 60 Hz Pmax-500 Mbar</a>	
<a href="#">272338 Type Lgw 3 A4</a>	
<a href="#">242228</a>	
<a href="#">Vdk 200a S02 120v 60hz (Ord.Code 211927)</a>	
<a href="#">244428 Gasventil Dn80</a>	
<a href="#">Gw 10 A4 Id.No:Ce-0085 A00012 / By Gw 10 A6</a>	
<a href="#">229885</a>	
<a href="#">267239</a>	
<a href="#">269354</a>	
<a href="#">229908</a>	
<a href="#">Duur01rez001 Dungs Absperklappez 014-A-Lw Dn100251874</a>	
<a href="#">226873</a>	
<a href="#">223156</a>	
<a href="#">267226</a>	

<a href="#">209069</a>	FLANGED DN. 80 3" NOMINAL PIPE SIZE (FORMERLY 209-069)
<a href="#">058628 Druckregler Frs 520 10-30mbar 2"</a>	
<a href="#">226994</a>	DMV-DLE 702/602DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 65 VA, NEMA TYPE 12 (FORMERLY 226-994)
<a href="#">266953</a>	
<a href="#">269402</a>	
<a href="#">216631</a>	
<a href="#">013250</a>	FLANGED DN. 125 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE)
<a href="#">240671</a>	
<a href="#">Gw50a5</a>	
<a href="#">242651</a>	
<a href="#">266 147</a>	
<a href="#">107409 Pressure Switch Lgw 3 A2</a>	
<a href="#">Gw10a6</a>	
<a href="#">222336</a>	DMV-D 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-336)
<a href="#">248327 Ggw 3 A4 U</a>	
<a href="#">266917</a>	
<a href="#">210319</a>	
<a href="#">245048</a>	
<a href="#">118935</a>	MVDLE 225/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 1/2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 118-935)
<a href="#">252122</a>	
<a href="#">222079</a>	
<a href="#">Emp-424-5</a>	
<a href="#">229608</a>	
<a href="#">266968</a>	
<a href="#">244-730vp</a>	DMV-ZRD 701/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4", 1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ,

<a href="#">48060-12</a>	
<a href="#">268348</a>	
<a href="#">269319</a>	
<a href="#">267263</a>	
<a href="#">229854</a>	
<a href="#">269410</a>	
<a href="#">Nr83-07 E 128</a>	
<a href="#">268445</a>	
<a href="#">82081</a>	
<a href="#">Kdg-0-2/71a</a>	
<a href="#">Art. Nr. 223747 Type: Mb-Dle 410 B01 S</a> <a href="#">20 - Not Available, - Art. Nr. 211840 Or</a> <a href="#">Art. Nr. 226562</a>	
<a href="#">Aa-A2-6-2</a>	
<a href="#">226932</a>	
<a href="#">256408</a>	
<a href="#">269238</a>	
<a href="#">222823</a>	DMV-D 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY 222-823)
<a href="#">Dmv-D 503/11 220-240 V</a>	Double solenoid valve Pmax. 500 mbar AC 220-240V Protection class: IP 54 Customs Tariff No. 84818059 Net weight 2 KG Country of origin: DE Please order accessories separately: 2 x 217471, Rp 3/8 "cr. 2 x 217472, Rp 1/2 "Verschr. 1 x 210319, appliance plug
<a href="#">272349</a>	
<a href="#">258-341pp</a>	DMV 5125/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 24 VDC VITON SEAT
<a href="#">226073</a>	DMV-D 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 226-073)
<a href="#">251528</a>	HIGH PRESSURES DN. 65 2.5" NOMINAL PIPE SIZE (FORMERLY 227-155)
<a href="#">255973</a>	DMV 50025 DUAL MODULAR VALVE FLANGED VERSION DN. 25 TO ISO 7005-1 PN16 24 VDC STARTING POWER [W] 2X80, HOLDING POWER [W] 2X15, IP54 (FORMERLY 255-973)
<a href="#">269396</a>	

<a href="#">229851</a>	
<a href="#">Frs-515</a>	
<a href="#">66225</a>	
<a href="#">Vps 504 S04, Ip54</a>	
<a href="#">266955</a>	
<a href="#">266915</a>	
<a href="#">257-220p</a>	DMV 5080/11 ECO 622 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
<a href="#">070409 Druckschalterfrs 515gas- Druckreglerdn 40, Rp 1 1/2"pmax. 500 Mbar</a>	
<a href="#">269333</a>	
<a href="#">267270</a>	
<a href="#">226458</a>	
<a href="#">229898</a>	
<a href="#">Mb-Dle420</a>	
<a href="#">268446</a>	
<a href="#">226070</a>	DMV-D 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY226-070)
<a href="#">216589</a>	
<a href="#">221999</a>	
<a href="#">Relais Dungs Lgw3 A4</a>	
<a href="#">243417</a>	SPRING #9, GRAY56" TO 80" W.C. 140 TO 200 MBAR FRS 5150 (FORMERLY 243-417)
<a href="#">68924</a>	
<a href="#">251875</a>	DN. 125 LUG BUTTERFLY VALVESMANUALLY OPERATED, CAST IRON BODY. 5" NOMINAL PIPE SIZE (FORMERLY 251-875)
<a href="#">223157</a>	
<a href="#">225168</a>	MAG. TYPE 1411 ACCESSORIES REPLACEMENT COILS 110/120 VAC, NEMA TYPE 12, IP 54 FITS: DMV 525, DMV-DLE 525, DMV 5065, DMV-DLE 5065 (FORMERLY 225-168)
<a href="#">244156</a>	
<a href="#">222694 Filtrierendes Einbauteil Gf40080/3</a>	

<a href="#">Gw 10 A6</a>	
<a href="#">269390</a>	
<a href="#">217437</a>	
<a href="#">229843</a>	
<a href="#">244-734vp</a>	DMV-ZRD 703/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 5
<a href="#">229845</a>	
<a href="#">215384</a>	
<a href="#">MBC-1900-SE-65 AC 230 V</a>	248139 Gas Multi Bloc as a control and safety combination with servo pressure regulator DN 65 flange Voltage: AC 230V Inlet 15 - 500 mbar Burner 4 - 140 mbar (depending on spring)
<a href="#">267072</a>	
<a href="#">269328</a>	
<a href="#">Mvd-220/5</a>	
<a href="#">Dmv-D 525/11</a>	
<a href="#">267111</a>	
<a href="#">232-025v</a>	DMV-ZRD 702/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 130 VA, NE
<a href="#">1411</a>	Replacement magnet No. 1411 AC 230V for use as a replacement drive Protection class: IP 54 Customs tariff no.85059029 Unit weight: 8 kg Country of origin: DE
<a href="#">Lqw 3 A2 Ag-M-V9 St-Se 1p</a>	
<a href="#">238806</a>	
<a href="#">230440</a>	
<a href="#">220969</a>	
<a href="#">232039</a>	
<a href="#">244731p</a>	INVERTER
<a href="#">Lqw 10 A2 Ag-M-V9 St-Se</a>	
<a href="#">225226</a>	MAG. TYPE 1711 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 5125, DMV-DLE 5125 (FORMERLY 225-226)
<a href="#">157530 Mvd 507.5 Automatisches Absperrventil</a>	

<a href="#">225051</a>	MAG. TYPE 1212 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 520/11, DMV-DLE 520/11 DMV 5040, DMV-DLE 5040, DMV 5050, DMV-DLE 5050 (FORMERLY 2
<a href="#">Mb-Dle 405 B01 S50 Ac230v (226875)</a>	
<a href="#">243219</a>	
<a href="#">229886</a>	
<a href="#">253461</a>	
<a href="#">269321</a>	
<a href="#">229359</a>	VZF REPLACEMENT FILTER INSERTFITS VZF DN. 150 FILTER (227158), 99.5% FILTRATION OF 2 MICRON PARTICLES (FORMERLY 229-359)
<a href="#">269219</a>	
<a href="#">83402</a>	
<a href="#">229902</a>	
<a href="#">267100</a>	DMV-ZRDLE 703/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE
<a href="#">267023</a>	DMV-D 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA T
<a href="#">211224</a>	VDK 200A S02 VALVE PROVING SYSTEMS, PIPE MOUNT 12 MM RP CONNECTIONS, MAX. VOL. 0,7 CU FT (20 LITERS) 110 VAC (+10%/-15%), 50 HZ, RUN CONTACT 4A @ 110
<a href="#">Magnetspule Nr. 1100</a>	
<a href="#">172590</a>	
<a href="#">247863</a>	
<a href="#">222696</a>	
<a href="#">Mbdle420b01s20</a>	
<a href="#">Gao-A4-4-3</a>	
<a href="#">237614</a>	
<a href="#">267466</a>	
<a href="#">Mb Vef 407-B01-S32 Dn 20 (R) 241-117 - 3/4?</a>	
<a href="#">260777</a>	
<a href="#">Dmv-Del 702/622</a>	

<a href="#">224098</a>	
<a href="#">Sv-D 507</a>	
<a href="#">Druckschalter 85210537 Ub 50 A4 P 2,5-50mbar</a>	
<a href="#">Frs-503</a>	
<a href="#">242223</a>	
<a href="#">D226460</a>	
<a href="#">267063</a>	DMV-D 701/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA
<a href="#">228724 Gw 10 A6</a>	
<a href="#">267017</a>	DMV-D 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA T
<a href="#">216-632</a>	
<a href="#">225001</a>	
<a href="#">220967</a>	
<a href="#">158090</a>	
<a href="#">Frm 100050 Md / Sav Md</a>	
<a href="#">229889</a>	
<a href="#">230991</a>	
<a href="#">Dmv-D 5065/11</a>	
<a href="#">229907</a>	
<a href="#">269400</a>	
<a href="#">431171</a>	
<a href="#">D224399</a>	
<a href="#">242658</a>	
<a href="#">269337</a>	
<a href="#">223370</a>	DMV-D 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY223-370)
<a href="#">229874</a>	
<a href="#">266899</a>	
<a href="#">246515</a>	

<a href="#">267068</a>	DMV-DLE 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12
<a href="#">226066</a>	DMV-D 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 24 VDC (+10%/-15%), 90 VA, NEMA TYPE 12 (FORMERLY226-066)
<a href="#">267082</a>	DMV-DLE 703/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE
<a href="#">Gmw-A2-4-6</a>	
<a href="#">267280</a>	
<a href="#">011775</a>	MVDLE 220/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 230 VAC (+10%/-15%), 50/60 HZ 60 VA, IP 54 (FORMERLY 011-775)
<a href="#">229888</a>	
<a href="#">267106</a>	