

Dungs



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Dungs Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Dungs Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Mb-Dle 407 B01 S20 Ac230v	DUNGS GasMultiBloc slowly opening Pmax. 360 mbar Outlet pressure: 4 - 20 mbar Degree of protection: IP 54 Customs tariff no.84818059 Unit weight: 5 kg Country of origin: DE
Lgw 10 A2	Ag-M-V9 Air pressure switch 1 - 10 mbar Customs tariff no.90262080
Lgw 150 A4	Ag-M-MS9-V0-VS3 Air and gas pressure switches 30-150 mbar
Lgw 3 A4	Ag-M-MS9-V0-VS3 Air and gas pressure switches 0.4 - 3 mbar
Gw 150 A6	Ag-G3-MS9-V0-VS3 Compact pressure switch 5 - 150 mbar
Gw 500 A6	Ag-G3-MS9-V0-VS3 fa-se 1P Compact pressure switch 100 - 500 mbar Degree of protection: IP 54
88.90006-0010	Ers.Magnet kpl.Nr.1215 AC 230 V IP 54 Dungs nr .: 227251
MPA22 S02 V1.30 kpl. 230V/50-60Hz	Burner control
DMV-DLE 5065/11 AC 230V	Double solenoid valve slowly opening DN 65 flange Pmax. 500 mbar Protection class: IP 54
VPS 504 S02	Valve test system 230V, 50Hz max. 500 mbar with plug
GW 150 A5	Ag-G3-MS6-V12 Pressure switch 5 - 150 mbar Protection class: IP 54
GW 500 A5	Ag-G3-MS6-V12 Compact pressure switch with cable socket 100 - 500 mbar
DMV-D 503/11 220-240 V	Double solenoid valve Pmax. 500 mbar AC 220-240 V Protection class: IP 54

Nr.1011	224980 Replacement magnet No. 1011 230 VAC for use as a replacement drive Protection class: IP 54 Customs tariff no.85059029 Net weight 7 KG Country of origin: DE
FRNG 510	Gas zero and constant pressure regulator DN 25 - Rp 1 " Pmax. 500 mbar Pmax. 50 mbar at zero pressure Pmax. 200 mbar at constant pressure
VPS 504 S02	Valve test system 230V 50Hz IP 40 including plug Customs tariff number 90262080
GW 500 A5	Ag-G3-MS6-V12 Compact pressure switch with cable socket 100 - 500 mbar
210318	Mating connector 3-pin. + E gr. Standard device plug for GW
MVDLE 210/5 230 VAC	013524 Gas solenoid valve normally closed opening slowly, closing quickly DN 25, Rp 1 " Pmax. 360 mbar Protection class: IP 54
Dungs MB-DLE 407 B01, S20 AC230V	Art nr. 015.SBDU226561
LGW 50 A2P	Ag-M-MS3-V0 Air pressure switch with test button 2.5 - 50 mbar
VPS 504 S02	Art Nr: 95219877 valve proving system 230V 50Hz IP 40 incl. plug
231580	MPA display AM01 with connector coding
MB ZRDLE B01 S20 VALF	
GW 3 A6	Ag-G3-MS9-V0-VS3 Compact pressure switch 0.7 - 3 mbar Pmax. 500 mbar Customs Tariff No. 90262080 Unit weight: 0.3 kg Country of origin: DE
214209	Replacement magnet 400 230 VAC for use as a replacement drive Protection class: IP 54
MB-VEF 412 B01 S10 AC230V FS G	95216648 GasMultiBloc gas-air conn.reg Customs tariff number 84818059
(157530) MVD 507/5 Rp3/4	
011767	
013524	
015412	
015446	
058446	
058446 FRS 515	
058628	
058628 FRS 520	

058792 FRS 5065
068932
070409
077222
078980
100-500M BAR
107409
1100 S50 AC 230V
1100 AC 110V IP 54
1100 S50
110379
1117119
1120 IP 54 (272337)
13009689
135437515 LGW150A4/2
138630
1411 IP 54 AC 230 V
157060
157530 MVD 507.5
157550
169130
169410
171/2P
178940
209 898
210931
211202
213 793 AC 50-60HZ 230V IP 54 15 VA ED 100%
215242
219006

219877
219877 VPS 504 S02
219881 VPS 504 S04
221207
221924
222331
222331 (DMV-D 507/11)
222332 DMV-DLE 507/11
222343
222825 DMV-D 520 /11 24 VDC
223155
224424
224554
224980
224983
225009
225940 GW 150 A5
225940/GW 150 A5 AG-G3-MS6-V12 FA-SE SET
226 382
226107 DMV-DLE 5125/11
226561
226721
226799
226803 MB-DLE 420 B01 S20
226868
227639 GW 500 A5
227639/GW 500 A5 AG-G3-MS6-V12 FA-SE SET
228724
228725 GW 50 A6

231111
231113
231168
232046 (LGW 10 A4/2 Ag-M-MS9-V0-VS3 st-se 1P)
232048
232719
233-12"- 5 bar-72 DN 50.
239077
240115
240324
241246 GW 50 A5/1
241247
241281 SV-D 507 V1
241352
242033
242639
242676 GW 50 A6/1
242678
243051
243413
244294
244299
244300
244427
244428
246023
246159
246665
247322
247986

248494
248688 (GGW 50 A4/2 Au-M-MS9-V0-VS3 st-se 1P)
249012
250376
253459
254 176 IP54
254285 (GW 500 A4 HP Au-G3-V0 st-se 1P)
255477
256206
256296
256459
257434
257435
257604
261646
261654
270279
272336
272338
272339
272340
272353
272355
30253125
400
40055150
407B01S30
5065
5065/11
605321

660300 AM20.02 24V DC
691378
691381
85210537
88.70215-0012
88.70215-0015
88.75000-0110
A3220
AA-A2-6-3
AO3220
AQM0673
ART. 135435700
Art.Nr. 211222 VDK 200A S02 230V 50Hz
BCS 300
BCS 330
BCS EM1
BCS FLW 4I
DG6U-3
DMV 5040/5050
DMV 5065/11 eco AC 230V IP 54
DMV 5080/12 (244427)
DMV-D 503/11
DMV-D 512/11 (222336)
DMV-D 5125/11 AC 220-240 V IP 54 STECK-A
DMV-D 5125/11, 241532
DMV-D 525/11 ECO 110 V
DMV-D 702/622
dmv-del 507/11
DMV-DLE 5125/11, Nr. 256459

DMV-SE 507/11 520
DN 100, FRS 5100,
DUNGS GW 150 A5 AG-G3-MS6-V12 FA-SE SET
DUNGS GW 500 A6 Ag-G3-MS9-V0 fa-se Druckwachter GW A..
DUNGS MBC-700-SE-S22 AC 230 V
DUUR01REZ001
filter housing for a gas train used on Jenbacher J320
FRNG 505
FRNG 507
FRNG 5080 (226874)
FRNG 515, Rp 1 ?"
FRS 505
FRS 507
FRS 510
FRS 520 RP
FRS415
FRS505 30-70mbar
FRS5125
FRSBV 1010
FRSBV 1010 (226284)
FRSBV 226284
GF 40080/4
GF40100/3, DN100,
GGW 10 A4-U , Art. nr. 240358
GGW 50 A4-U/2 , Art. nr. 248692
GW 150 A4 AG-M-MS9-V0 ST-SE
GW 150 A5, 5-150mbar
GW 150 A6 , 228726
GW 150 A6 AG-G3-MS9-V0 FA-SE

GW 1500
GW 2000 A4 HP
GW 2000 A4.
GW 50 A4
GW 50 A5
GW 50 A6 , Art. nr.228725
GW 50 A6 5-50mbar
GW 50/150 A6 (229241)
GW 500 A4 157060
GW 500 A4 Ag-M-MS9-V0 st-se
GW 500 A42 ID NO:CE-0085A 03200
GW 500 A6 (272618)
GW 500 A6 , 228727
GW 500 A6 AG-G3-MS9-V0 FA-SE
GW10 A6
GW500A4 AG-M-VO
GW500A6/S-special for Japan
IR243-12-52
KH 160065
LGW 10 A2P
LGW 10 A4
LGW 10 A4 (221591)
LGW 150 A2
LGW 150 A4 (221593)
LGW 3 A4 Ag-M-MS9-V0-VS3
LGW 50 A
LGW 50 A2P (221207)
LGW 50 A4 AG-M-MS9-V0-VS3 ST-SE
LGW 6 A2-7
LGW 50 A4 272342
LV-D 215/4 (256861)

MAG NR 1105 – MAT NR 222092
MAG.NR.300
MB DLE 415 B01 S50
MBC 1900 SE
MBC 700 SE 82
MBC-1200 SE S22
MBC-1200-SE S82
MBC-65-DLE-S20
MBC-700-SE-S22
MB-DLE 405 B01 S50
MB-DLE 407 B01 S20 AC230V (Ord.Nr. 226561)
MB-DLE 410 B01
MB-DLE 410 B01 S20 226562
MB-DLE 412 B01 S20
MB-DLE 420 B01 S20
MB-VEF 407 B01 S30 AC230V
MB-VEF 407 B01 S30 AC230V gem. NF
MB-VEF 407 B01 S32 AC230V
MB-VEF 412 B01
MB-VEF 425 B01 S32
MB-ZRD-412 B01 S52
MB-ZRDLE 412 B01 S50
MPA22 S03 OEM!!
MPA4111 V1.1 (259058)
MPA4112/230V
MVD 205/4
MVD 2050/5
MVD 2065/5
MVD 207/5

MVD510 1"	
MVDLE 210/5 (013524)	
NB 50 A4	
Nr.200, 230VAC, IP54,	
position 21	
SL 10 , RP 1"	
TYP: DMV-D 5100/11	
UB 150 A2	
VDK 200A S02	
VDK 200A S02 230V 50HZ.	
VDK200A	
VPS 504 S02 230V	
VPS 504 S02 230V 50HZ	
VPS 504 S02 Bestellnr. 219877	
VPS 504 S04 223426	
VPS 504S02	
VPS504S04	
VPS504S04, IP54	
W-FM25 V1.1 - OEM	
W-MF SE512 S22	
W-MF-SLE 507 C01 S22	
ZM 300-1 230V (029312)	
MB-VEF 420 B01 S32	Gas-Multi-Bloc AC230V getr. NF m.
MPA22 S02 V1.30 kpl. 230V/50-6	95250780
LGW 3 A4 Ag-M-MS9-V0-VS3 st-se	Gas pressure switch Air differential pressure switch Customs tariff number 90262080
LGW 150 A4 Ag-M-MS9-V0-VS3 st-	Gas pressure switch Air differential pressure switch Customs tariff number 90262080
LGW 150 A4	Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar
Mbc-1900-Se-65 (248139)	
MVDLE 507/5 AC 230V	222079 gas solenoid valve normally closed slow opening, fast closing DN 20, Rp 3/4" Pmax. 500 mbar Degree of protection: IP 54

LGW 3 A2 Ag-M-V9 st-se 1P	Gas pressure switch Air differential pressure switch Customs tariff number 90262080 Unit weight: 0.190 kg Item weight: 0.760 kg
SAD 1.5, 24V 7W 1.5NM STEP MOTOR	
GSVDLE 207 AC 230VRp3/4"	
DMA 50 A 06(230V-D-)+	DTR-F 5065 BUTTERFLY VALVE SHAFT + DMA/DTR 5065-125 BAGLANTI SETÝ.(DN65) komplett
DMA 50A 06 (230V-D-)	7SN/90
DMA 50 A 15(230V-S-)	DTR-F 50100 BUTTERFLY VALVE SHAFT + DMA/DTR 5065-125 BAGLANTI SETÝ (DN100)
MB-DLE 407 B01 S50 AC230V	Gas Multi Bloc slowly opening Rp 1/2" to 1" Pmax. 360 mbar Degree of protection: IP 54 Customs Tariff No. 84818059 Unit weight: 6 kg Country of origin: DE
MB-VEF 412 B01 S30 AC230V FS G	GasMultiBloc gas-air conn.reg Customs tariff number 84818059 Unit weight: 5.670 kg Position weight: 5.670 kg
229987	Replacement magnet no. 400 230 VAC for use as a replacement drive Protection class: IP 65
229982	Replacement magnet no. 100 230 VAC for use as a replacement drive Protection class: IP 65
232719	LGW 150 A4/2 Ag-G3-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar Pmax. 500 mbar Degree of protection IP 54
LGW 3 A4 Ag-M-MS9-V0-VS3 st-se	Gas pressure switch Air differential pressure switch
GW 150 A5 Ag-G3-MS6-V12 fa-se	
LGW 50 A4 Ag-M-MS9-V0-VS3 st-s	
95222698	Replacement filter insert GF 40200 with O ring Customs tariff number 84219900
95264353	Z¼ndtrafo DIZ 100 230VAC
MVD 215/5 230 VAC	gas solenoid valve normally closed quick opening, quick closing DN 40, Rp 1 1/2" Pmax. 200 mbar Degree of protection: IP 54
MVD 210/5 230 VAC	gas solenoid valve normally closed quick opening, quick closing DN 25, Rp 1" Pmax. 360 mbar Degree of protection: IP 54
95214209	Replacement magnet cpl. No. 400 AC 230 V
95214206	Replacement magnet cpl. no. 100 AC 230 V
95232719	LGW 150 A4/2 Ag-G3-MS9-V0-VS3 Gas pressure switch Air differential pressure switch Customs tariff number 90262080

95270282	FRM 100040 MD/SAV MD Flange DN 40 with SAV pe max: 10 bar, pa 90-420 mbar Customs tariff number 90322000 ***** OPERATING DATA: Medium: natural gas Inlet pressure pe/pu: unknown mbar Max. permitted inlet pressure pe/PS: 10 bar Outlet pressure pa/pe: 130 mbar SAV upper switch-off point pso: 180 mbar SAV lower switch-off point psu: unknown mbar SBV blow-off pressure psa: 190 mbar Volume flow standard Qmin: unknown /Qmax: unknown m ³ /h (n) ***** *****
95226284	FRSBV 1010 safety relief valve, female thread Rp 1" pe max: 1 bar, Response pressure: 70 ... 830 mbar Customs tariff number 90322000
LGW 50 A4	Ag-M-MS9-V0-VS3 Air and gas pressure switch 2.5 - 50 mbar
Mbc-1900-Se-65	
MB-DLE 407 B01 S20 AC230V	(Ord.Nr. 226561)
226803 MB DLE 420 B01 s20multibloks	
272615	GW 50 A6 5- 50 mbar /gaz prosestadi
VPS 504	
MPA4112 V1.1 kpl. 230VAC	259066 burner management system for optimization and monitoring of oil and gas burners compound control Mains voltage 230 VAC complete with base without parameterization
MB-ZRLE 407 B01 S50	
MB-ZRDLE-410 P01 S20	
259066	MPA4112 V1.1 cpl. 230VAC burner management system for optimization and monitoring of oil and gas burners compound control Mains voltage 230 VAC complete with base without parameterization
256692	UV41 Sensor UV-Sonde
LGW 50 A4	Ag-M-MS9-V0-VS3 Air and gas pressure switch 2.5 - 50 mbar Degree of protection: IP 54
GW 500 A4	Au-M-MS9-V0-VS3 gas pressure switch 100 - 500 mbar Degree of protection: IP 54
LGW 150 A4	Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar
GW 50 A4	153600
GW 150 A5/1	Ag-G3-MS6-V12 gas pressure switch with damping nozzle 5 - 150 mbar Pmax. 500 mbar
DMV 5080/12 AC 220-240 V	double solenoid valve normally closed quick opening, quick closing Pmax. 500 mbar DN 80 flange Degree of protection: IP 54

Gw 150 A6 (272616)	Ag-G3-MS9-V0 pressure switch 5 - 150 mbar Degree of protection: IP 54
263729	
262585	
262585	
263729	
263728	
ÜB 150 A4	A4 Ag-PG-MS9-V0 Part: 138630 gas pressure limiter 30 - 150 mbar Pmax. 600 mbar Degree of protection: IP 54
070383 FRS 505	Gas-Druckregler DN 15, Rp 1/2" Pmax. 500 mbar
222326 DMV-D 503/11 220-240 V	double solenoid valve Pmax. 500 mbar AC 220-240V Degree of protection: IP 54
GW 500 A5	Ag-G3-MS6-V12 Compact pressure switch with line socket 100 - 500 mbar
251984	GW 500 A4/2 HP X Au-M-V0st-se gas pressure switch ATEX version 100 - 500 mbar Degree of protection: IP 65
251985	Au-M-V0st-se gas pressure switch ATEX version 400 - 2000 mbar Degree of protection: IP 65
251986	GW 6000 A4/2 HP X Au-M-V0st-se gas pressure switch ATEX version 1000-6000 Degree of protection: IP 65
245811	GGW 50 A4/2 X Au-M-V0st-se gas pressure switch ATEX version 2.5 to 50 mbar Degree of protection: IP 65
259696	VPM-VC V1.0 230V Control unit for system and valve leak tests Degree of protection: IP 42 complete with base Mains voltage: 230 VAC
224980	Replacement magnet #1011 for use as a replacement drive 230VAC, IP 54
MVDLE 210/5 230 VAC*	gas solenoid valve normally closed slow opening, fast closing DN 25, Rp 1" Pmax. 360 mbar Degree of protection: IP 54
DG-50 Air Pressure Switch	
VPS 504 S02 230V, 50Hz	valve proving system 230V, 50Hz max. 500 mbar with plug
MB-DLE 412 B07 S22 AC 230V	182040 Gas Multi Bloc slowly opening 4 to 20 mbar Pmax. 360 mbar Degree of protection: IP 54
MB ZRDLE 410 S 50	
1011 MAT-NR.217488	
	95226868 GasMultiBloc two-stage OPERATING DATA: Medium: unknown Inlet pressure pe/pu: unknown mbar Max.

MB-ZRDLE 412 B01 S50 AC230V FS	permissible inlet pressure pe/PS: 0.36 bar Outlet pressure pa/pe: unknown mbar Volume flow standard Qmin: unknown /Qmax: unknown m ³ /h (n)
LGW 50 A4	Ag-M-MS9-V0-VS3 Air and gas pressure switch 2.5 - 50 mbar
LGW 150 A4	Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar
0085A03220	
W-FM25 V2.0	
LGW 10 A2 pMax: 500mbar	
95219878	VPS 504 S02 valve proving system 230V 50Hz IP 40 or plug
SAD 1.5, 24V 7W 1.5NM	
VPS 504 S02	219878 valve proving system 230V, 50Hz max. 500 mbar without plug
LGV 507/5 230V	119271 Bleed Gas Solenoid Valve normally open quick opening, quick closing DN 20 - Rp 3/4" Pmax. 500 mbar Degree of protection: IP 54
MB-DLE 412 B01 S20 AC 230V	226563 Gas Multi Bloc slowly opening Rp 3/4" to 1 1/4" 4 to 20 mbar Pmax. 360 mbar Degree of protection: IP 54
LGW3A1	
95232716	LGW 3 A4/2 Ag-G3-MS9-V0-VS3 st Gas pressure switch Air differential pressure switch
95259066	MPA4112 V1.1 Burner Control cpl. 230VAC
95259070	MPA4112 V1.1 Burner Control Alternative cpl. 115VAC
MB-VEF 412 B01 S30 AC230V FS G	95223143 GasMultiBloc gas-air conn.reg
95274807	DMA 100 A 06 (230V -S-)
MVD 507/5 230V	232420 gas solenoid valve normally closed quick opening, quick closing DN 20, Rp 3/4" Pmax. 500 mbar Degree of protection: IP 65
LGW 50 A4	Ag-M-MS9-V0-VS3 272342 Air and gas pressure switch 2,5 - 50 mbar
Multiblok MB ZR DLEB 420	" " VEF425 B02 510 MVD 215 " BOBİN ART-NR 224 400MAGN Nr:150 " " MVD " " ART-NR 219 916 0,16 - 0,30A " " ART-NR 219 917 0,00-0,15A " 40065/3 " " " 40080/3 " " " GF510-515/1 " " " 1/2" " " " 7/C " " " GF520/1 " " " MB VEF 420
LGW 150 A4	Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar
VD-V-AC	
GW 500 A6	Ag-G3-MS9-V0 Compact pressure switch 100 - 500 mbar Degree of protection: IP 54
	Ag-G3-MS6-V12 pressure switch 5 - 150 mbar Degree of

GW 150 A5	protection: IP 54
DMA 100 A 06 (230V -S-)	
GW150 A 5 Ag-G3-MS6 O RİNG,5-150 Mbar	
DMA 100 A A 06 (230-S-)+ DTR-F 50150	
MBC-65-ND-S00	Gas Multi Bloc Voltage: AC 230V Degree of protection: IP 54
GW 150 A5	Ag-G3-MS6-V12 pressure switch 5 - 150 mbar Degree of protection: IP 54
GW 3 A6	Ag-G3-MS9-V0 pressure switch 0.7 - 3 mbar Degree of protection: IP 54
MBC65-ND-S00 251 195 1506 0T6	
80W NO:500 ART.NR:213799	
100W NO:550 ART.NR:213800	
GW 3 A6	Ag-G3-MS9-V0 pressure switch for gas, air, smoke and exhaust gases Pressure connection G 1/4 0.7 - 3 mbar Degree of protection: IP 54
MB-VEF 412 B01 S30 220 VAC	223143 Dungs-GasMultiBloc with compound controller Pmax. 360 mbar Degree of protection: IP 54 according to NF with GW
95256692	UV41 Sensor kpl.
95272342	LGW 50 A4 Ag-M-MS9-V0-VS3 st-s Gas pressure switch Air differential pressure switch
95219877	VPS 504 S02 valve testing system 230V 50Hz IP40 including plug
95259066	MPA4112 V1.1 Burner control unit complete 230VAC
95226805	MB-DLE 420 B01 S50 AC230V acc. GasMultiBloc single stage
95272340	GW 50 A5 Ag-G3-MS6-V12 fa-se S Optional Gas pressure switch
MB-DLE 420 B01 S50	
FRNG 5100	Gas zero and constant pressure regulator Flange DN 100 Pmax. 500 mbar Input pressure range Zero pressure regulator/constant pressure regulator: 5 to 200 mbar Pmax. 500 mbar
95272349	GW 500 A5 Ag-G3-MS6-V12 fa-se Gas pressure switch
MBC-1900-SE-65 AC 230 V	Gas Multi-Bloc 248139 as a control and safety combination with servo pressure regulator DN 65 flange Voltage: AC 230V Input 15 - 500 mbar Burner 4 - 140 mbar (depending on spring)

MB-VEF 412 B01 S30 220 VAC	Dung-GasMultiBloc 223143 with compound controller Pmax. 360 mbar Protection class: IP 54 according to NF with GW
80 20 04/1 DN80	
GGW 50 A4 Au-M-MS9-V0-VS3 st-s	Gas differential pressure switch 95246176
GW 150 A5 Ag-G3-MS6-V12 fa-se	
GW 500 A6 Ag-G3-MS9-V0-VS3 fa	
GW 150 A6 Ag-G3-MS9-V0 fa-se 1	
GW 50 A6 Ag-G3-MS9-V0-VS3 fa-s	
223143	MB-VEF 412 B01 S30 220 VAC Dung-GasMultiBloc with compound controller Pmax. 360 mbar Protection class: IP 54 according to NF with GW
95221688	DMV-D 5100/11 AC 220-240 V IP Double solenoid valve quick opening and closing
95221593	LGW 150 A4 Ag-M-MS9-V0-VS3 st pressure switch gas Air differential pressure switch Large packaging of 48 pieces each
95272344	LGW 10 A4 Ag-M-MS9-V0-VS3 st-s Gas pressure switch Air differential pressure switch
W-FM25 V1.1	
LGW 10 A4	Ag-G3-MS9-V0-VS3 Air and gas pressure monitors 1 - 10 mbar
100 LGV 507/5	
95261654	MBC-700-VEF AC 230 V GasMultiBloc multiple control device
MVD507	
95256356	DMV 5080/11 eco AC 230V IP 54 Double solenoid valve quick opening and closing
95224380	DMV-D 5040/11 AC 220-240 V IP Double solenoid valve quick opening and closing
2300036958	
95158110	MVD 505/5 solenoid valve Internal thread Rp 1/2", 230 VAC pe max: 500 mbar
95272615	GW 50 A6 Ag-G3-MS9-V0 fa-se 1P Gas pressure switch
95272339	GW 150 A5 Ag-G3-MS6-V12 fa-se Gas pressure switch
95272349	GW 500 A5 Ag-G3-MS6-V12 fa-se Gas pressure switch
No. 1611 900 X Ip54 Ac 230v	
Kdgo-2/71a	

227141	MVD 530/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 4 (FORMERLY 241-006)
241006	
226465	FRG 730/6 PROPORTIONATOR / ZERO GOVERNOR 3 NPT(FORMERLY 226-465)
258-321pp	DMV 5125/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 24 VDC
267098	DMV-ZRDLE 702/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE
46060-17	
228223	
242659	
Lqw 3a4/2, Ip 65, G3, 0,4 - 3 Mbar	
Pr390054	
226108	DMV-DLE 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 200 VA, NEMA TYPE 12 (FORMERLY 226-108)
269265	
224385	DMV-D 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 200 VA, NEMA TYPE (FORMERLY 224-385)
225-378	
267312	
Gw 3 A5	
240837	
225004	
267256	
267027	DMV-DLE 703/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 9
251762	DMV 50050 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN16 24 VDC STARTING POWER [W] 2X80, HOLDING POWER [W] 2X15, IP65 (FORMERLY 251-762)
269225	
	MVD 525/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA

217441	TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 12 (FORMERLY 217-441)
220758	FLANGED DN. 125 5" NOMINAL PIPE SIZE (FORMERLY 220-758)
266940	
258-313pp	DMV 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 24 VDC
229841	
222876	DMV-DLE 507/11 DUAL MODULAR VALVE 1/2, 3/4, 1 RP OR NPT 24VDC (-10%/-15%), 45VA, IP 54 (FORMERLY 222-876)
77396	
Gw 150 A6 Sensor	
231791	
Gw 50	
238582	
258-336np	DMV 5100/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC VITON SEAT
058792 Druckregler Gas	
238582 Kh-160050	
229850	
Id No. Ce-0085 Aq0673 Tu 12/94 0163 S-15t70 / Lgw 50 A2p	
267042	SV-D 520 SINGLE AUTOMATIC SHUT-OFF VALVE IP 65 VARIANT 7 220 VAC (+10%/-15%), 50/60 HZ 50 VA, IP 65 LARGE BODY (FORMERLY 240-332NP)
48070-14	
242227	
229613	FRS 730/6 STAND ALONE PRESSURE REGULATOR 2 1/2" NPT OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12 W.C. (BLUE) (FORMERLY 229-613)
Gw 150 A6 Ag-G3-Ms9-V0 Fa-Se (272616)	
260774	
Dmv 525/12	
226239	
266853	

266908	
079681	FLANGED DN. 80 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE) 3
229848	
267040	
223158	
Lgw 3 A2	
224926	DMV-DLE 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-926)
229362	
Frg-707/6	
254280 Type Gw 500 A4 Hp	
Gw 150 A6/1	
267327	VCW-755 BRASS ORIFICES VENTURI METERS 10 NPT HEAD LOSS 10% (FORMERLY 48070-12)
269239	
226102	DMV-DLE 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 226-102)
266938	
243690	
266932	
267473	
268449	
228731	
228724 Drucksensor	
Druckregler 25050025 Frs 510 Pmax-500mbar Dn 25	
269411	
230989	
248183	
226075	DMV-D 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 135 VA,

NEMA TYPE 12 (FORMERLY 226-075)	
217641	
Gw 150 A6 (272616)	
248507 , Ers.Lp.Kpl.Mag.Nr.1511-1811/2p Dc (1 Pack 1x4pcs)	
240804	
Dmv-D512/11	VALVE DUAL MODULAR 110VAC 1INCH
229839	
225043	
229852	
Mbdle412b01s20	
46060-6	
267095	DMV-ZRDLE 701/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORME
229826	
269273	
255018	
229853	
267079	
1212	
227639 Druckschaltertyp Gw 500 A5	
268451	
238585	
244-731vp	DMV-ZRDLE 701/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ
222889	DMV-DLE 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY 222-889)
224844	DMV-D 703/602 DUAL MODULAR VALVE 1/2",11/4", 1 1/2, 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 224-844)
266934	
Gw 50 A5/1	

242221	
120212a	
225170	MAG. TYPE 1411 ACCESSORIES REPLACEMENT COILS 24 VDC, NEMA TYPE 12, IP 54 FITS: DMV 525, DMV-DLE 525, DMV 5065, DMV-DLE 5065 (FORMERLY 225-170)
Frng-520	
11775	
229869	
88.90006-0010 Mbc 300 Se S02 Ac 230 Vdungsnr: 261380	
228222	DMV-D 703/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 80 VA, NEMA TYPE 12 (FORMERLY 228-222)
240-339np	
70409	
267016	DMV-D 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 23
267070	
217606	
Lqw 50 A2p	
13284	
231844	DMV-ZRD 701/602 DUAL MODULAR VALVE TWO STAGE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORMERLY 231-844)
229906	
Mb-Dle 407 B01 S20 (223746)	
W-Mf Se 507 (For Weishaupt)	
221926	
269237	
217322	
229873	
229913	
261303	
Mb-Dle 410 B01 S50 (Ord. Code 226873)	

222873	DMV-D 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-873)
229657	
241003	
258-320np	DMV-DLE 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
267054	DMV-DLE 704/634 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-490)
267228	
91876	
227146	
224382	DMV-D 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-382)
Gw50a4 Type Gwa By Lgw 50 A4	
269388	
43032-6	
Vps 504 S04	
227139	
267156	DMV 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC 50-60 HZ (FORMERLY 257-242NP)
269253	
107417	
Two Single-Stage Solenoid Valvesdmv-D 507/11	
257846	
238823	
Vdk 200a S02 Valve Proving Systemtype: Vdk200a S02 , 120vac 60hz	
Gw 2000 A4 Hp Au-G3-V0	
Gf 25065/2	
Vdk-200a	
229846	

266847	
242229	
267245	EMP-9430550 IN LB OUTPUT, 90 DEG 100 OHM, 20S FIXED 120 VAC, 60 HZ, 1.8A, AUX SW 6A @ 120 VAC, REQUIRES CRANK ARM (267239), REQUIRES (2) 50007 AND (1)
217442	MVD 530/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 12 (FORMERLY 217-442)
267471	
Gw500a6	
Emp-423-5	
229881	
266939	
223112	
217326a	
209064	
013268	FLANGED DN. 150 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE)
267022	DMV-D 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 (FORMERLY 230-793P)
229838	
Gw 50 A6 Ag-G3-Ms9-V0 Fa-Se	
Gw150a5/1	
222695	
Art N: 214207 Type Magnet Kpl.Nr.200	
269259	
222697	
266956	
219659	
267020	DMV-DLE 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA
P/N: 211 222 Type: Vdk 200 A S02	

226991	DMV-D 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 65 VA, NEMA TYPE 12 (FORMERLY 226-991)
232173	DMV-ZRDLE 701/602 DUAL MODULAR VALVE TWO STAGE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORMERLY 232-173)
48060-18	
266893	
267087	DMV-D 702/624L WITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%)
Gw 150 A5/1 Sensor	
269414	
267535	
240458	
269263	
229900	
227143	
224983 Vps 504 S05	
222878	DMV-DLE 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-878)
Gw500a4 100-500mbar 1/4i	
Gw50 A4 G2p	
Mvd5065-5	
Ce-0085ap0168	
209068	FLANGED DN. 65 2 1/2" NOMINAL PIPE SIZE (FORMERLY 209-068)
257126	
Mvd 2080/5	
260769	
266928	
232-214v	DMV-ZRDLE 702/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA,

228725	
Dmv-D 507/11 Dc 24- 28 V Ip 54 Steck-Ans	
223376	DMV-DLE 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY 223-376)
230 609 - , No	
46020-2	
Mvd510 1quot;	
267782	
Sv-1007/614	
107425	
270012	
228787	
230-472	
217-331a	
222884	DMV-DLE 512/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 65VA, IP 54 (FORMERLY 222-884)
258-312np	DMV-DLE 5080/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
229658	
229822	
66209	
217251	MVDLE 230/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 12 (FORMERLY 217-251)
266936	
Vps 504 S02 219 877	
221590 Lgw 3 A4	
VPS 504 S04 230V, 50Hz	219881 valve proving system max. 500 mbar conn. on screw terminals
267097	DMV-ZRD 702/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 5
13250	

Lgw 150 A5, Pmax500mbar Gt;Gt; Discontinuedgt;Gt; Gt;Gt;225940/ Gw 150 A5 Ag-G3-MS6-V12 Fa-Se Set	
220566	
Stecksocket Mpa41xx (Ord. Nr. 261413)	
224384	DMV-D 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50- 60 HZ, 135 VA, NEMA TYPE (FORMERLY 224-384)
266901	
Mvdle 515/5 (222081)	
Emp-454-1	
213910	
238822	
266919	
221-591	
222689	
229614	FRS 730/6 STAND ALONE PRESSURE REGULATOR 3" NPT OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO (FORMERLY 229-614)
267052	DMV-D 704/634 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-489PP
258-336pp	DMV 5100/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 100 TO ISO 7005-1 PN16 24 VDC VITON SEAT
6w 50 Ab	
269267	
267051	DMV-D 704/624 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-489P)
269258	
Aa-A2-4-5	
Art. Nr. 211840 Type: Mb-Dle 410 B01 S20	
Aa-A2-6-3, Art N: 266934 (Old: 217- 330a)	
266949	
267423	

225217	MAG. TYPE 1511 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 5080, DMV-DLE 5080 (FORMERLY 225-217)
259696	
D228294	
267805	
216-965	
103697	
217-086a	
222003	
Gaoa448	
223373	DMV-DLE 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 220 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 223-373)
269335	
224382 Einheit Gas-Ventile	
269408	
228770	
Gf40100	
251876	DN. 150 LUG BUTTERFLY VALVESMANUALLY OPERATED, CAST IRON BODY. 6" NOMINAL PIPE SIZE (FORMERLY 251-876)
166150	
226103	DMV-DLE 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-103)
Gw50 A4	
269281	
219881 Vps 504 S04	
Lqw-50-A2-P	
260778	
216-864a	
267311	
Frs 520	

Dungs Lgw 50 A2	
232079	DMV-ZRD 703/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 232-079)
269392	
Coil For Electromagnet ?1100	
Emp-423-1	
269346	
252113	
268447	
229871	
267332	
Wegeventil 30153250 Dmv - D 520/11 1.1/2" 220v Ac Pmax-500 Mbar	
157530	
225167	MAG. TYPE 1411 ACCESSORIES REPLACEMENT COILS 230 VAC NEMA TYPE 12, IP 54 FITS: DMV 525, DMV-DLE 525, DMV 5065, DMV-DLE 5065 (FORMERLY 225-167)
267292	
219968	
68940	
247986 Mbc-65-Dle-S20	
83410	
267108	
269409	
267010	LINEREGULATOR1 1/2 CL1 LINE PRESSURE REGULATOR 1 1/2" NPT, NPTF 4-10" WC SETTING 10-22" WC OPD (FORMERLY 229-611LP1)
269387	
222342	
229876	
222687	
241000	
43033	

222616	
252120	
269256	
Lgw-10-A2	
222370	
Mb-Dle-412-B01-S20	
214210	
266828	
Ord.Code: 157 550 Type: Mvd 515/5 230 Vac Ip 54	
266971	DMV-D 703/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (F
266974	DMV-DLE 703/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12
K01/1	
266930	
221-593a	
43158-6	
225009 Mb-Dle 412 B01 S22multieinheiteinstufige,Pmax=360 Mbar, Pout=4-20mbar, Eingang: 1 1/4"	
Ord.Nr. 272353 (Type: Lgw 150 A4 Ag- M-Ms9-V0-Vs3)	
069005	FRS 5125 REPAIR KITFITS FRS 5125 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 069-005)
83386	
6w 150 Ab	
267341	
253274	
268444	
P/N: 058 453 350.3 Not Sold Separately 229657	

229610	
228754	
P/N: 272339 Type: Gw 150 A5	
159350	
Lqw50	
66217	
269223	
267319	
267323	
267163	DMV-DLE 5065/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ (FORMERLY 258-308PP)
267154	DMV 5080/602 ECO DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 DN 80 PN 16 DUAL SSOV NBR CSA CE NEMA 12 (FORMERLY 257-220NP)
Mb-Dle-412-B01	
82552	
267194	
267541	VENT LINE KIT ACCESSORIES VENT LINE KIT 24VDC FOR THE DMV704/525-5125, INCLUDES LGV 507, K01 3/4" PIPE WIRING NOT INCLUDED. (FORMERLY 50252)
Gw 3 A6 Ag-G3-Ms9-V0-Vs3 Fa-Se 1p	
267293	
267103	
88.90006-0010 Mbc 300 Se S22 Ac 230 Vdungsnr: 229645	
223374	DMV-DLE 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 110 VAC (+10%/-15%) 50-60 HZ, 110 (FORMERLY 223-374)
226462	
Ks 1000 A2-7 Au-M-V9 St-Se Pa Ce 1p	
258411	
Dkh Rp 1/2	
224843	DMV-D 702/602 DUAL MODULAR VALVE 1/2",11/4", 1 1/2, 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 224-843)

195550	
Mb-Dle 407	
229884	
267305	
240994	MVDLE 210/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 1" NPT 120 VAC (+10%/-15%), 60 HZ 25 VA, NEMA TYPE 4 (FORMERLY 240-994)
258-312pp	DMV-DLE 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
222326	
217439	
241001	
Vpm-Vc V1.0	
Gao-A2-4-3	
245044	
267314	
Art.Nr. 272352 Type: Lgw 3 A2p Ag-M- Ms3-V0	
Druckschalter 40055050 Gw50a5 P 5- 50mbar	
267472	
Mb-Vef-407-412-B01	
Lgw 3 A4/2	
A4-A2-6-2	
238583	
225048	MAG. TYPE 1212 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV520/11, DMV-DLE 520/11 DMV 5040, DMV-DLE5040, DMV 5050, DMV-DLE 5050 (FORMERLY 22
Dmv-Vef5080	
267101	
Dmv-Dle702/622	
267236	
228555	

Rs257 Dn250 Pn16	
107-425a	
243760	
267096	DMV-ZRD 702/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE 12
Vdk200a-02	
Lgw-50-A2	
267002	
258-313np	DMV 5080/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC
Sv-D 520 !! By Mvd 520/5	
267208	
227137	
267073	
232402	
Mbc-1200-Vef	
267304	
271331	
228723 Gw 3 A6	
269235	
Dmv-D520/11	DOUBLE SOLENOID VALVE 500MBAR 220-240VAC 50/60HZ
266855	
266993	
229891	
226111	DMV-DLE 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE (FORMERLY 226-111)
058446 Frs 515 Druckregler	
226114	DMV-DLE 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),135 VA, NEMA TYPE 12 (FORMERLY 226-114)
Lgw 500 A5, Pmax600mbar Gt;Gt; Discontinuedgt;Gt; Gt;Gt;227639/ Gw 500 A5 Ag-G3-Ms6-V12 Fa-Se Set	

267298	
269229	
Aa-A1-0-3	
MB-VEF 407 B01 S30 AC230V m. G	GasMultiBloc gas-air conn.reg Customs tariff number 84818059 Unit weight: 2.660 kg Position weight: 2.660 kg ***** ***** OPERATING DATA: Medium: unknown Inlet pressure pe/pu: unknown Outlet pressure pa/pd: unknown (ONLY FOR REGULATORS) Heat output H: unknown Flow rate Qn: unknown Flow rate Qb: unknown
267012	LINEREGULATOR2 CL1 OPD LINE PRESSURE REGULATOR 2" NPT, NPTF 4-10" WC SETTING 10-22" WC OPD (FORMERLY 229-612LP1)
219 006	
Nr 280	
226112	DMV-DLE 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 226-112)
Rp 1/2 Pvb - Usa Version, Eu Version - Dkh Rp 1/2	
267021	DMV-DLE 702/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 6
267025	DMV-DLE 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY
104307	
46014-6	
Dmv-Dle 5125/11	
Dmv-Dle5065/11	
238584 Kh-160080	
222608	
267342	
225222	MAG. TYPE 1611 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 5100, DMV-DLE 5100 (FORMERLY 225-222)
Druckregler Dungs Frs 520 Dn50 (140-200 Mbar)	
267105	

269231	
217102	
266892	
Ce-0085-Aq0673	
Line Socket For The Electrical Connection Of The Dmv	
267331	
240996	
266973	DMV-DLE 702/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12
269243	
229892	
269240	
266947	
269318	
Ks 3000 A2-7 , 257846	
Druckregler Dungs Frs 515 Dn40	
217321	
233150	MVD 525/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 1/2 110 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 233-150)
Mb-Dle 410 B01 S50 (229780)	
223368	DMV-D 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 223-368)
269269	
229823	
266979	
220970	
229897	
222161	VALVE DUAL MODULAR DN80 500MBAR 24-28VDC
226069	DMV-D 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY 226-069)

269418	
211229	, Type Vdk 200a S02 240v 50hz
246516	
221 207	
Gw150a6/150a6	
70391	
230444	
222599	DMV-DLE 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY222-599)
267001	
222696	Filtrierendes Einbauteil Gf 40125
Lgw 50 A4/2 Ag-M-Ms9-V0-Vs3 St-Se	
229896	
242032	
Frsbv 226284	Sicherheitsventil
Lgw 1,5 A1	
232407	
267094	DMV-ZRD 701/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORMERL
214209	
267044	
266923	
Lqv507/5	
Lgw 3 A2 Ag-M-V9 St-Se	
243416	
258-308np	DMV-DLE 5065/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
229834	
222621	
267008	

266890	
Dmvd506511	FLANGED VALVE DUAL MODULAR 24VDC
226992	DMV-D 703/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 80 VA, NEMA TYPE 12 (FORMERLY 226-992)
210318	
267075	
Lgw3a4	
107-417	
Magnet Nr. 1200	
224381	DMV-D 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 220-240 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE (FORMERLY 224-381)
Frs520	
229903	
266926	
W-Mf 507 S22 230v	
258-317pp	DMV 5100/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 100 TO ISO 7005-1 PN16 24 VDC
267345	
258-316pp	DMV-DLE 5100/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 100 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
225228	MAG. TYPE 1711 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 5125, DMV-DLE 5125 (FORMERLY 225-228)
269221	
224924	DMV-DLE 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 220-240 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE (FORMERLY 224-924)
252121	
260773	
222611	
Mb-Dle 405 B01 S20 Ac230v (226560)	
229893	
Mvd-2050/5	VALVE SOLENOID AUTO SHUT-OFF W/COIL DN50 FLANGE

Dg50u	
Gw 50 A6	
Ema-418-1	
226188	
46014-5 Low	
15412	
Kh 160065 238583 Metallsitzhahn, Pmax 16 Bar,Der Beitritt Dn65	
267041	
082552	FLANGED DN. 100 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE)
157550 Ventil Mvd 515/5 11/2" 500mbar 230v	
224925	DMV-DLE 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50- 60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-925)
Rp3/4	
225220	MAG. TYPE 1611 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV 5100, DMV-DLE 5100 (FORMERLY 225- 220)
85210537 Drucksensor	
Gw 10 A5	
229663	FRNG 5150 REPAIR KITFITS FRNG 5150 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 229-663)
227156	HIGH PRESSURES DN. 80 3" NOMINAL PIPE SIZE (FORMERLY 227-156)
269413	
226555	
Mpa 4112 V1.1 Ord. Nr. 259066	
267157	DMV 5100/602 ECO DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 DN100 PN 16 DUAL SSOV NBR CSA CE NEMA 12 (FORMERLY 257-256NP)
217-092a	
266921	
225047	

Lgw22406 Id02-Lgw22406 00 KI Id02	
Frs-520	
41306-1	
K01/1 Ip 65	
Dmv 5080/12	
Vdk200as02	
267083	DMV-DLE 703/624L WITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%)
224093	
226805	
Dmv-D 5040/11	
Ggw 3 A4/2 X-Au-M-Ms9-V0-Vs3 St-Se 1p, Art. Nr. 245810	
223159	
223280	
267309	
268488	
267315	
35.1 230vac Ip54 Art.216878	
Gw 500 A4 Hp	
225940	
229911	
224383 Valve Dmv-D 5080/11 224383	
227153	HIGH PRESSURES DN. 25 1" NOMINAL PIPE SIZE (FORMERLY 227-153)
230992	
244021	
217-324a	
217329a	
Mvd-512/6	
269340	

225167 , Type Ers.Magnet Kpl.Nr.1411	
Ip 54 Ac 230 V	
Gw 3 A6 (272343)	
Gw 500 A5 Druckschalterttyp Gw 500 A5	
Mbdle415b01s20	
266849	
217438	
240997	
Pe 360	
256410	
226106	DMV-DLE 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-106)
228726	
254849	DMV 50050 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN16 230 VAC STARTING POWER [W] 2X80, HOLDING POWER [W] 2X15, (+10%/-15%) 50-60HZ, I
217202	
269389	
230993	MAG. TYPE 550 ACCESSORIES REPLACEMENT COILS 120 VAC, NEMA TYPE 12 FITS: MVD 530/6 (FORMERLY 230-993)
267089	DMV-DLE 702/624L WITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%
Gw500a5 Relais Druckdifferenz	
228225	DMV-DLE 703/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 228-225)
229912	
Mag Nr 1105 ? Mat Nr 222092	
148830	
209065	
178940 , Type Fru 5050	
Dmv-Dle512/11, Art N: 216904	
267467	
267252	

267011	
221073 , Type Vps 504 S06	
Mbc-700-Se-S22 Gas Valve	
269252	
Ks600c2	
58792	
221356	
266941	
266996	
266914	
267058	
Gw 500 A6 Gas Pressure Switch Adjustable Adjustment Range: 100-500 Mbar	
269255	
266994	
267324	
269228	
225003	
237675	
267069	DMV-DLE 701/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEM
135930	
300 Mvd - , - Nr.300 Ac 230 V Ip 54 (Ord.Nr. 214208)	
229240	
223367	DMV-D 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 220 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY223-367)
058628 Frs 520 Druckregler	
Mb-Vef 412 B01 S30 220 Vac	Dungs-GasMultiBloc mit Verbundregler Pmax. 360 mbar Schutzart: IP 54 Nennweite: Rp 1" - Rp 1 1/4" (abh¼ngig von Zubeh¼r)
Lqw 50 A4 (272355)	

222614	
68932	
242226	
267107	
267343	
267099	DMV-ZRD 703/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12
267081	SV-DLE 1020/614 SINGLE AUTOMATIC SHUT-OFF VALVES NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT 120 VAC (+10%/-15%), 50/60 HZ 45 VA, NEMA TYPE 4 (FORMERLY 2
Dmk 710/6	
229833	
266957	
217330a	
213795	
266906	
219878	
269404	
Dmv-D 507/11	
46060-16	
Gw50a6	
231944	
269250	
214206	
214207	
Gw3 - A4	
167200	MVD 520/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 167-200)
Lqw 6 A2-7 Drucksensor	
225 167	
247481	

222344	
266856	
267253	
226076	DMV-D 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 200 VA, NEMA TYPE 12 (FORMERLY 226-076)
266961	
214975	
266912	
Gw-500-A6	
Line Socket For The Electrical Connection Of The Gw	
Sad1.2 (229813)	
269257	
Gw150a5	
227157	HIGH PRESSURES DN. 100 4" NOMINAL PIPE SIZE (FORMERLY 227-157)
Lgw 50	
Gao-A2-4-6	
134450210	
217101	
269401	
50007	
Druckregler Gas	
269233	
157530 Mvd 507/5magnetventil Mitdrossel Durchfluss,Pmax=500 Mbar, 230 Vac,Prozessanschluss: 3/4"	
69005	
266966	
219008	
Ga-262-450pp	
230475	

267303	
225-256	
226284	
225000	
48070-7	
226120	DMV-DLE 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 24 VDC (+10%/-15%),90 VA, NEMA TYPE 12 (FORMERLY 226-120)
222693	
229661	FRNG 5100 REPAIR KITFITS FRNG 5100 BODY, INCLUDES ALL INTERNAL HARDWARE TO INTERNAL HARDWARE TO REBUILD THE CONTROL.(FORMERLY 229-661)
Gw 500 (272349)	
226063	DMV-D 5040/11 DUAL MODULAR VALVE FLANGED VERSION DN. 40 TO ISO 7005-1 PN40 24 VDC (+10%/-15%), 90 VA, NEMA TYPE 12 (FORMERLY 226-063)
226107	DMV-DLE 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50- 60 HZ, 200 VA, NEMA TYPE (FORMERLY 226-107)
267307	
267300	CO-792-12 BRASS ORIFICES VENTURI METERS 12 BETA RATIO 0.792, HEAD LOSS 25% (FORMERLY 48050-14)
217-093a	
267061	DMV-D 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERLY 243-761P)
267077	
267224	
222341	
Frs 5065	
268443	
267310	
268347	
229849	
266920	
Lgw 3 A4 Ag-M-Ms9-V0-Vs3 St-Se	

266998	
258-321p	DMV 5125/11 ECO 622 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 24 VDC
103705	
240999	MVDLE 230/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 4 (FORMERLY 240-999)
267085	DMV-D 703/624LWITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 5
229612	
240457	
219881	
269224	
267007	
Ggw 150 A4	
267330	
Sv-D507	
240998	MVDLE 225/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 4 (FORMERLY 240-998)
227644	
269324	
266985	DMV-DLE 5080/11 HL DUAL MODULAR VALVE HAZARDOUS LOCATION VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-106HL)
230474 Regulator Pressure Dungs Fri 710/6component Name: Modular Pressure Regulatorpn: Fri 710/6	
Magnet Kpl.Nr.1231 Ac 230 V Ip 54 (228295)	
240993	
Lgw 3 A2 (272337)	
99028	
266987	DMV-DLE 703/602 HL DUAL MODULAR VALVE HAZARDOUS LOCATION VERSION 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC

Gw 50 A6/1	(+10%/-15%), 90 VA, NEMA TYPE 12 (FORMERLY 22
Dma 30p 230/03 0l	
217440	
Lqv 3a4	
269323	
267088	DMV-DLE 702/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE
107-409a	
267102	
Lgw 3 A2, 0.4-3.0mbar	
Lgw150a2p	
267333	VCW-743 BRASS ORIFICES VENTURI METERS 6" NPT BETA RATIO 0.743, HEAD LOSS 10%, 16122 SCFH (FORMERLY 48070-8)
229611	
240311	
Mvd 515/5 (157550)	
40055150 Drucksensor	
Valve Proving System Du-219881vps 504 S04	
231420	
Dmv-D 507/11 Ac 220-240 V Ip 54 Steck-An	
266970	DMV-D 702/602 WITH VLADUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FO
Lgw 50 A2 Ag-M-V9 St-Se	
267328	VCW-721 BRASS ORIFICES VENTURI METERS 16 NPT HEAD LOSS 10% (FORMERLY 48070-15)
269227	
222637	
229824	
225987	

267318	
231945	
Vps 504 S05 24v Dc	
221884	
Dmv-D 507/11 Ac 220-240 V Ip 54 Viton	
227639	
226347	
241016	
266989	
266958	
245100 Gas Valve Dmv 5080/12	
121962 , Type: Mvd 207/5	
269416	
226110	DMV-DLE 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),200 VA, NEMA TYPE 12 (FORMERLY 226-110)
Vps 504 S02	
267158	DMV 5065/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ NEMA TYPE 12 (FORMERLY 257-298NP)
267084	DMV-D 703/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 4
218163	FLANGED DN. 150 6" NOMINAL PIPE SIZE (FORMERLY 218- 163)
66233	
231774	
242657	
Mvdle 207/602 Kdi 120 Vac	
244157	
13 009 689	
269344	
269398	
	DMV 5065/11 ECO 632 DUAL MODULAR VALVE FLANGED

257-298pp	VERSION WITH PROOF OF CLOSURE DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
268454	
Dmv-Se S12/11 S22	
267344	
Lqw 10 A2 Ag-M-V9 St-Se 1p	
238554	
269220	
226104	DMV-DLE 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 226-104)
242656	
267521	
266999	
228220	
Emp4534	
258-320pp	DMV-DLE 5125/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
23030100430	
66191	
Aa-A2-6-3, Nr:266934	
225171	MAG. TYPE 1511 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV 5080, DMV-DLE 5080 (FORMERLY 225- 171)
Mvdle 515/5 Ac 230v	Gas solenoid valve closed normally slowly opening, fast closing DN 40, Rp 1 1/2 " Pmax. 500 mbar Protection class: IP 54
267039	
13524	
269386	
243096	
267005	
Automatisches Absperrventil Dungs Sv- D 507 (Pmax 500mbar)	
269236	

Mvd 520/5	
222388	
13009689 Servosad 1.2	
269325	
229 659	
266898	
266896	
258-321np	DMV 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDC
267028	DMV-ZRDLE 701/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE
217-087a	
267254	
132430420	
266848	
242654	
271329	
267781	
258-309np	DMV 5065/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC
266889	
267317	
W-Mf-Se 507 C01 S22 By W-Mf Se 507 S22 (605320)	
For Frs 520	
229820	
266905	
216-752a	
Gf520/1	
217471	
242230	
267074	

058792	FLANGED DN. 65 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE) 2
222613	
267026	DMV-DLE 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA
251529	HIGH PRESSURES DN. 125 5" NOMINAL PIPE SIZE (FORMERLY 251-529)
Dmv-D503/11	
Sv-D 507 - , -Mvd 507/5	
069013	FRS 5150 REPAIR KIT FITS FRS 5150 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 069-013)
238804	
226064	DMV-D 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 226-064)
Dma 30 Q 230/10 0 L	
240326	
222337	DMV-DLE 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-337)
269405	
Lgw150a4\2	
214208	
238587	KH DN. 150 FLANGED BALL VALVES DN. 150 MANUALLY OPERATED, CAST IRON BODY. 6" NOMINAL PIPE SIZE (FORMERLY 238-587)
266943	
266995	
229901	
252119	
269406	
254394a	
119271	
254285	

230443	
229887	
269222	
269262	
Ks 1000 C2 , Ks 1000 A2-7 Au-M-V9 St- Se Pa Ce 1p	
Lgw50a4\2	
170750	MVD 525/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 1/2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 170-750)
224847	DMV-DLE 703/602DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 224-847)
98459	
228221	DMV-D 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 60 VA, NEMA TYPE 12 (FORMERLY 228-221)
48060-15	
Dmv-Dle 512/11	
229916	
269415	
267316	
226995	DMV-DLE 703/602DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 80 VA, NEMA TYPE 12 (FORMERLY 226-995)
222691	
216-864ca	
83.58520	
011767 Ventil Mvd 220/5 2" 200mbar 230v	
267143	
157530 Ventil Magnetische Gas-Sv-D 507 Dn 3/4" Art.-Ce-0085bm0332	
222332	DMV-DLE 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-332)
216870	

135960	
228779	
266944	
253734	
Gw-50-A2	
Mpa4112	
267086	DMV-D 702/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 4
Mbc-700-Vef	
225049	MAG. TYPE 1212 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 520/11, DMV-DLE 520/11 DMV 5040, DMV-DLE 5040, DMV 5050, DMV-DLE 5050 (FORMERLY
267062	DMV-D 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (
272618 Type Gw 500 A6	
229877	
225816	
258-341np	DMV 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDCVITON SEAT
227155	HIGH PRESSURES DN. 50 2" NOMINAL PIPE SIZE (FORMERLY 227-153)
269279	
269280	
267019	DMV-DLE 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY
229875	
230983	
269282	
232-232v	DMV-ZRDLE 703/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA,
217488 Solenoid .Nr. 1011	
245563	

226806	
52415	
269268	
W-Mf-Se 507 C01 S22	VALF SOLENOID
222619	
267296	
267191	
266904	
267112	
Frng 515 (209064)	
Art N: 214208 Type Magnet Kpl.Nr.300	
226464	FRG 725/6 PROPORTIONATOR / ZERO GOVERNOR 2 1/2 NPT(FORMERLY 226-464)
Dungs Dmv-D 507/11	
267322	
229837	
266969	DMV-D 701/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERLY
205360	
224846	DMV-DLE 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 224-846)
222692	
257127	
267104	
267000	
222688	
229870	
211222	VDK 200A S02 VALVE PROVING SYSTEMS, PIPE MOUNT 12 MM RP CONNECTIONS, MAX. VOL. 0,7 CU FT (20 LITERS) 230 VAC (+10%/-15%), 50 HZ, RUN CONTACT 4A @ 200
267024	DMV-D 703/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2",

	2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90
224845	
266909	
231-844v	DMV-ZRD 701/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12
266913	
269272	
266963	
267257	
Gw150a6	
266910	
229894	
Re550/250-2 Si-S By Ge 550 Ac 2000s	
267465	
222828	DMV-D 512/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 65VA, IP 54 (FORMERLY 222-828)
229662	FRNG 5125 REPAIR KIT/FITS FRNG 5125 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 229-662)
215953	
258-309pp	DMV 5065/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 65 TO ISO 7005-1 PN16 24 VDC
104083	
242660	
244-733vp	DMV-ZRDLE 702/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%)
Frng 5065	
231789	
Kit Repair For Frs 5065	
270489	
Gw-50-A4	

Ers510	
225225	MAG. TYPE 1711 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV 5125, DMV-DLE 5125 (FORMERLY 225-225)
48050-10	
245147	
216590	
269261	
Lqw 150 A4/2	
156630	
Bm-740-010	
267297	
Dmv-Dle 520/11	
240-821np	
Mvdle-215/602	
269320	
210537	
227142	
242225	
269334	
222077	
227140	
251874	
222825	DMV-D 520/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 90VA, IP 54 (FORMERLY 222-825)
Lqw 10 A4 Ag-M-Ms9-V0-Vs3 St-Se	
Dmv-507/11	VALVE DUAL MODULAR 110VAC
Gw500a4 Ag-M-Vo Gas Pressure Switch	
221073	
267055	
260768	
Ord.Code: 226874 Type: Mb-Dle 407	

B01_S50	
242220	
224212	FLANGED DN. 150 6" NOMINAL PIPE SIZE (FORMERLY 224-212)
216633	MVDLE 225/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 12 (FORMERLY 216-633)
223426	
267273	
244-735vp	DMV-ZRDLE 703/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%)
267071	
224094	
Nr.300 Ac 230 V Ip 54 (Ord.Nr. 214208)	
267014	
226342	
Lqw 3 A1	
266960	
224383	DMV-D 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-383)
242650	
158110	
267308	
240456	
221590	
D507	
216967	
226072	DMV-D 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY 226-072)
208382	
Gmh-A4-4-8 (Ä220;B 500 A4 Ag-Npt-Ms9-V0 1p)	

269246	
229842	
Mvs-120-Dle-S-40	
070383	
267207	
222369	
224380	DMV-D 5040/11 DUAL MODULAR VALVE FLANGED VERSION DN. 40 TO ISO 7005-1 PN40 220-240 VAC (+10%/-15%) 50- 60 HZ, 90 VA, NEMA TYPE (FORMERLY 224-380)
230986	
Lgw 150 A4 Ag-M-Ms9-V0-Vs3 St-Se	
Lgw34a Ag-Pg-Ms9-V0-Vs3 St-Se	
Gw 150 (272339)	
214422	FLANGED DN. 100 4" NOMINAL PIPE SIZE (FORMERLY 214- 422)
Lgw150a4	
219967	
Mb Dle 410 B01 S52	
239316-231	
267320	
Mb Dle 410 B01	
258-331pp	DMV 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 24 VDC VITON SEAT
Druckregler 25050040 Frs 515 Pmax- 500mbar Dn 40	
240992	
224253a	
119073	
269322	
266888	
267018	DMV-D 702/622 W/VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA,
Lgw 150 A4 Sgv	

269232	
229899	
Druckschalter 42050010 Lgw 10 A2 250v 10a 50 Hz P 1-10mbar	
248239	
269274	
269230	
217-341a-Gml-A4-4-6	
86462	
267651	
269393	
267326	VCW-750 BRASS ORIFICES VENTURI METERS 8 NPT HEAD LOSS 10% (FORMERLY 48070-11)
267218	
169130 , Type: Fru 510	
Mvd-507/6	
Ub-50-A2	
270490	
222001	
217148	
232-079v	DMV-ZRD 703/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NE
217332a	
271332	
266902	
226118	DMV-DLE 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 226-118)
269332	
229821	
267076	
267468	

Gw 6000 A4 Hp Ag-M-V0	
256409	
268490	
256357	
267313	
228224	DMV-DLE 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 228-224)
Dmv-D507/11	
13276	
251877	DN. 200 LUG BUTTERFLY VALVES MANUALLY OPERATED, CAST IRON BODY. 8" NOMINAL PIPE SIZE (FORMERLY 251-877)
267067	DMV-DLE 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERLY 244-000P)
229836	
1411/2p	
225224	MAG. TYPE 1611 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 5100, DMV-DLE 5100 (FORMERLY 225-224)
222890	DMV-DLE 520/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 90VA, IP 54 (FORMERLY 222-890)
Vdk200a-S02	
Ce-0085ap0035	VALVE DUAL MODULAR DN80 500MBAR 24-28VDC
258-316np	DMV-DLE 5100/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
229848 Die Feder 7 Schwarze 60-110 Mbar Frs 510 Rp 1"	
Dmv-D5080/11	
Dmv-D 512/11 Ac	
Emp-424-1	
246502	
266981	
W-Mf Se 507 S22 230v (605320)	
231773	

266897	
267155	DMV 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ (FORMERLY 257-220PP)
217640	
231790	
262-450np	DMV 5065/11 ECO 604 DUAL MODULAR VALVE NEMA TYPE 4 FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC
229880	
222368	
232-401	
222872	
269242	
Gw-150-A4	
269327	
229890	
Lgw 50 A4 Ag-M-Ms9-V0-Vs3	
227158	HIGH PRESSURES DN. 150 6" NOMINAL PIPE SIZE (FORMERLY227-158)
267306	
612-6a020e	IGNITION TRANSFORMER 1.5AMP 120V
246503	
Lgw 1.5 C3	
221-592a	
267142	
222698	
267229	
269285	
Filterelement Gfk 150	
Gw10a5(Ex.Gw10a5)	
Lgw 3 A2 Diff.	pressure switch
221-924	DMV-D 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY 221-924)

219878 Vps 504 S02	
48070-13	
225028	
222327	
Gw 150 A5	
230441	
230474	
222-331	DMV-D 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-331)
Gao-A4-4-2	
218164	
243083 Mbc-1900-Vef Dn65 230 Vac	
W-Fm20 (0085 As 310)	
226993	
225219	MAG. TYPE 1511 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 5080, DMV-DLE 5080 (FORMERLY 225-219)
256411	
269399	
258-331np	DMV 5080/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDCVITON SEAT
229915	
222082	MVDLE 520/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 222-082)
269352	
Dmv-D-5080/11	VALVE DUAL MODULAR DN80 500MBAR 24-28VDC
091876	FRS 5100 REPAIR KIT FITS FRS 5100 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 091-876)
267182	
226078	DMV-D 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 200 VA, NEMA TYPE 12 (FORMERLY 226-078)
238586	KH DN. 125 FLANGED BALL VALVES DN. 125 MANUALLY OPERATED, CAST IRON BODY. 5" NOMINAL PIPE SIZE

	(FORMERLY 238-586)
267004	
232025	DMV-ZRD 702/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE 12 (FORMERLY 232-025)
229817	
222882	DMV-DLE 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-882)
240995	
228783	
91868	
269241	
238584	
232214	DMV-ZRDLE 702/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE 12 (FORMERLY 232-214)
266984	DMV-DLE 5065/11 HL DUAL MODULAR VALVE HAZARDOUS LOCATION VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-103HL)
217-341a	
267013	
Mb-Dle 405 B01 S22 Ac230v (225006)	
W-Fm100	
241004	
Mv 502	
222875	DMV-D 507/11 DUAL MODULAR VALVE 1/2, 3/4, 1 RP OR NPT 24VDC (-10%/-15%), 45VA, IP 54 (FORMERLY222-875)
269331	
Art. Nr. 272341 , Type Gw 50 A2 Ag-M-V9 St-Se 1p	
267321	
226067	DMV-D 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY226-067)
269234	
Gao-A2-4-5	

Sv 520 -2quot; !! By Mvd 520/5	
269249	
229895	
267167	DMV 5080/11 ECO 622 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 24 VDC (FORMERLY 258-313P)
232403	
Lgw 50 A4	
Mb-Dle 407 B07 S22 (Ord. Nr.191390)	
238807	
Lgw 10 A2,1-10mbar,	
266959	
266900	
238583 Kh-160065	
Gw 150 A4 (157050)	
268453	
217340a	
167200 Ventil Mvd 520/5 2" 500mbar 230v	
222371	
238803	
100876253	
217327a	
Dmv-D 507/11 1/2quot; - 1quot;	
229879	
224380 , Type Dmv-D 5040/11	
222826	DMV-D 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-826)
245046	
266982	
267110	

222081	
Wegeventil 30152550 Dmv - D 512/11 1" 220v Ac Pmax-500 Mbar	
267223	
218162	FLANGED DN. 125 5" NOMINAL PIPE SIZE (FORMERLY218-162)
227283	
Dmv 50050 S02	
Lgw50a2 Ce-0085 Aqm0673 Pressure Switch	
225034-231 - Not Available	
222 637	
216904	
269260	
269412	
269417	
Ks3000c2	
266911	
238826	
231100	
251870	
225005	
266972	DMV-DLE 701/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERL
229360	
229910	
Sad 15.0	
267299	CO-775-10 BRASS ORIFICES VENTURI METERS 10 BETA RATIO 0.775, HEAD LOSS 28% (FORMERLY 48050-13)
258-317np	DMV 5100/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC
241005	MVD 525/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 4 (FORMERLY 241-005)

267053	DMV-DLE 704/624 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-490)
267470	
Frs5020	
267204	
Lgw 3 A4/2 Ag-M-Ms9-V0-Vs3	
229609	
Ipdk248245s00001543	
Frs5100	
269407	
232232	DMV-ZRDLE 703/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 232-232)
Mat. Nr: 257 382	
Art. Nr. 226562 Type: Mb-Dle 410 B01 S20	
Wegeventil 30151525 Dmv-D 507/11 1" 220-240v Ac 60 Hz Pmax-500 Mbar	
272338 Type Lgw 3 A4	
242228	
Vdk 200a S02 120v 60hz (Ord.Code 211927)	
244428 Gasventil Dn80	
Gw 10 A4 Id.No:Ce-0085 A00012 / By Gw 10 A6	
229885	
267239	
269354	
229908	
Duur01rez001 Dungs Absperklappez 014-A-Lw Dn100251874	
226873	
223156	
267226	

209069	FLANGED DN. 80 3" NOMINAL PIPE SIZE (FORMERLY 209-069)
058628 Druckregler Frs 520 10-30mbar 2"	
226994	DMV-DLE 702/602DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 65 VA, NEMA TYPE 12 (FORMERLY 226-994)
266953	
269402	
216631	
013250	FLANGED DN. 125 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE)
240671	
Gw50a5	
242651	
266 147	
107409 Pressure Switch Lgw 3 A2	
Gw10a6	
222336	DMV-D 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-336)
248327 Ggw 3 A4 U	
266917	
210319	
245048	
118935	MVDLE 225/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 1/2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY118-935)
252122	
222079	
Emp-424-5	
229608	
266968	
244-730vp	DMV-ZRD 701/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ,

48060-12	
268348	
269319	
267263	
229854	
269410	
Nr83-07 E 128	
268445	
82081	
Kdg-0-2/71a	
Art. Nr. 223747 Type: Mb-Dle 410 B01 S 20 - Not Available, - Art. Nr. 211840 Or Art. Nr. 226562	
Aa-A2-6-2	
226932	
256408	
269238	
222823	DMV-D 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY 222-823)
Dmv-D 503/11 220-240 V	Double solenoid valve Pmax. 500 mbar AC 220-240V Protection class: IP 54 Customs Tariff No. 84818059 Net weight 2 KG Country of origin: DE Please order accessories separately: 2 x 217471, Rp 3/8 "cr. 2 x 217472, Rp 1/2 "Verschr. 1 x 210319, appliance plug
272349	
258-341pp	DMV 5125/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 24 VDC VITON SEAT
226073	DMV-D 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 226-073)
251528	HIGH PRESSURES DN. 65 2.5" NOMINAL PIPE SIZE (FORMERLY 227-155)
255973	DMV 50025 DUAL MODULAR VALVE FLANGED VERSION DN. 25 TO ISO 7005-1 PN16 24 VDC STARTING POWER [W] 2X80, HOLDING POWER [W] 2X15, IP54 (FORMERLY 255-973)
269396	

229851	
Frs-515	
66225	
Vps 504 S04, Ip54	
266955	
266915	
257-220p	DMV 5080/11 ECO 622 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ
070409 Druckschalterfrs 515gas- Druckreglerdn 40, Rp 1 1/2"pmax. 500 Mbar	
269333	
267270	
226458	
229898	
Mb-Dle420	
268446	
226070	DMV-D 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY226-070)
216589	
221999	
Relais Dungs Lgw3 A4	
243417	SPRING #9, GRAY56" TO 80" W.C. 140 TO 200 MBAR FRS 5150 (FORMERLY 243-417)
68924	
251875	DN. 125 LUG BUTTERFLY VALVESMANUALLY OPERATED, CAST IRON BODY. 5" NOMINAL PIPE SIZE (FORMERLY 251-875)
223157	
225168	MAG. TYPE 1411 ACCESSORIES REPLACEMENT COILS 110/120 VAC, NEMA TYPE 12, IP 54 FITS: DMV 525, DMV-DLE 525, DMV 5065, DMV-DLE 5065 (FORMERLY 225-168)
244156	
222694 Filtrierendes Einbauteil Gf40080/3	

Gw 10 A6	
269390	
217437	
229843	
244-734vp	DMV-ZRD 703/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 5
229845	
215384	
MBC-1900-SE-65 AC 230 V	248139 Gas Multi Bloc as a control and safety combination with servo pressure regulator DN 65 flange Voltage: AC 230V Inlet 15 - 500 mbar Burner 4 - 140 mbar (depending on spring)
267072	
269328	
Mvd-220/5	
Dmv-D 525/11	
267111	
232-025v	DMV-ZRD 702/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 130 VA, NE
1411	Replacement magnet No. 1411 AC 230V for use as a replacement drive Protection class: IP 54 Customs tariff no.85059029 Unit weight: 8 kg Country of origin: DE
Lqw 3 A2 Ag-M-V9 St-Se 1p	
238806	
230440	
220969	
232039	
244731p	INVERTER
Lqw 10 A2 Ag-M-V9 St-Se	
225226	MAG. TYPE 1711 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 5125, DMV-DLE 5125 (FORMERLY 225-226)
157530 Mvd 507.5 Automatisches Absperrventil	

225051	MAG. TYPE 1212 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 520/11, DMV-DLE 520/11 DMV 5040, DMV-DLE 5040, DMV 5050, DMV-DLE 5050 (FORMERLY 2
Mb-Dle 405 B01 S50 Ac230v (226875)	
243219	
229886	
253461	
269321	
229359	VZF REPLACEMENT FILTER INSERTFITS VZF DN. 150 FILTER (227158), 99.5% FILTRATION OF 2 MICRON PARTICLES (FORMERLY 229-359)
269219	
83402	
229902	
267100	DMV-ZRDLE 703/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE
267023	DMV-D 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA T
211224	VDK 200A S02 VALVE PROVING SYSTEMS, PIPE MOUNT 12 MM RP CONNECTIONS, MAX. VOL. 0,7 CU FT (20 LITERS) 110 VAC (+10%/-15%), 50 HZ, RUN CONTACT 4A @ 110
Magnetspule Nr. 1100	
172590	
247863	
222696	
Mbdle420b01s20	
Gao-A4-4-3	
237614	
267466	
Mb Vef 407-B01-S32 Dn 20 (R) 241-117 - 3/4?	
260777	
Dmv-Del 702/622	

224098	
Sv-D 507	
Druckschalter 85210537 Ub 50 A4 P 2,5-50mbar	
Frs-503	
242223	
D226460	
267063	DMV-D 701/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA
228724 Gw 10 A6	
267017	DMV-D 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA T
216-632	
225001	
220967	
158090	
Frm 100050 Md / Sav Md	
229889	
230991	
Dmv-D 5065/11	
229907	
269400	
431171	
D224399	
242658	
269337	
223370	DMV-D 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY223-370)
229874	
266899	
246515	

267068	DMV-DLE 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12
226066	DMV-D 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 24 VDC (+10%/-15%), 90 VA, NEMA TYPE 12 (FORMERLY226-066)
267082	DMV-DLE 703/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE
Gmw-A2-4-6	
267280	
011775	MVDLE 220/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 230 VAC (+10%/-15%), 50/60 HZ 60 VA, IP 54 (FORMERLY 011-775)
229888	
267106	