



Eaton Corporation

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Eaton Corporation Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Eaton Corporation T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Hfd3015I	3P HFD 15 AMP BREAKER
Iponi	COMMUNICATION MODULE OPERATOR NETWORK INTERFACE
Hfd3080I	TYPE HFD, 3 POLE, 80A TRIP, 600V CLASS, 65KA AT 480V, LINE
Kd3400	TYPE KD BREAKER 3P 400A 600VAC MAX 25KAIC @ 600V
Fd2020I	TYPE FD BREAKER 2P 20A/ 250VDC MAX 10K / 600VAC MAX 18K AIC
Hmcp250a5	TYPE HMCP BREAKER 3P 250A 600VAC MAX 25K AIC
Hfd3070I	TYPE HFD, 3 POLE, 70A TRIP, 600V CLASS, 65KA AT 480V, LINE
Jd3250f	CIRCUIT BREAKER 250AMP 3POLE 600V TRIP FRAMEONLY
Bj3200	TYPE BJ BREAKER 200A/3 POLE 240V 10K REQ 6 SPACES
Ce15mn3a	FOR REPLACEMENT ONLY

Hmc-P070m2c	HMCP STANDARD MAG STYLE W/STEEL COLLARS
Sv9f30ac-5m0b00	DRIVE 3HP 380-480VAC 5.3AMP
39pkhx	OPERATOR INTF
Hfd3040l	TYPE HFD, 3 POLE, 40A TRIP, 600V CLASS, 65KA AT 480V, LINE
Hm2p250l5ws10	HM2P 2P 250A W/110-240VAC/110-125VDC LH SHUNT TRIP
Hmcp150u4c	HMCP HIGH MAG STYLE W/STEEL COLLARS
3br4242l225	3 PH/BR LOADCENTER 225AMLO 42/42 CIR. AL BUS NEMA 1
Ch630egnsys	EMERGENCY POWER TRANSFER SYSTEM PORTABLE
Hfd3050l	TYPE HFD, 3 POLE, 50A TRIP, 600V CLASS, 65KA AT 480V, LINE
Jd3225	TYPE JD BREAKER 3P 225A 600VAC MAX 18KAIC @ 600V
An16kn0b	STARTER SIZE3 3POLE 90AMP 240VAC COIL
W210mlcfc	CONTACTOR REVERSING 3 PHASE COIL VOLTAGE 120
Jd3200	TYPE JD BREAKER 3P 200A 600VAC MAX 18KAIC @ 600V
D520ta3	ANALOG OUTPUT
A10-Fnoab	STARTER SIZE4 135AMP 3POLE 120VAC COIL OPEN TYPE
Gd3050a3	GD3050 W/AUX SW 1A1B RH
Hmcp050k2c	HMCP 050K2C HMCP STANDARD MAG STYLE W/STEEL COLLARS
A200m3cac	STARTER, SIZE 3, OPEN, 3 POLE, 120V / 60HZ COIL
A201k5ca	CONTACTOR, SIZE 5, OPEN, 3 POLE, 120V / 60HZ COIL
13-16-1005	5HP 480V AC DR
An16kn0a	STARTER SIZE3 90AMP 110/120VAC 3PH NON-REVERSING
Fd-B3125	TYPE FDB, 3 POLE, 125A TRIP, 600V CLASS, LOAD TERMINALS ONLY
15-564-107	LOGIC D BOARD
Hfd3020l	3P HFD 20 AMP BREAKER
511h995-98	SOLENOID BRAKE ASSEMBLY SHOE TYPE 240V COIL
Kd2400	TYPE KD BREAKER 2P 400A 600VAC MAX 25KAIC @ 600V
Hjd3250f	FRAME ONLY HJD BREAKER 3P 250A
Hmcp030h1ca02	CIRCUIT BREAKER 30AMP 3POLE 600VAC W/AUX SWITCH

An56bn0ac 1175t-Pmp-1100	STARTER REVERSING SZ 0 18AMP 3POLE 120VAC W 1NO1NC OPERATOR PANEL 1.1AMP 23WATT 24VDC
Cn15sn3a	CONTACTOR SIZE5 270AMP 3PH 3POLE 120VAC COIL W/1NO
1570k	OPERATOR INTF
Hfd3060	TYPE HFD, 3 POLE, 60A TRIP, 600V CLASS, 65KA AT 480V, LOAD
Hmcp100r3c	HMCP STANDARD MAG STYLE W/STEEL COLLARS
D11vr10c	RELAY PLUG IN PILOT DUTY 600VAC COIL 480V 60HZ
Cn15tn3ab	NEMA OPEN 3P CONT SIZE 6 120V COIL
D520ra2	INPUT MODULE
Cn55dn3ab	CONTACTOR REV SIZE 1 27AMP 3POLE 120VAC 1 NO 1 NC
92-00684-00	OPERATOR INTERFACE PANELMATE 2000
D520bc11	PC BOARD
A211k1ca	CONTACTOR REVERSING 3POLE 120VAC 60HZ
Nd3800t33w	ND DIGITRIP 310 3P 800A 80% DUTY
Hmcg3800f	TYPE HMCg MARK 75 SELTRONIC CIR BKR FRAME W/SOLID STATE
9-2698	COIL, SIZE 6, SERIES B1, 120V/60HZ AND 110V/50HZ
1575k	OPERATOR INTF
Fd3030l	TYPE FD BREAKER 3P 30A 600VAC MAX 14K AIC .
Fd3060l	TYPE FD BREAKER 3P 60A 600VAC MAX 18K AIC
D120-Pp1	PROGRAMMING CONTOLLER PANEL
84-23772	FIELD REGULATOR
5-Hdw-7-1-R-Ac	COUNTER 5DIGIT 1:1RATIO
Ea090pn	90A STARTER
92-01810-01	OPERATOR INTERFACE PANELMATE 3000
Fd3100	TYPE FD BREAKER 3P 100A 600VAC MAX 18K AIC
D520bc25	COMMUNICATION BOARD
1585thx	OPERATOR INTF
Ca3125	CIRCUIT BREAKER 125AMP 3POLE 240VAC
Ce15nn3a	FOR REPLACEMENT ONLY
Hmcp070j2	HMCP LOW MAG STYLE W/ALUMINUM COLLARS

A200m2cac	STARTER, SIZE 2, OPEN, 3 POLE, 120V / 60HZ COIL
Dh-361fdk	30A/3P HD FUSIBLE SAFETY SWITCH 600VNEMA 12
A200m4cac	STARTER, SIZE 4, OPEN, 3 POLE, 120V / 60HZ COIL
Ca3225	CIRCUIT BREAKER 225AMP 3POLE 240VAC
D520bc4	PCB COMMUNICATIONS LOGIC BOARD
92-00898-00	OPERATOR INTF
Fd3050I	TYPE FD BREAKER 3P 50A 600VAC MAX 18K AIC
D520fp2	RACK POWER SUPPLY
D520bc33	LOGIC CONTROL