

## Elektro Automatik

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Elektro Automatik** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Elektro Automatik T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">Ea-EI9400-100wc</a>	ELECTRONIC LOAD, 400V, 100A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 400V DC, OPERATING CURRENT RANGE:0A TO 100A, POWER RATING:4.8
<a href="#">Ea-EI9400-50wc</a>	ELECTRONIC LOAD, 400V, 50A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 400V DC, OPERATING CURRENT RANGE:0A TO 50A, POWER RATING:2.4KW
<a href="#">Ea-EI9160-200wc</a>	ELECTRONIC LOAD, 160V, 200A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 160V DC, OPERATING CURRENT RANGE:0A TO 200A, POWER RATING:4.8
<a href="#">Infc2000</a>	UPS, 2000VA, TOWER, CAPACITY (VA / W):2KVA / 1.2KW, NO. OF OUTLETS:4, INPUT VOLTAGE VAC:220V, 230V, OUTPUT VOLTAGE:230V, BACKUP TIME -FULL LOAD:4MIN
<a href="#">Ea-Ps 5040-40 A</a>	640W SEGMENT DISPLAY, 4 DIGITS
	ELECTRONIC LOAD, 750V, 25A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC

<a href="#">Ea-EI9080-200wc</a>	TO 80V DC, OPERATING CURRENT RANGE:0A TO 200A, POWER RATING:2.4KW
<a href="#">Ea-EI9750-75</a>	ELECTRONIC LOAD, 750V, 75A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 75A, POWER RATING:7.2KW
<a href="#">Ea-EI9750-50</a>	ELECTRONIC LOAD, 750V, 50A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 50A, POWER RATING:4.8KW
<a href="#">Ea-EI9160-100wc</a>	ELECTRONIC LOAD, 160V, 100A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 160V DC, OPERATING CURRENT RANGE:0A TO 100A, POWER RATING:2.4
<a href="#">Ea-EI9080-600wc</a>	ELECTRONIC LOAD, 80V, 600A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 80V DC, OPERATING CURRENT RANGE:0A TO 600A, POWER RATING:7.2KW
<a href="#">Ea-EI9750-25wc</a>	ELECTRONIC LOAD, 750V, 25A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 25A, POWER RATING:2.4KW
<a href="#">Ea-EI9750-75wc</a>	ELECTRONIC LOAD, 750V, 75A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 75A, POWER RATING:7.2KW
<a href="#">Ea-EI9750-50wc</a>	ELECTRONIC LOAD, 750V, 50A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 50A, POWER RATING:4.8KW
<a href="#">Ea-EI-9080-200</a>	POWER SUPPLY TESTER 200AMP 80VAC
<a href="#">Ea-Psi-9080-100</a>	POWER SUPPLY TESTER BENCH TOP AUTOMOTIVE
<a href="#">Ea-Psi 8080-40 T</a>	1 OUTPUT 0 → 80V DC 0 → 40A 1000W
<a href="#">Ea-EI9400-100hp</a>	ELECTRONIC LOAD, 400V, 100A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 400V DC, OPERATING CURRENT RANGE:0A TO 100A, POWER RATING:4.8
<a href="#">Ea-EI9160-300</a>	ELECTRONIC LOAD, 160V, 300A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 160V DC, OPERATING CURRENT RANGE:0A TO 300A, POWER RATING:7.2
<a href="#">Ea-EI9400-150wc</a>	ELECTRONIC LOAD, 400V, 150A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 400V DC, OPERATING CURRENT RANGE:0A TO 150A, POWER RATING:7.2
	ELECTRONIC LOAD, 750V, 25A, DC LOAD

<a href="#">Ea-EI9750-25hp</a>	TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 25A, POWER RATING:2.4KW
<a href="#">Ea-EI9750-50hp</a>	ELECTRONIC LOAD, 750V, 50A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 50A, POWER RATING:4.8KW
<a href="#">Ea-EI9160-300wc</a>	ELECTRONIC LOAD, 160V, 300A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 160V DC, OPERATING CURRENT RANGE:0A TO 300A, POWER RATING:7.2
<a href="#">Ea-EI9080-400wc</a>	ELECTRONIC LOAD, 80V, 400A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 80V DC, OPERATING CURRENT RANGE:0A TO 400A, POWER RATING:4.8KW