

Elpro

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Elpro Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Elpro T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Libero Te1-Py	PDF logger for external Pt100 sensor Lifespan: 400 days, multiple use Measuring range: -200 ° C .. + 200 ° C / storage capacity: 16,000 readings Connection: USB Validation certificate, the external Pt100 sensor is not included Customs fee number. 9025192000 / origin CH
Electrical Calibration	Calibration with 4 ... 20 mA or simulation with resistance 1channel, 2 calibration values PT100 / PT 1000 all standard values -200 ... 850 ° C NTC (3kOhm) -40 ... 150 ° C ----- recommended: electr. Calibration without PT100 sensor (-196 ° C / -80 ° C)
115u-1 Multi 1/0	
115s-12 Wilress 1/0	
105U-1-868-500M	
245U-E-G	
455U-D-H-440W	
800375	

800397	
800440	
800445	
800637	
800698	
802242	
802260	
905U-4	
950U-G-ET1	
BEG13206-2R32A1R64	
E115S-11	
E905-D	
EL-105U-4-868-500M	
EL-245U-E-A-EU	
EL605M-R1	
GNEXTG-GSM-6	
TZW 803	
WHGSM-3	
6ES7214-1HG40-0XB0	
6ES7221-1BF32-0XB0	
6ES7234-4HE32-0XB0	
S7-200 300 400 PLC USB-MPI-DP- PPI	
6EP1931-2EC21	
6EP1334-1LB00	
105U-G-MD1	
105U-2	
EL-915U-2-869EU	8)DI/O + (4)AI + (2)AO + (4)PI/0TCP/IP, UDP, HTTP, FTP, TFTP, TELNET, MODBUS, MODBUS TCP SUPPORTETHERNET 10/100BASE-T, RJ-45, IEEE 802.3869 MHz, 500mW 10.8-30vDC Supply
CFD 890 EL, Dipole Antenna, 853-929 MHz SMA male,	5m with RG-58 Cable Mounting Clamp

905u-G-Pr	
El-915u-2-900us	RADIO TELEMETRY MODULE 900MHZ
905u-2	WIRELESS RADIO MODEM
E105u-1	
9050-1	CONTROLLER I/O WIRELESS
905u-1	SPREAD SPECTRUM RADIOS 900MHZ
240ue100	RADIO
El-105u-2-460-5w	telemetry module EL-105U-2-460-5W Radio interface 430..450 MHz, 500 mW..5W, . RS232 / 485. 4 digital E, 1 digital A, 6 analogue E, 4 pulse
1.6d	
915u-2	
9001-Eg33 Elpro Messleitung Mit Schirm	
905u-E	WIRELESS ETHERNET MODEM 100MA 10-30V CLASS 1 DIV 2
905u4	MODULE
Elprolog Suite Standard QIs	
455udh	MOD BUS MODULE
905ult	RADIO TRANSMITTER 1000MA 10-30V
17200509153	
Tzw 803 Obsolete	
105u-1	RADIO TELEMETRY MODEM
905u-G-Et1	WIRELESS GATEWAY ETHERNET MODEM
El-105u-4-440--5w	telemetry module Radio interface 430..450 MHz, 5 W. RS232 / 485. 4 each digital I / O and 12 configurable I / O
Elpro905u-G-Pr	
905u-D	WIRELESS RADIO MODEM 10-30VDC OR 13-14VAC
800011	
105g-Md1h	Wireless gateway Radio interface 430..450 MHz, 0.5 ... 5 W. RS232 / 485 with Modbus and DF1 protocol
5bb9192	
105u-1 (Radyo+4di/4do+2ai/2ao)	
2720 Ecolog-Net La8	

800446	
3032-B9k Db9 Stecker	
Dsa 135-16	
Wireless (105u-1)	2100110239 MODUL 105-U-1 ORDER NO: 105U-1
905ud9001wus	MODEM
E105u-1h	
150-1 Uhf	
800044	
Dsa 35-16	
Cfd890el	
Part No: 800445	
Elpro-2751-V24-Netzgerð;T-F3;R-Ecolog-Net-Mit-Stecker-Db9-Istanbul-Turkiye	
905u-G-Md1	WIRELESS GATEWAY MODEM 900MHZ
905u	RADIO
Elpro105u-G	
105u-G	
800447	
115s-12	
905u-G-De1	RADIO INTERFACERELESS GATEWAY ETHERNET MODEM
800532	