

## Elwa

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Elwa** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Elwa T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">41653</a>	
<a href="#">20138</a>	
<a href="#">23466</a>	
<a href="#">24945</a>	
<a href="#">25862</a>	
<a href="#">28044</a>	
<a href="#">30086</a>	
<a href="#">37174</a>	
<a href="#">4609-V</a>	
<a href="#">4624</a>	
<a href="#">4624-W-V</a>	
<a href="#">6000</a>	

<a href="#">KVE8-54 440-460V ,60 Hz</a>	
<a href="#">TP40-120</a>	
<a href="#">45672</a>	
<a href="#">Temperature Limiter For Kvd S 135</a>	
<a href="#">12170</a>	
<a href="#">4609 Wr S/N:91-1260</a>	
<a href="#">Part Number- 11945</a>	
<a href="#">Athf-Se-70/U, Art N: 11945</a>	
<a href="#">Tp-40-80/2ae -Ea-Auue</a>	
<a href="#">Pump For Kvd S 135</a>	
<a href="#">Service Kit For Pump For Kvd S 135</a>	
<a href="#">Alarm Relay For Heater Kvem-18</a>	
<a href="#">11945</a>	
<a href="#">4672 Wr S/N:6734</a>	
<a href="#">Contactor For Kvd S 135</a>	
<a href="#">11935</a>	
<a href="#">Microswitch For Partno: 11935,Type: Athf-Se-2</a>	
<a href="#">Typ 4648-V Dn50</a>	Electric through-flow heater Material P265GH Mat. Heating flange P265GH Mat. Heating tubes S235JRG2 Connections DN50 / PN16 / DINEN1092-1 Direction vertical Fastening feet Heating element flat ribbed Conformity PED Cat II / Mod A Cable gland M x 1.5 Capacity 93 liters Weight 184 (208 insulated) kg
<a href="#">Part Number: 6000</a>	
<a href="#">S/N: 45323</a>	
<a href="#">Athf-Se-2</a>	
<a href="#">Elwa-K3;Hlwasservorw¼d;Rmaggregat-Istanbul-Turkiye</a>	
<a href="#">38763</a>	Service-Kit mechanical seal BQQE Contains all parts to change the Geitringdichtung for a Ø16mm shaft Kit mechanical seal BQQE HS Code: 84139100 Country of origin: Hungary
<a href="#">Typ 4672-Vdn80</a>	Electric water heater Type 4672-V Material P265GH Mat. Heating flange P265GH Mat. Heating tubes S235JRG2 Connections DN80 / PN16 / DINEN1092-1 Direction vertical Fastening feet Heating element flat ribbed Conformity PED

	Cat II / Mod A Cable gland M x 1.5 Capacity 165 liters Weight 255 (290 insulated) kg
<a href="#">Athf-Se-70</a>	Safety temperature limiter Range + 60 + 140 ° C Switching capacity: AC 230 Volt / 10 Amp. Strand connection and DIN rail mounting without housing
<a href="#">4672-V Dn65</a>	Electric through-flow heater Material P265GH Mat. Heating flange P265GH Mat. Heating tubes S235JRG2 Connections DN65 / PN16 / DINEN1092-1 Direction vertical Fastening feet Heating element flat ribbed Conformity PED Cat II / Mod A Cable gland M x 1.5 Capacity 196 liters Weight 317 (352 ins.) Kg
<a href="#">Type: 4696-V Dn100</a>	Electric instantaneous water heater Type: 4696-V (SMS Mat.Mr. 10486364) according to drawing: 29581 Heating power: 120/40 kW Operating voltage: 3x400V, 50Hz Heating level regulation: 1x 120 / 40kW Wiring diagram: C-11132-01 Radiator surface load: 1,1 / 0,37W / cm <sup>2</sup> Medium: oil without specification Design pressure: 10 bar Design temp .: 120 ° C Operating temp .: 100 ° C Operating pressure: k.A. Degree of protection: IP54, DIN EN 60529 To / drain flanges: DN 100, PN16 DIN2633 Connection version: 936h (To / outlet / junction box) Mounting: pedestal Fixing position: standing Material container: P265GH steel Type 4696-V Customer no / drawing 10486364 Material P265GH Mat. Heating flange P265GH Mat. Heating tubes S235JRG2 Connections DN100 / PN16 / DINEN1092-1 Direction vertical Fastening feet Heating element flat ribbed Conformity PED Cat II / Mod A Cable gland M x 1.5 Capacity 196 liters Weight 317 (352 ins.) Kg
<a href="#">448-V 48kw 2*24kw 55379</a>	
<a href="#">4648-V</a>	
<a href="#">600.F.002/001</a>	
<a href="#">Heat Exchanger For Kvd S 135</a>	
<a href="#">4624 Wr</a>	
<a href="#">Temperature Controller For Kvd S 135</a>	
<a href="#">Athf-Se-70/U</a>	
<a href="#">Typ 4624 Dn25</a>	Electric water heater Type 4624 Material P265GH Mat. Heating flange P265GH Mat. Heating tubes S235JRG2 Connections DN25 / PN16 / DINEN1092-1 Direction vertical Fastening feet Heating element flat ribbed Conformity PED Cat II / Mod A Cable gland M x 1.5 Capacity 39.5 liters Weight 105 (120 ins.) Kg
<a href="#">Heizeinsatz Zu Kve-18</a>	
<a href="#">8152-V 152kw 3*36kw+1*44kw 55378</a>	
<a href="#">S/N 41631.1,Type Kve-18</a>	
<a href="#">Elwa-D3;Senk3;Hlwassermodul-Dkw3-1-</a>	

[Istanbul-Turkiye](#)

[Part Number- 23466](#)