



Emg

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Emg Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Emg T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
IType,IType,DC24V[LLS875/01	,LLS LINEAR LIGHT EMITTER
Varied Sensor TRANSDUCER	225MM,DC-10V~10V,DC15V,[LWH225/EMG],FOR CPC,(ART-NO:024309)/ELMG-ELTMA
K17 063-052 PTFE	
K35-036 PTFE	
K27-036 PU	
K73-058/2	
K73-036/4	
K81-27 / 3mm O RİNG	
K81-058/1 -3mm ORİNG	
K81-064/1 3mm ORİNG	
186026	FILTER ELEMENT HFE 110 / 10H
231165 E	HF ALTERNATING LIGHT TEST RECEIVER LS13.01 (1000Hz)
SEV16	power amplifier card 235248
ser no:14/049042	KOD:Ed 30/5 300N strok:50mm
186026	FILTER ELEMENT HFE 110 / 10H
219967	1449 Wear part.Ed121/201Viton WEARING PART SET
219966	1447 Wear part.Ed50/80 VITON WEARING PART SET

219965	1445 Wear part set Ed30/5 VIT WEARING PART SET
1026364	
235334_E	Operating and display unit ECU 01.5
SERVOVENTIL SV 1-10/16/315/6	226700
ICON SE 02.0	P/N:235971,DC24V,36W
ELDRO DEVICE ED 23/5	392121 Ds. 230/400V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Degree of protection IP 65 lowering valve C spring
Ed121/201Viton	WEARING PART SET
Ed50/80 VITON	WEARING PART SET
Ed30/5 VIT	WEARING PART SET
Filter Element HYDRAULIC,	[HFE 300/10H (NO:186027)/EMG]+ DWG NO:HST16.7100/H,CLASS 1000 (ASHRAE) MICRO GLASS FIBER,160bar,300,300
Ed 80/6	Ds. 230/400V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Degree of protection IP 65 C spring lowering valve
M00452 ANYBUS	
330162_E	Operating and display unit ECU02.5
220025	MOTOR HOUSING E 23.175 116046
EVK 2-CP/800.71/L/R	RECEIVER ADJUSTMENT DEVICE 298306
Ed 23/5	
SERVO VALVE SV 1-10/48/315/6	226702
392187	ELDRO DEVICE Ed 30/5 Customs tariff number 84122120 Country of origin DE Ds. 230/400V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -10°C ... +60°C Paint RAL 7022 Protection class IP 65 VITON seals
392287	ELDRO DEVICE Ed 80/6 Customs tariff number 84122120 Country of origin DE Ds. 230/400V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -10°C ... +60°C Paint RAL 7022 Protection class IP 65 VITON seals
134991 (TYPE: KL 315)	
392823	ELDRO-GERÄT Ed 80/6 Ds. 220/380V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Protection class IP 65 C spring
187590	Coil SMI 750 T.01
PADS,ROLL RADIO,200X70	

PADS,ROLL RADIO,250X90	
PADS,ROLL RADIO,315X110	
PADS,ROLL RADIO,400X140	
PADS,ROLL RADIO,500X180	
BALATA,RULO TELSİZ,500X180	
Brake lifting device ELHY EB-125/60 C45 I F X03	
NV.250.HYD.050/06.CD.42.PS.AU.ZN	ELDRO ELECTRO HYDRAULIC THRUSTERS LIFTING FORCE: 500N STROKE: 60 MM EMG ELDRO EG 50-6 INCLUDING DRUM BRAKE MECHANISM
ELDRO® thruster type Ed 50/6	3-ph 220/380 V ± 10 % - 50 Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Type of enclosure IP 65 Ed 50/6.1 version
ELDRO® thruster type Ed 50/6.	3-ph 220/380 V ± 10 % - 50 Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Type of enclosure IP 65 Ed 50/6.1 version C-Spring
ED301/6 380VAC	
200062	standard ELHY ELHY DEVICE EB 3000-60 Ds. 400 V ± 5 % - 50 Hz S3 - 25% ED, max. 240 c/h Ambient temperature 0°C ... +70°C paint RAL 5008 protection class IP 66 Installation position II standing high-temperature version W7 Position indicator LK2 - 2 screws Sensor 70 V-250 V DC/AC normally open
RESISTANCE EMG/EB-3000-60	
226699	
Klw 300.012	
249-231272	
271-231227 Quot;Nquot;	
Sa7	
Kr-125/70x280-S001 166712	
Ge 70te 2rs 124195	
Sv1-10/8/120/6	
Evk 06.01 206928	
Bk702	
Obsolete No Direct Replacement Bk11.02	
123717	

115724
231208
Ge 120txa-2ls 140795
Dm1003-A1aa-Bab
390498
Sv1-10/16/100/6
Eb-50/50-C32
Bk302
256-231271
Obsolete No Replacement Bk11.02 Typlin 1, 02 Nr 1060090
Ed 23/5 Art Nr/ 393 337
144282
Dkf 80g 2-G/933-1/5
232-128806
235254
1052166
231373
294590
243-231220
268-231225
Evm2 Cp1810.02I
265-231239
Lls 875/01
Evk04.13
264-231238
Ecu01.6 (235334 E)
Emg 112 M 4, Nr. 206 Da 21383
S.155t
Rst1-300/50-450x300avn
Spç16.0467

Sv110163156	VALVE
Rhv 20 Psr Ed 123717	
Tm2-01075	
186022	
115526	
254-231268	
187593	
266-231264	
C29966	
Sv1-10/32/315/6	
Sv1-10/8/315/1	
4619tipo Mp12-88	
391277	
190121	
251-231221	
Ls14.01	
50txe 2ls 144981	
Pib 04.03 261132	
400 Bd 10h Hoe8/220/1	
Nutr 40 128009	
Netzteil Net 16	
Evk 03.05 211787	
106026	
Ecu01.5(P/N:235308)	
Lic 2.01.1	
Ka67	
90/2 85q36630	
Evk 03.06 212049	
Ge 80txe-2ls 142693	
Imh1.10 235430	

Lih30.03
Sv1-10-48-100-6
Sv1-10/32/100-6
235309/Spc 16
231371
123694
Ed 80/6 Art Nr. 393728
Imp 800.02 S 234703
E 30.436 (291732) Replaced By Ed 50/6 Art Nr. 393242
186026
Kr-100/56x300-S001 164214
Ed 50/6
231495
Sst10-23/5 315x20-Avn
186027 Ex.(30.08973)
Mh 1-343 174677
Kr- 63/36x240-S001 167053
100txa-2ls 128010
231310
235337
Ka87
246-231210
234278
Bk501
261-231219
Bk202
38909
Vs60 F 134014
Bmi2.01
500/220-2kva

270-231254
259-231223
245-231229
Nukr 52 52x20x24 148775
250-231214
Sv1-10/8/315/8
Spcc1-7 (235679)
186024
260-231404
Evk 2.16 235992
Fkv-115.12.10
Evk 04.13 211673
269-231226
Imh1.11 235431
H31aa2a
226702
258-231223
Lic 1075/01
Ed 12/4/2 Ii W8
Emg 254067
5k 133706
186027
131302
Ka67-Tam-Dt90sa-Bmg-Hr-Th
TI-D 80
Tw54c5/5m
Imp 800.02 E 234702
F36c3595
Smi 2.11.1/ Leiterplatte Best (235990)
Dea 01 - 231828

Eldro - Gerã196;T Ed 30 / 5	
190120	
242-231209	
Sv1-10-16-100-6	
Smi 2.11.1	
Ed 121/6 Art Nr- 393767	
S.155r	
226701	
Hfe 110/10h 186026	
2.Z180 H10 SI-C00-0-V	
244-231335	
Tl20w/33-640 (Ex L20w/25 590)	
253-231267	
Sv 2-20/105/315/5	
Umk-Pvb2/16/Zfkds 183221	
Ls13.01	
248-231211	
Sv 1-10/16/120/6	
Lic770/11 (Ex Lic770/01)	
Lih2/20/230.01	
Evk 2-Cp/800.02/L	
Hf-Plm800.011	PARALLEL LIGHT MEASURING PHOTOCELL 800MM
Imp 800.03 E 234704	
291732	
Hfe 300/10h	
Evk2.11.2	
187592	
Obsolete No Direct Replacement	
Bk21.01	
Sv1-10/48/315/6	
Bmi2.51	

[Evk 2.15 Subprint 234774](#)

[Pib 04.04 261133](#)

[257-231223](#)

[Imp 800.03 S 234705](#)

[Lic 770/11](#)

770MM LINEAR LIGHT FOR STRIP SENSING