



## Emg

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Emg** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Emg T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">IType,IType,DC24V[LLS875/01</a>	,LLS LINEAR LIGHT EMITTER
<a href="#">Varied Sensor TRANSDUCER</a>	225MM,DC-10V~10V,DC15V,[LWH225/EMG],FOR CPC,(ART-NO:024309)/ELMG-ELTMA
<a href="#">K17 063-052 PTFE</a>	
<a href="#">K35-036 PTFE</a>	
<a href="#">K27-036 PU</a>	
<a href="#">K73-058/2</a>	
<a href="#">K73-036/4</a>	
<a href="#">K81-27 / 3mm O RİNG</a>	
<a href="#">K81-058/1 -3mm ORİNG</a>	
<a href="#">K81-064/1 3mm ORİNG</a>	
<a href="#">186026</a>	FILTER ELEMENT HFE 110 / 10H
<a href="#">231165 E</a>	HF ALTERNATING LIGHT TEST RECEIVER LS13.01 (1000Hz)
<a href="#">SEV16</a>	power amplifier card 235248
<a href="#">ser no:14/049042</a>	KOD:Ed 30/5 300N strok:50mm
<a href="#">186026</a>	FILTER ELEMENT HFE 110 / 10H
<a href="#">219967</a>	1449 Wear part.Ed121/201Viton WEARING PART SET
<a href="#">219966</a>	1447 Wear part.Ed50/80 VITON WEARING PART SET

<a href="#">219965</a>	1445 Wear part set Ed30/5 VIT WEARING PART SET
<a href="#">1026364</a>	
<a href="#">235334_E</a>	Operating and display unit ECU 01.5
<a href="#">SERVOVENTIL SV 1-10/16/315/6</a>	226700
<a href="#">ICON SE 02.0</a>	P/N:235971,DC24V,36W
<a href="#">ELDRO DEVICE ED 23/5</a>	392121 Ds. 230/400V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Degree of protection IP 65 lowering valve C spring
<a href="#">Ed121/201Viton</a>	WEARING PART SET
<a href="#">Ed50/80 VITON</a>	WEARING PART SET
<a href="#">Ed30/5 VIT</a>	WEARING PART SET
<a href="#">Filter Element HYDRAULIC,</a>	[HFE 300/10H (NO:186027)/EMG]+ DWG NO:HST16.7100/H,CLASS 1000 (ASHRAE) MICRO GLASS FIBER,160bar,300,300
<a href="#">Ed 80/6</a>	Ds. 230/400V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Degree of protection IP 65 C spring lowering valve
<a href="#">M00452 ANYBUS</a>	
<a href="#">330162_E</a>	Operating and display unit ECU02.5
<a href="#">220025</a>	MOTOR HOUSING E 23.175 116046
<a href="#">EVK 2-CP/800.71/L/R</a>	RECEIVER ADJUSTMENT DEVICE 298306
<a href="#">Ed 23/5</a>	
<a href="#">SERVO VALVE SV 1-10/48/315/6</a>	226702
<a href="#">392187</a>	ELDRO DEVICE Ed 30/5 Customs tariff number 84122120 Country of origin DE Ds. 230/400V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -10°C ... +60°C Paint RAL 7022 Protection class IP 65 VITON seals
<a href="#">392287</a>	ELDRO DEVICE Ed 80/6 Customs tariff number 84122120 Country of origin DE Ds. 230/400V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -10°C ... +60°C Paint RAL 7022 Protection class IP 65 VITON seals
<a href="#">134991 (TYPE: KL 315)</a>	
<a href="#">392823</a>	ELDRO-GERÄT Ed 80/6 Ds. 220/380V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Protection class IP 65 C spring
<a href="#">187590</a>	Coil SMI 750 T.01
<a href="#">PADS,ROLL RADIO,200X70</a>	

<a href="#">PADS,ROLL RADIO,250X90</a>	
<a href="#">PADS,ROLL RADIO,315X110</a>	
<a href="#">PADS,ROLL RADIO,400X140</a>	
<a href="#">PADS,ROLL RADIO,500X180</a>	
<a href="#">BALATA,RULO TELSİZ,500X180</a>	
<a href="#">Brake lifting device ELHY EB-125/60 C45 I F X03</a>	
<a href="#">NV.250.HYD.050/06.CD.42.PS.AU.ZN</a>	ELDRO ELECTRO HYDRAULIC THRUSTERS LIFTING FORCE: 500N STROKE: 60 MM EMG ELDRO EG 50-6 INCLUDING DRUM BRAKE MECHANISM
<a href="#">ELDRO® thruster type Ed 50/6</a>	3-ph 220/380 V ± 10 % - 50 Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Type of enclosure IP 65 Ed 50/6.1 version
<a href="#">ELDRO® thruster type Ed 50/6.</a>	3-ph 220/380 V ± 10 % - 50 Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Type of enclosure IP 65 Ed 50/6.1 version C-Spring
<a href="#">ED301/6 380VAC</a>	
<a href="#">200062</a>	
<a href="#">RESISTANCE EMG/EB-3000-60</a>	
<a href="#">226699</a>	
<a href="#">Klw 300.012</a>	
<a href="#">249-231272</a>	
<a href="#">271-231227 Quot;Nquot;</a>	
<a href="#">Sa7</a>	
<a href="#">Kr-125/70x280-S001 166712</a>	
<a href="#">Ge 70te 2rs 124195</a>	
<a href="#">Sv1-10/8/120/6</a>	
<a href="#">Evk 06.01 206928</a>	
<a href="#">Bk702</a>	
<a href="#">Obsolete No Direct Replacement Bk11.02</a>	
<a href="#">123717</a>	
<a href="#">115724</a>	
<a href="#">231208</a>	

<a href="#">Ge 120txa-2ls 140795</a>	
<a href="#">Dm1003-A1aa-Bab</a>	
<a href="#">390498</a>	
<a href="#">Sv1-10/16/100/6</a>	
<a href="#">Eb-50/50-C32</a>	
<a href="#">Bk302</a>	
<a href="#">256-231271</a>	
<a href="#">Obsolete No Replacement Bk11.02</a> <a href="#">Typlin 1, 02 Nr 1060090</a>	
<a href="#">Ed 23/5 Art Nr/ 393 337</a>	
<a href="#">144282</a>	
<a href="#">Dkf 80g 2-G/933-1/5</a>	
<a href="#">232-128806</a>	
<a href="#">235254</a>	
<a href="#">1052166</a>	
<a href="#">231373</a>	
<a href="#">294590</a>	
<a href="#">243-231220</a>	
<a href="#">268-231225</a>	
<a href="#">Evm2 Cp1810.02I</a>	
<a href="#">265-231239</a>	
<a href="#">Lls 875/01</a>	
<a href="#">Evk04.13</a>	
<a href="#">264-231238</a>	
<a href="#">Ecu01.6 (235334 E)</a>	
<a href="#">Emg 112 M 4, Nr. 206 Da 21383</a>	
<a href="#">S.155t</a>	
<a href="#">Rst1-300/50-450x300avn</a>	
<a href="#">Spc16.0467</a>	
<a href="#">Sv110163156</a>	VALVE
<a href="#">Rhv 20 Psr Ed 123717</a>	

<a href="#">Tm2-01075</a>
<a href="#">186022</a>
<a href="#">115526</a>
<a href="#">254-231268</a>
<a href="#">187593</a>
<a href="#">266-231264</a>
<a href="#">C29966</a>
<a href="#">Sv1-10/32/315/6</a>
<a href="#">Sv1-10/8/315/1</a>
<a href="#">4619tipo Mp12-88</a>
<a href="#">391277</a>
<a href="#">190121</a>
<a href="#">251-231221</a>
<a href="#">Ls14.01</a>
<a href="#">50txe 2ls 144981</a>
<a href="#">Pib 04.03 261132</a>
<a href="#">400 Bd 10h Hoe8/220/1</a>
<a href="#">Nutr 40 128009</a>
<a href="#">Netzteil Net 16</a>
<a href="#">Evk 03.05 211787</a>
<a href="#">106026</a>
<a href="#">Ecu01.5(P/N:235308)</a>
<a href="#">Lic 2.01.1</a>
<a href="#">Ka67</a>
<a href="#">90/2 85q36630</a>
<a href="#">Evk 03.06 212049</a>
<a href="#">Ge 80txe-2ls 142693</a>
<a href="#">Imh1.10 235430</a>
<a href="#">Lih30.03</a>
<a href="#">Sv1-10-48-100-6</a>
<a href="#">Sv1-10/32/100-6</a>

[235309/Spc 16](#)

[231371](#)

[123694](#)

[Ed 80/6 Art Nr. 393728](#)

[Imp 800.02 S 234703](#)

[E 30.436 \(291732\) Replaced By Ed 50/6  
Art Nr. 393242](#)

[186026](#)

[Kr-100/56x300-S001 164214](#)

[Ed 50/6](#)

[231495](#)

[Sst10-23/5 315x20-Avn](#)

[186027 Ex.\(30.08973\)](#)

[Mh 1-343 174677](#)

[Kr- 63/36x240-S001 167053](#)

[100txa-2ls 128010](#)

[231310](#)

[235337](#)

[Ka87](#)

[246-231210](#)

[234278](#)

[Bk501](#)

[261-231219](#)

[Bk202](#)

[38909](#)

[Vs60 F 134014](#)

[Bmi2.01](#)

[500/220-2kva](#)

[270-231254](#)

[259-231223](#)

[245-231229](#)

<a href="#">Nukr 52 52x20x24 148775</a>
<a href="#">250-231214</a>
<a href="#">Sv1-10/8/315/8</a>
<a href="#">Spcc1-7 (235679)</a>
<a href="#">186024</a>
<a href="#">260-231404</a>
<a href="#">Evk 2.16 235992</a>
<a href="#">Fkv-115.12.10</a>
<a href="#">Evk 04.13 211673</a>
<a href="#">269-231226</a>
<a href="#">Imh1.11 235431</a>
<a href="#">H31aa2a</a>
<a href="#">226702</a>
<a href="#">258-231223</a>
<a href="#">Lic 1075/01</a>
<a href="#">Ed 12/4/2 Ii W8</a>
<a href="#">Emg 254067</a>
<a href="#">5k 133706</a>
<a href="#">186027</a>
<a href="#">131302</a>
<a href="#">Ka67-Tam-Dt90sa-Bmg-Hr-Th</a>
<a href="#">TI-D 80</a>
<a href="#">Tw54c5/5m</a>
<a href="#">Imp 800.02 E 234702</a>
<a href="#">F36c3595</a>
<a href="#">Smi 2.11.1/ Leiterplatte Best (235990)</a>
<a href="#">Dea 01 - 231828</a>
<a href="#">Eldro - Gerã196;T Ed 30 / 5</a>
<a href="#">190120</a>
<a href="#">242-231209</a>

<a href="#">Sv1-10-16-100-6</a>	
<a href="#">Smi 2.11.1</a>	
<a href="#">Ed 121/6 Art Nr- 393767</a>	
<a href="#">S.155r</a>	
<a href="#">226701</a>	
<a href="#">Hfe 110/10h 186026</a>	
<a href="#">2.Z180 H10 SI-C00-0-V</a>	
<a href="#">244-231335</a>	
<a href="#">Tl20w/33-640 (Ex L20w/25 590)</a>	
<a href="#">253-231267</a>	
<a href="#">Sv 2-20/105/315/5</a>	
<a href="#">Umk-Pvb2/16/Zfkds 183221</a>	
<a href="#">Ls13.01</a>	
<a href="#">248-231211</a>	
<a href="#">Sv 1-10/16/120/6</a>	
<a href="#">Lic770/11 (Ex Lic770/01)</a>	
<a href="#">Lih2/20/230.01</a>	
<a href="#">Evk 2-Cp/800.02/L</a>	
<a href="#">Hf-Plm800.011</a>	PARALLEL LIGHT MEASURING PHOTOCELL 800MM
<a href="#">Imp 800.03 E 234704</a>	
<a href="#">291732</a>	
<a href="#">Hfe 300/10h</a>	
<a href="#">Evk2.11.2</a>	
<a href="#">187592</a>	
<a href="#">Obsolete No Direct Replacement</a>	
<a href="#">Bk21.01</a>	
<a href="#">Sv1-10/48/315/6</a>	
<a href="#">Bmi2.51</a>	
<a href="#">Evk 2.15 Subprint 234774</a>	
<a href="#">Pib 04.04 261133</a>	
<a href="#">257-231223</a>	



[Imp 800.03 S 234705](#)

[Lic 770/11](#)

770MM LINEAR LIGHT FOR STRIP SENSING