



Emod

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Emod** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Emod Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Art.-Nr.: 100452	Brake BFK458-16E / 80Nm complete with brake disc and driver
Art.-Nr.: 40137	Fan blades 225/35/5 (low noise)
Vkh 63/22-130	3,7kw s:1 V:380V 100Hz 1500 1/min
Em Wk160/2-180 Right, P=30kw, N=9000min-1	
Em Wk160/2-180 Left, P=30kw, N=9000min-1	
225M/4T	Pumpe +motor (komplett)
EMV 300 (110°C)	EMV 300 (110 ° C), foot 230V, 50Hz Single phase medium pressure fan Direction of rotation: clockwise Nominal power: 550 watts Rated current: 3.4 Amp. Degree of protection: IP55 Isolation class: F Number of poles: 2 Fan wheel: aluminum Fan base: sheet steel Housing: sheet steel Painting: RAL9005 deep black with built capacitor; Special design: Motor with hot bearing grease (for medium temperature up to 110 ° C); Emod engine, with hot bearing grease
BGVOL 112M/2B	
SMOB 250M-12/4/2T	Rated output : 20/60/600 kW S: 2-5/30/10min 440V
SMO90L/2X	5,5kw
TM80L/4	0,75kw
TM90L/8	Rated output (kW) 0,30 Operating mode S 1 Voltage (V) 220-240/380-415 // 240-277/415-480 Circuit Δ/Y // Δ/Y Frequency (Hz) 50 // 60 Rated

	speed (1/min) 700 // 840
FKWK132/4*190T NR.6764561	
Typ UP 170 with 20060 motor	02740311 SCHMITT centrifugal pump Type UP 170 / stainless steel, 1.4581 normal suction Mechanical seal size 25 Carbon / SiC / FKM / HC spring Motor: 2.20 kW, 230/400 V, 50 Hz B3 / B14, IP55, 2800 rpm With PTC thermistor chain for frequency converter operation + 20060 three-phase motor 2.20 kW, 230/400 V, 50 Hz, B3 / B14, IP55, 2800 rpm, with PTC thermistor chain
FLANGE DIAMETER EXTERIOR-OUT / 199 mm	FLANGE INVOICE / 130 mm MOTOR SHAFT DIAMETER / 24mm COUPLING OUTSIDE DIAMETER / 55mm COUPLING INNER DIAMETER / 24mm MOTOR LENGTH / 245 mm
OIN280L/4T	Mo Nr:6770938,140kW-1480 rpm 266A
56L/2-T62280	
TM63S/4	Leistung / Rated output (kW) 0,09 Betriebsart / Operating mode S 1 Spannung / Voltage (V) 400 Schaltung / Circuit Y Frequenz / Frequency (Hz) 50 Drehzahl / Rated speed (1/min) 1340 Wrmeklasse / Insulating class H Kaltleiterfhler / Thermistor protection -- Thermof. (ffner) / Thermal protect.(NC) -- Bauform / Type of construction B14 Flansch / Flange Ø 90mm Welle / Shaft Ø 11*23mm Schutzart / Degree of protection IP 67 Khlung / Cooling -- Bremse / Brake (Nm) -- Spannung / DC Voltage = (V) -- Gleichrichter / Rectifier -- Wechselspannung / AC Voltage ~ (V) --
HEFIE2 200L/4T	
119684	Flange end shield Ø 200 + 119516 NDE shield + 37482 V-ring VA-0025 + 103367 PTFE spaghetti tube ... for engine no .: 7222772 ... engine type: 90S / 2-T68691
AS 188-50/6	
Type EEDA 56L/2AT	0,18kw s : 1
FKOL 80/8-140	EMOD three-phase motor - Motor power 0.036-0.48 kW - speed 165-2950 rpm - Same design as engine no.6459507
WK315S/4-300T	
ASE138-50/4	ASE138-50 / 4 Type ASE138-50 / 4 Power / Rated output (kW) 0.28 Operating mode S 1 Voltage (V) 230 Circuit ⊥ Frequency / Frequency (Hz) 50 Speed / Rated speed (1 / min) 1200 Thermal class / Insulating class F. PTC thermistor protection - Thermof. (NC contact) / Thermal protect. (NC) 2 * 155 ° C Type of construction AS Flange - Shaft - Degree of protection IP 54 Cooling - Brake (Nm) - Voltage / DC Voltage = (V) - Rectifier -
00000236	
00L-4/20	
02338056	
02722105	
038229723-8111980	
076964	
0L112L/4-200T	
0L112L/4-200T oem	
100 L-8/2 WUX	
10009367A	

100544
100655
100L/2A
100L/4AXT
100L-4/2
100L-4/2O
100L72
100L-8/4
101617-0000
103073
10474
108290
112L/4 IE3
112M/2B
112M/2B IE3
132 M-4
132M/41
132S/8T-F0L63S/4
15925
160L-8/4AT
172-100-008
180L / 4 22KW 7108425
180L-8/4WUT
180M-32/4WC/T
1FB112L/4-20
1L/2X0-T15412
200L/4T
200L-8/4T
2074434
225/35/5
225M-8/4A
225SM/4T
260520039
2728
2825D/D

2904208
2907921
2A.0B.A0.5B
2A.0E.A0.5B
2x Lager 6314 C4 (70*150*35)
3 mot 6691178
3033733
31589586
3367649
3566802
3602901025
3738907-8912
38178
3860111-112
3964319
3C0835-01
3Ñ0011-64
3PHASE
40051225.3
40051226.3
40101225.3
4117
427225
42893
450HP400V50HzHTR
450HP460V60HzHTR
5005870N
500HP460V60HzHTR
5311433
5311455 (350HP460V60HzHTR)
5311542
5313205
56L/2-T61438
56L/40
56L/40
56S/2-T64725

56S/2X
601965/1999
6051168
6076865
6197785
6287170
6287173
63L/2A-T51086
63L/2X
63S/2X-T15925
63S/2X-T53422
6429489
6435707
648636
6603638
6686595
6697581
6832876
700012
7132552
71389-1.000
71389-1.000 (OEM)
7177522
71L/20
71L/4
71S/2-T66845
71S/2X
71S/2X-T66538
71S/4
71S/4EHB
71s/4x-159178
71S\4T
7270102
7338131
7338132

7338998
7408959
7414002
7414006
7456983
7469894
7531149
7545686
7547156
7551015
7587819-7821
7587822
7614182
7633572
7644360
7660594
76964
76976
76982
7715354
7743134
7764838
7802754
7805125
78108-1.030
7843625
7909390
8015695
8065682
8065946
8076167
8-0934
8099296
80L/2EHBO-T101338
80L/2-T68117
80L/2X-T50500

80L/8T
80S/2
80S/2EHBO-T100683
80S/4
8102330
8122475
8143370
8-159201
8184481
8184485
8187288
8250021
8273529 (OEM)
8332085
8412971
8488812
87653
90 L/4 B IE3
90/4-130
90S/4EHBO-T101165
9101400413264140507
9101550416044140507
9101550416064140507
A1001404870
A991450
AS 112-35/4/4
AS 138-50/4
AS138-50/4/4
AS138-70/4
AS188
AS188-50/4
AS278-110/6
B 90L-12 L8
B112M/6T-L32-VIK
B112M/8AL32

B132S/4-P40
B132S-12/2X/T50
B160M/2AXT-L80
B45/6235
B63L/4-L4
B80L/12XTL-4
B8X5460-0153
B90L/2XWU0-L8
B90S/4T-L16
BA160L/8aT-L60
BFK458-16E
BFK458-16E / 100452
BREMZE FUR EEX-Z22 B160L/2T-FDW 20
D-36364
DFMES90/6X (OEM)
DFMF 90 L/ 12 O
DFMU712T12
DFMU71L/12EST
DFMU80L/12
DFMU80L/12T
DFMUB 132M/12
DFMUB160L12
Diode for B160M/2AXT-L80 OEM for Intorg
DNG 4-14 II2GcIIBT3 (81948-1.040)
E20013471
E20013522
E20013522 (OEM)
EC45/63-70-SKO1FF
EC56/62-35
EC56/63-105
EC56/63-70
ECB 56/62-70
EEDA 80L/2
EEDA56L/2
EEDA56L/2A
EEDA63L/2

EEDA71S/2-T98670
EEDA90S/2-T67708
EEDF 80L/2
EEDF56L/4
EEDF71S/4
EEX-Z22
EEx-Z22 112M/4T
F095/2-T64770
F4.22.05.E7
F56-2/25E
F56-2/25E 29527
Fan for 90S/4EHB0-T101165 // 7699400
Fan for AS188-50/4
FAN FOR B160M/2AXT-L80
Fan for F56-2/25E
FDW 10 205V 10Nm
FDW 20 / 100Nm
FKDWK200L/6T-OEM
FKOL80/0-140
FKVDWK200L6T
FKWK132/4-190T
FKWKI 315 M/4-700 IE3
FQOLIE2 160L/4AT
für B 70
G007623
G010644
HEF IE3 132 L/2
HEF IE3 225M/2a
HEFIE2 80L/4a
HEFIE2 112L/2- T99564
HEFIE2-112L/2T-T103040
HEFIE2-132-L/4-M400
HEFIE2-132M/4
HEFIE2-80L/2AX
HEFIE2-90L/2a

HEFIE2-90LA/4AT
HEFIE3
HEFIE3 225M/4aT
HEFIE3 112M/2AT
HEFIE3 132M/2A
HEFIE3 132M/2a-180
HEFIE3 160M/2A
HEFIE3 160M/4
HEFIE3 250M/4AT
HEFIE3 80LA/2
HEFIE3 90L/2AT
HEFIE3 90L/2AX
HEFIE3 90La/2
HEFIE3 90LA/2 (2,2 kW)
IE2 100L/2
Klemmkasten fur EEDA 90S/2T-117537
L063L/2X-T15495
L063S/2X-T66804
LA 200 LK-8/4T-6-24 KW -750-1500
LA100L-8/4A
LA132M-8/4AX
LA160M-8/4
LO63L/2X
M100846
M4-B3
MB 380/335-2-Si-S
ME524
ME530 (OEM*)
MODEL:IP 55
MTR.80L/4CUS RD NR.8410366414
OIN200L-8/4T
OIN250M-4/2T
OL63L/2X-TI3384
OL71 L/4
OL71L/4WUX
OL71L/4XWU

OL80L/6X
OLFK160L/4X
OLVKHB63/22-130
PZ019
RB380/335-2SI-S
REL90L/6T-F56-2/25D
RELB 71 L/4 XT-P5
RELB 80 L/4 T - P10
RELB 90 S/4 T - P20
SK01F-B80L-16/2WUT
SK12063A-D-B90L/4A
SK12063A-DFMF90L/120
SK-180M/4
SK32F-B132M/4/2GWL32T
SK9033-1AZD-B90L/12K8F
SMB132M/6A-L150
SMOB250M20-12/4/2T
SP200L/4WLI
SP225SM/4WU
SP225SM/4WU OEM!!
T12M/2A-T99564
TM 63S-4
TM100 L/8A
TM100L/4a
TM100L/6
TM100L18A
TM132M/6A
TM63L/6T
TM63L76T
TM63S/4T
TM71 L/8
TM71L/2
TM71S/8
TM80L\2X
TM90S/20
TM90S/20

TMUN 100/4-90
TMUNZ 112/4-130
TMUNZ100/4-120
TQE63L/2X-T57376
TQE71L/20
TY100L/4A
Typ WKEST71/4-1100 oem
Typ: FTMS160S/ 6-16 OEM
UDF 102
VDWK132/4-125T
Ventilator 200/35/5 (gerauscharm)
VK-63-2-140
VK90/2-140
VKH55/21-140
VKH575/22-200
VKH63/23-130T
VKHNS 75/22-160
VKHS 35/26 - 80XT
VKHS 35/26-100
VKHS 54/26-100
VKHS 55/24-110
VKHS35/28-80
VKHS35/28-80T
VKHS54/26-70T
VKM40/22-75Ö
VKM55/25-90
VKM55/26-90
VKM64/21-200T
VKM64/24-150T
VKVS 54/26-140
VKVS54/26-100
VKVS55
VUF160M/2-130
VUF160M/2-130 OEM
WK 112/2-170 15KW 9000 RPM/M 400V 27,5A

WK 160/2-215T	
WK 200 LK/4-250/89242	
WK 250/4-330 (OEM)	
WK 315/4-300T 132 KW	
WK 315L/4-800T	
WK 90 / 4-100	
WK132/2-190T	
WK132/4-190T	
WK132-4-1900	
WK160/2-180T	
WK160/2-180T right, P=30kW, n=9000min-1	
WK200L/4-360	
WK315M/4-5501	
WK315M/4-550T	
WK315M/4-550T MODEL:7239800 2008	
WK315M/4-620T	
WK315M/4-700T	
WK315M/5-550T	
WK315M/5-550T 72398002008	
WKHEFIE2	
WKHEFIE2 100LA/4T-180	
WKNVI112M/8	
Z036687-38.rA	
Z038240.01.1BL	
TM 100 L/2	
TM 100 L/4 A	
TM 100 L/8A	
TM 90 L/4	
TM 90 L/8	
EEX-NA-Z22-90L/4T	komplet wie Bild
VKHS35/26-100	
TM 63S/4T	Type TM 63S/4T Power / Rated output (Kw) 0.06 Operating mode S 1 Voltage / Voltage (V) 230 / 400 Circuit / Circuit Δ / Y Frequency / Frequency (Hz) 50 Speed / Rated speed (1/min) 1400 Heat class / Insulating class F PTC thermistor protection 3 x 155°C thermal (NC) / Thermal protect.(NC) -- Type of construction B5 Flange / Flange Ø 140 mm Shaft / shaft Ø norm Degree of protection IP 67 Cooling / Cooling IC410 (without) Forced cooling fan (V/Hz) -- Bremse / Brake (Nm) -- Voltage / DC Voltage = (V) -- Rectifier -- AC Voltage ~ (V) -- Quantity 2

9323296	
VKH35/26-100	Leistung / Rated output (kW) 0,5 Betriebsart / Operating mode S 1 Spannung / Voltage (V) 400 Schaltung / Circuit Y Frequenz / Frequency (Hz) 300 Drehzahl / Rated speed (1/min) 17000 Wrme Klasse / Insulating class F Kaltleiterfhler / Thermistor protection -- Thermof. (ffner) / Thermal protect.(NC) -- Bauform / Type of construction B3S Flansch / Flange -- Welle / Shaft siehe unten Schutzart / Degree of protection IP 54 Khlung / Cooling eigen Bremse / Brake (Nm) -- Spannung / DC Voltage = (V) -- Gleichrichter / Rectifier -- Wechselspannung / AC Voltage ~ (V) -- Stckzahl / Quantity 1
RF+71S/2X	Power / Rated output (kW) 0.48 // 0.75 Operating mode S 1 Voltage (V) 202-277/350-480 // 202-306/350-530 Circuit / Circuit Δ/Y // Δ/Y Frequency / Frequency (Hz) 50 // 60 Speed / Rated speed (1/min) 2840 // 3300 Heat class / Insulating class F PTC thermistor protection -- thermal (NC) / Thermal protect.(NC) -- Type of construction B14 Flange / Flange Ø 140mm Shaft Ø 14*45mm > flattened to 13*30mm Degree of protection IP 55 Cooling / Cooling own Bremse / Brake (Nm) -- Voltage / DC Voltage = (V) -- Rectifier -- AC Voltage ~ (V) --
8080072	
AS188-75/6	
FDW 20 100NM 185-225V ATEX	Zu Motor-Nr. 7509975 Motortype: EEX-Z22 B160L/2T-FDW20
ASE138-50/4	Rated output (kW) 0,28 Operating mode S 1 Voltage (V) 230 Circuit ↓ Frequency (Hz) 50 Rated speed (1/min) 1200 Insulating class F Thermistor protection Thermal protect.(NC) 2*155°C Type of construction AS / Flange -- Shaft -- Degree of protection IP 54 Cooling -- Bremse / Brake (Nm) -- Spannung / DC Voltage = (V) -- Gleichrichter / Rectifier --
ERDA 56L/2A	Typ ERDA 56L/2A 3~Mot.no=6817176 2005 0.18kW S1 2680-2780/min cosQ 0.81-0.65 1.06/0.61A 219-242/380-420 Y V Koltl 3* 130 C DIN- 44081 IEC60034 EN50014 - EN50019 Typ= ERDA 56L/2A Mot. no =6817176 PTB02 ATEX 3114 1A / 1N 44 tE (S) 20 112G EExeIIT3
AS188-75/6	
WK132/2-220TX	Power / Rated output (kW) 25 Operating mode S 1 Voltage / Voltage (V) 400 Circuit / Circuit Y Frequency (Hz) 134 Speed / Rated speed (1/min) 8000 Heat class / Insulating class F PTC sensor / thermistor protection 3 x 155°C Thermof. (NC) / Thermal protect.(NC) -- Type of construction B5 Flange / flange Ø 250mm Shaft Ø 38*80mm Degree of protection IP 55 Cooling / Cooling water
TM80L/4	Power / Rated output (kW) 0.75 Operating mode S 6-40% Voltage / Voltage (V) 380-400 Circuit / Circuit Y Frequency (Hz) 50 Speed / Rated speed (1/min) 1390 Heat class / Insulating class H PTC sensor / thermistor protection -- Thermof. (NC) / Thermal protect.(NC) -- Type of construction B14 Flange / flange Ø 140mm Shaft Ø 19*40mm Degree of protection IP 67 Cooling / cooling assembly Brake / Brake (Nm) -- Voltage / DC Voltage = (V) -- Rectifier / Rectifier -- Alternating voltage / AC Voltage ~ (V) --
8082243	
3789212	
3085038	
Topfmotor Tm 90I/8, 0,3 Kw, 700 1/Min.	
8184481 El.Motor Tm 100 L/2 Emod Motor (0,75x2930)mot No 8184481	
Tm 90I/4	

Typ B90I/4aI32 Nr.: 6546256	
Motor 280s/4tser.Nr. 6534117	
Fk80I/2	
Fk90I/2 Nr: 6958139	
Tm100I 2	
Motortyp Hefie2 100Ia/4	
9323296	Segman set (segman ring group) installed into 645E - 645E3C engines
OI 132 M/4x	
Motor Tmu160I/4-215 B5 Ip68	
Motor	
Elektromotor 180m/4	
Tm100I/8a	
Fk71/S	
Elektromotor 100I4a Im108I 3kw Emod	
Dnv45c Dnv45c	
8369453 Elektromotor Wk160/2-215t 30kw, 6700/Min	
B132m - 16 / 2 - L60 - 7877858 - Bremsmotor	
5229275	Low sac including needle valve (No:23 component at the picture)
F4.22.05.E7 Elektromotor Mit Pumpe5,5kw, 1500u/Min, D230-S400v,	
Tm63s4 Motor0,06 Kw, 1340 U/Min, 380v,50hz, Im B5,Ip67	
06077949	
Ec45/63-70-Sk01ff	SERVO MOTOR 2.0AMP 400V 0.50KW 3008MIN
Fan	
Tm 100 L/4 Der Elektromotor 1 Kw 1500 Upm.	
Tm90I/8 Motor	
Fqolie2 160I/4at Elektromotor	
Tm90I8 Motor3 Ph - Motor 0,3 Kw	
Elektromotor Emod Motoren Dreiphasig Vkm 40/26-75, 1,4 A, 0,55 Kw, 400v	
63s/2x-T15925 Motor 2700 U/Min	
6845339	
3c0835-01 Motor B132 M/4-190t8,5 Kw, 400 V, 50 Hz, V2a, M. Fb	
8-0934 Drehstrommotor	
160I	

346610	
5229011	Plunger assembly including bushes (No:31 component at the picture)
Tm100l8a 0,55kw 3 Ph - Motor 0,55kw	
6261339	
Dfmub160l12 Motor	
7547156 El.Motor Tm 90 L/8 Emod Motor (0,30x700) Mot No 7547156 Nm	
Hefie3 90la/2 Motor90l/2 - 1692792,2 Kw2835 /Min79/4 6a	
O171l/4xwu Motor	
2a.0b.A0.5b Gleitringdichtung Elastomerbalg D24mmpos. 433	
172-100-008 Motor Antrieb Des Roboterschneidkopfes Fss F-Line (Ska 40*25*37d)	
Tqe71l/20 Motor	
La160l-4/2	MOTOR 23.5HP 17.5KW 3515RPM 480V 27.5AMP
Hef Ie3 160 La/4	
Eeda63l/2 3 Ph - Motor0,25kw, 230/400v, 50hz, 2790 U/Min	
Bi90162-140	
Motor Typ: Vkm40/22-750	
56l/4o Elektromotor	
Ventilator 132 D=35 Aluartikel Nr. 30035.... Passend Zu Motor-Nr. 76 14 202type : 132m/4xt	
7624067	
Tm63s/4t Topfmotor	
Motor Type Tm100l/2 Nr.: 7245798	
Smob 225m-12/4t	
As278-150/6	7,1kW S:1 V:400 50Hz speed : 935 1/min engine pre-balanced, must be completely balanced with attached impeller as a unit again
La112-4/2-165 Motor 1.5/5.5 Kw 3.4/12.0 A 1440/2900 /Min	
L¼fter Von Fk90s/2	
Tm132m/6a Motor	
Motortype Tm132m/6a	
Wk 132/ 4- 190ö	3 ph - motor kw11 400V 50Hz
As 188-50/4 Motor As-Motor	
28286	

Tm100l/2 Leistung 0.75 Kw	
Tm90l/8	
Tm100l/8a Leistung 0.55 Kw	
Udf_102 Einstufige Kreiselpumpetyp Uniblock 7,5/80	
Vdmk200l-8/4t	
5309810	WATER COOLED THREE PHASE 186KW
100544 Hf-Motor 0,35 Kw	
?? 100 L/4 A El.Motor	
Elektromotor La112-4/2-165 1.5/5.5 Kw 3.4/12.0 A 1440/2900 /Min	
103030	
Ie3ac11m2006-P-V051276	
Ba112m-6717316	
Hefie2 112m/2t	
Tm90l8 Motor 0,3kw	
A5278-110/6	
160l-8/4t Motor	
Tm90l/8 Elektromotor	
416179	Fire segman for DE 24000 locomotive
Tm90l8 0,3kw 3 Ph - Motor 0,3kw	
40101225.3 Elektromotor Hf-Motor-Hf10.1vkm 55/25-90	
Drehstrommotor Typ Hefie2 112l/4	
F 56-2/25 E	
81.0p.8k.01 Flachdichtung 161x214x0,5pos. 400.1	
6068048	
Eex-Z22 B160l/2t-Fdw20	Rated outpud :20kW Operating Mode : 6-60% S Circuit : Δ/Y Frequency : 50Hz Rated speed : 2925 1/min Insulating class :F Thermistor protection : 3*145 C Type of construction : B3 Flange : -- Shaft : Dia 42*50mm Degree of protection : IP 65 Cooling : own Brake : 100 Nm DC205V AC230V
Hefie2112l4o	MOTOR
6846569	
Tm 90 L4 Elektromotor 0,55 Kw 1500 Upm. (Durchmesser Der Welle 25 Mm)	
Wk132/2-190t Elektromotor 22kw, 9000/Min	
Tm100l/8a Motor	
Tm63s/4t Elektromotor: Tm63s/4t; 0,06 Kw;	

1400 Min-1 Vkm55/24-90at	Mot. Nr. 8273529
Tm 100 L/8? Elektromotor 0,55 Kw 1500 Upm.	
Tm100l/8a Elektromotor	
Olfk160l/4x Motor	
Tm 90 L8 Motor 0,3 Kw 700 Upm	
Tm 80l/4	output : 0,75Kw Operating mode : 6-40% voltage : 230/380-400 // 440-480 Frequency : 50 // 90 rated speed : 1390 // 1700
Motor OI80l/4a	
7614182 Elektromotor	
225m 9 4a	
8-159201 Drehstrommotor	
Fk80s/2	
Vk-75/2-100	SERVO MOTOR 8.8A 5710RPM 220/380VAC 50/100HZ
63s/2x-T15925 Motor	
Vkhns75/22-160	6,6KW S : S6-60% 400V 100Hz 5850 1/min Type B3 IP54
Tm100l/2 Motor	
Smb90l/4l16	
As188 745 6	
Tm90l/2	
Eedas 188-35/6 Motor 0,35 Kw	
56l/4o Drehstrommotor	
Dfmf90l/12t	420NCM 1s 400V 50Hz 0-500 1/min
Tm100l/4a	
Ec45/62-70	SERVO MOTOR 1.4AMP 400V 0.40KW 2000/MIN
112m	
Vkh63/23-130t Motor	
Motor Type Tm100l/4a Nr.: 7245629	
8441778 Ring (080 O.S)	
076982	
As188-75/6	0,92kw s:1 230/400V 50Hz 910 1/min
Vkh75/22-120 Motor 4.4 Kw 5830 /Min 100hz Ip 54 Cl. Isol.F	
Im3681 Der Elektromotor 71s\4 T , 0,25 Kw, 380 V, 1380 Upm./Min	
Elektromotor Tm 90l/8, 0,3 Kw, 700 Upm./Min. 89.3201.904.0500ser.Nr.73197?4	
Tm 90 L8	

Smob 225m-8/2t	
L¼fter Von Fk71s/2	
?? 100 L/8a El.Motor	
Motor Htol71l//4x	
?? 90 L/8 El.Motor Tm 90 L/8	
Elektromotor Emod Tmunz 90/4-100 2,2 Kw	
Vkh35/26-50	
100l/8ao	
7674868	
Tm 100 L2 Elektromotor 0,75 Kw 1500 Upm.	
6834136	
?? 90 L/4 El.Motor	
Ac Servomotor Sk1282azf - Ecnb71/63-70	
Elektromotor Tmunz 100/4-120 4 Kw, B5-Iec, Ip68	
Motor Tmu 112 S / 4-130 B5 Ip68	
Tm100l2 Motor 0.75kw	
Motor Tmu 90 S / 6-75 B5s Ip68	
F¼r B 70 Motor	
Elektromotortype: Tm90l/4	
80 S/4	
308309	Oil segman for DE 24000 locomotive
Topfmotor Type Tm100l/8a Frekuenz: 0,55 Kw Drehzal: 700 U/Min	
Fkeb63l/4t-L4	
412898	Compressor segman for DE 24000 locomotive
Eeda 63l/2 Drehstrommotor	
Vkh35/26-100	VKH35 / 26-100 rated output: 0,5kw Operating mode s = 1 voltage: 400V Circuit: Y Frequency: 300Hz Rated speed: 17000 1 / min Insulating class: F Type of construction: . B3S Shaft: special wave Degree of protection: IP54 Cooling: own RAL 7031
Fk80s/2 (220/380)	
Fk80s/2 Sn:6688297	
Gkf112-M/4	
3 Phase Frame Ip54	
Vkh 75/22-120 Elektromotor 4,4 Kw 5830/Min 100hz Ip 54 Cl. Isol.F	
Tm100l8a Motor 3 Ph - Motor 0,55 Kw	

Hefie3 90l/2a	
Laf63rb14 C120 Mg2	Motor 0.12 kw Vorderer Deckel
Asbbs63	Motor 0,12kw Hinterer Deckel
Hefie3 Motor 200l/4	
Tm90l/4 Leistung 0.55 Kw	
?? 100 L/2 El.Motor	
03244241	
Tm 100 L/4? Elektromotor 0,55 Kw 1500 Upm. (Wellendurchmesser - 28 Mm)	
Fk90l/2 6777632	
Fk Vdwb 200l 6-T Serie 03654887	
Emod As 112-35/4/4 Motor 0,16 Kw	
Vkm40/22-75ö Elektro Motor	
Motor Type Tm90l/4 Nr.: 7323194	
Tm100l/2	
Ecb 56/62-70 Motor 7840158	
9090233	Cylinder installed into 645E - 645E3C engines
7545686 El.Motor Tm 90 L/4 Emod Motor (0,55x1440) Mot No 7545686 3,65 Nm 15,5 Kg Cos F 0.72	
8184485 El.Motor Tm 100 L/8a Emod Motor (0,55x700) Mot No 8184485 Nm 6,9 Kg Cos F 22 0.74	
As 188-50/4 As-Motor	
Tm90l/4	
Tm90l/4 Motor	
Ba112m-12/6k65	
L¼fter Von Fk80s/2	
Elektromotor Tmunz 90/4-100 2.2 Kw, B5-Iec, Ip68	
Hefie2-90l/2a (Ex.Fk90s/2 Nr.:7336740)	
8456546 Ring (120 O.S)	
B132s/4-P40 Getriebemotor (Komplett)	
03207289	
As 188-50/4 Motor	
Tm100l/2 Motor 0.75 Kw	
8332085 El .Motor Tm 100 L/4a Emod Motor (1x1440) Mot No 8332085	
Topfmotortype: Tm100l/8a Leistung: 0,55 Kw	

[Drehzahl: 700 U/Min](#)
[5311433 E-Motor](#)

[As38 75 6](#)

[Tm100l/4a Motor](#)