

Emotron

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Emotron Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Emotron T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
01-1665-10	
01-2162-00	
01-2175-11	
01-2176-11	
01-2184- 00	
01-2471-10	
01-2471-20	
01-2471-40	
01-2520-25	
01-2520-45	
01-2520-45/M20 3x380-500VAC CG	
01-3389-80	

01-3957-00
01-4136-01
01-4696-00
01-5070-00 + 01-5073-00 + 01-4995-00
01-5071-00 + 01-4995-10
01-5074-00
10 01-3876-13
100011225
380-500V
CTM 010 (01-2471-10)
EMS-VVX 25M
EMS-VVX 2M0-26
EMS-VVX 2M0-26
EMX-R 35M
EMX-R25E STEUERGERAT
EMX-R-25M
FDU48-006
FDU48-031
FDU48037
FDU48-046-54 ÑÅ
FDU48-090-54CE-ENNNNA
FDU48105
FDU48-105-20
FDU48244
FDU489P5
IR425-D4-2 B71036402
LASTWACHTER M10
M20
M20 (01-2520-45)
M20 1x100-240VAC or 3x100-240VAC

M20 3X380-500VAC CG 01-2520-45	
MSF 017	
MSF 045	
MSF 570	
MSF030	
MSF-0455252C-N-EU	
MSF085	
MSF210	
MSF-450	
MSF710	
NGD 48-074-54CE	
TSA52200	
TSA69200	
VFX 2.0 NGD 48-046-54-CEB	
VFX40-14620-CEB.	
VFX48-018	
VFX48-032-2Y	
VFX48037	
VFX48-038-2Y IP20	
VFX48-072 IP2X	
VFX48088	
VFX48-109	
VFX48300	
VFX489P5	
VFX48-9P5-2Y IP20	
VS30409P5	
DSV35-40-023-20	DSV3540023 FREQUENCY CONVERTER max. motor power (NORMAL): 15 kW Rated Output Current: 28.2A max. engine power (HEAVY): 11 kW Rated Output Current: 23.5A Current limit ICL: 35.25 A Mains voltage: 340-528V (+/-10%) Mains frequency: 45/65 Hz Output voltage: 0 - mains voltage Output frequency: 0 - 599 Hz Dimensions [HxWxD]: 275x120x130 mm Weight: 3.7kg Stat.-No.: 85044084

VFX4836520	VFX48-365-20 FREQUENCY CONVERTER max. engine power (NORMAL): 200 kW Rated Output Current: 365A max. engine power (HEAVY): 160 kW Rated Output Current: 292A Current limit ICL: 438 A Mains voltage: 380-480V (+10%/-15%) Mains frequency: 45/65 Hz Output voltage: 0 - mains voltage Output frequency: 0 - 400 Hz Dimensions [HxWxD]: 1090x335x306 mm Weight: 69 kg Configuration: VFX48-365 20DE---AVNNNNAN--A-B Degree of protection IP20 PPU Option D: PPU 4-Line EMC filter E: EMC 2nd environment Lacquered boards V: Lacquered boards Operating instructions download: www.emotron.de Version 2.1
FDU48037 FDU48-037	FREQUENCY CONVERTER max. engine power (NORMAL): 18.5 kW Rated Output Current: 37A max. engine power (HEAVY): 15 kW Rated Output Current: 29.6A Current limit ICL: 44 A Mains voltage: 380-480V (+10%/-15%) Mains frequency: 45/65 Hz Output voltage: 0 - mains voltage Output frequency: 0 - 400 Hz Dimensions [HxWxD]: 440(512)x178x292 mm Weight: 24kg Configuration: FDU48-03754DE---AVNNNNAN--A-B Protection level IP54 PPU Option D: PPU 4-Line EMC filter E: EMC 2nd environment Operating instructions download: www.emotron.de Version 2.1 Stat.-No.: 85044086
VFX48090	VFX48-090 FREQUENCY CONVERTER max. motor power (NORMAL): 45 kW Nominal output current: 90 A max. motor power (HEAVY): 37 kW Nominal output current: 72 A Current limit ICL: 108 A Mains voltage: 380-480V (+10%/-15%) Mains frequency: 45/65 Hz Output voltage: 0 - mains voltage Output frequency: 0 - 400 Hz Dimensions [HxWxD]: 950x285x314 mm Weight: 56 kg Configuration: VFX48-090 54DE---AVPNNNAN--A-B Schutzgrad IP54 PPU Option D: PPU 4-Line EMC Filter E: EMC 2.Umgebung Lackierte Platinen V: Lackierte Platinen Option Position 1: P: PTC/PT100 Betriebsanleitung Download: www.emotron.de Version 2.1
01-6880-00	OPTION 4 LINE PPU EXT-D54 CG/ BGD Control panel kit incl. control panel (from size D)
38071403	
19254701	
38110400	
01-1660-00	
10117699	
50903100	
01-3595-20 48-250-VI	
Vfx48210	
106/16e E085106	
Fdu48074	AC DRIVE
El-Fi DIm,, By M20 3x380-500vac Cg/01-	

2520-45
47402210
01-3799-00
01-3595-10
51007310
10432400
10116899
01-4077-00
50-031 01-2675-33
10116499
40-013 10140610
01-3196-10
01-2675-54
2406-002
200-690 V 01-1665-10
10117711
01-3720-10
01-1865-00
01-3578-51
Vs10237p0 (Vs10-23-7p0-20)
200-690 V 01-2257-00
01-3406-04
01-4160-00
71001-1796-80
50-026 01-2675-32
52215600
40-004 10140210
160va 47009900
40023800
01-4694-00
47402010

01-4932-52
01-1505-05
01-1988-02
01-1936-00
01-3406-05
01-2257-50
51007310
01-3354-50
01-4932-10
01-3595-00 48-250
1006-216132
01-3595-20 48-250--L
01-1891-00
01-2900-01
111341
10116611
381055
111331
51007410
100a 52214000
01-3595-20 48-175--L
Control Panel External Ppu 01-3957-00
01-2675-61
10127601
01-3354-50
10117099
01-1484-12
111362
10433601
Vfx48-1k75 800 Kw 0,4 Kv (Item , Cannot Offer)

145 01-1795-20	
38105003	
111340	
110 01-1795-10	
01-1660-70	
200-690 V 01-2413-00	
01-3376-00	
01-3595-10 69-109-Va	
01-3406-11	
1006-216091	
Vfx4817554ceb	ENCLOSURE
01-3353-50	
01-1859-60	
10116702	
01-1510-00	
01-1665-50	
10117611	
146-175 01-3544-30	
200-690 V 01-4660-00	
01-4659-50	
100946	
01-4659-60	
01-4932-61	
01-3720-50	
01-2942-50	
51007100	
111450	
01-1936-10	
111452	
52216200	

200-690 V 01-1211-11
10434701
101161
01-4932-13
Stromwandler Ctm 10
01-4122-50
01-4932-53
01-3688-00
Begt 27260-4r0 3,8ohm 25000w
39251000
40-01010140510
Fdu48025
01-1598-11
10116799
10095699
10127699
07501-1794-50
B213a01-4932-02
01-4120-00
01-4599-00
01-1505-04
01-3720-30
01-1812-20
X3 01-3877-00
01-3181-00
Emx R25s
01-4576-00
10116699
10116811
01-3595-10 69-109--A
30105301

M20 3x380-500vac Cg
200-690 V 01-1211-10
200-690v01-2414-00
B1 01-2381-00
52214400
01-1489-00
250va 47010100
200-690v01-2419-00
01-2024-00
38071302
01-3688-11
310 01-1796-40
10116499
X4 15011600
01-3595-20 48-175-VI
10096399
01-2902-07
50104601
200a52214500
100951
01-3595-10 69-175bva
01-0085-03
Vfx69109
10117111
Deneme
01-2406-00
10432003
01-3663-10
10140601
Msf-145

01-4107-00
01-4932-63
Fdu48-018
Begt 27260-4r0 3,8ohm 30000w
01-3595-20 48-250bvl
10094599
1006-216106
10095502
Fdu-40-037-20ce
01-4984-00
01-2471-40 (Ctm 100 Current Transformer)
200a52214200
10428306
140001-2005-41
200-525 V 01-1581-00
01-3595-00 48-175-V
2.0 01-2942-30
Fdu48-146-54ce-Nnnna
01-4427-20
10096199
200-690 V 01-1665-10
146-175 01-3543-10
10095807
01-4453-01
40-006 10140310
40-003 10140110
51108699
01-1208-50
15011600
50-013 01-2675-31

01-4122-10
10432500
40-00610140310
Vfb40-004-20ce (95161500)
01-4533-50
01-4427-10
39240200
74052065
01-1500-03
01-2675-52
01-1500-53
01-1500-03
01-1812-20
085 01-1794-60
01-3595-20 48-250b-L
01-4932-11
Control Board (For Vfx 40-175-20ceb)
52216400
01-3406-03
40-031 01-2675-23
01-1660-00
01-1812-01
(01-2471-20) Ctm 025 Current Transformer
017 01-1794-10
Fdu40-060-20cee
01-3595-00 48-175bv
16n1 52015210
Dfe23-04
Control Board For Msf017-Msf1400
01-3595-10 69-109--L

[Vsa23-07 By Vs10237p0 \(Vs10-23-7p0-20\)](#)

[01-3098-50](#)

[01-3595-10 69-175b-L](#)

[51007210](#)

[40-00810140410](#)

[X4 38057400](#)

[38131000](#)

[01-3595-00 48250bv](#)

[1006-216071](#)

[38105301](#)

[01-4449-01](#)

[40-026 01-2675-22](#)

[15011600](#)

[01-3313-00](#)

[X4 100952](#)

[10140401](#)

[060 01-1794-40](#)

[Ctm 100 01-2471-40](#)

[10117699](#)

[01-1500-50](#)

[200-690 V 01-2419-00](#)

[B101-2381-00](#)

[51007410](#)

[101162](#)

[C54050402](#)

[200-690 V 01-2418-00](#)

[111454](#)

[01-3687-50](#)

[101270](#)

[01-4450-01](#)

38104901
19254201
50110600
43404400
Lastwã196;Chter M10
090-109 01-3544-20
01-1598-10
50-018 01-2675-31
01-1859-00
01-4932-50
01-3356-50
01-4099-00
01-4122-00
1000 01-2005-11
01-4123-00
10096101
M20/01-2520-45
01-2110-45 Dcm (3x380-500v Cg)
200-525 V 01-1583-00
01-3595-10 69-109b-A
44910901
01-4533-00
01-4123-50
01-4993-00
150a 52214100
01-3595-10 69-109-VI
51007210
44911001
01-1812-01
X15 10434701

51007000	
18a 01-4932-03	
381054	
10433601	
111453	
3a-6a 01-4932-00	
10480203	
Msf-085	SOFTSTART 45KW 380VAC IP20
01-3595-20 48-175bvl	
10094699	
045 01-1794-30	
01-4451-01	
17001-1796-10	
01-1211-61	
01-2942-00	
01-3867-01	
10116399	
01-2942-50	
01-3196-00	
38072000	
X415010803	
38131000	
01-3721-50	
01-1208-00	
8a-10a 01-4932-01	
3b01-0085-02	
090 01-3784-00	
01-1510-50	
52013900	
200-690 V 01-2418-00	

M20_3x380-500vac_Cg/01-2520-45
01-2675-62
01-3809-00
Cmt 010 /01-2471-10
10117199
01-1500-53
01-1510-50
200-525 V 01-2418-00
E080022
01-1660-20
01-0666-00
01-3406-07
01-3720-70
01-3352-50
Vfx48-013-54ce
381135
01-1865-00
111340
Lastwã196;Chter M20
01-3595-10 69-175-VI
Lcd Board For Msf017-Msf1400
15013901
01-1505-06
210-250 01-3544-00
10140301
38110301
01-1211-51
10095603
52217020
01-3720-20
01-4412-01

52018000	
01-6179-00	
1006-216041	
01-4427-00	
01-4932-51	
01-1988-00	
01-2902-05	
01-2781-00	
40-037 01-2675-24	
50104601	
01-1665-50	
X401-3877-01	
01-4159-00	
Vfx48-031	
Msf060	SOFT START
Ctm 010	
01-3406-00	
10116611	
01-3357-50	
Cf40-020-54ce	
01-1505-03	
01-3439-00	
(01-2471-30) Ctm 050 Current Transformer	
01-4452-01	
44900400	
01-3735-00 Vsa23-01	
52215400	
01-1734-01	
01-1988-01	
52216300	

15015000
51007000
Vfx48-210-54ceb
205-S 47400900
10428703
01-2675-51
Fdu48061
01-3406-02
01-1489-00
01-1876-00
01-3687-00
01-1208-00
10480300
50903200
01-4660-50
10116411
01-3618-02
01-4695-00
01-2471-30
01-3195-30
Fdu48036
01-3618-01
01-3098-00
01-3687-00
200-690v01-4659-00
10117211
44910200
Ems-Vvx-1-52-A Obsolete 01-2160-00
01-3195-00
01-4236-00

[210 01-1796-20](#)

[X3-X5 10095502](#)

[01-3595-10 69-175-Va](#)

[Vfx48-074](#)

[01-3189-10](#)

[111448](#)

[10116911](#)

[Ctm 010 Current Transformer \(01-2471-10\)](#)

[400a 01-4029-00](#)

[01-2171-11](#)

[38054302](#)

[Ctm 050 Current Transformer \(01-2471-30\)](#)

[Msf017-Msf1400](#)

[100a 01-3578-02](#)

[Vfx48-036 Ip2x](#)

[01-3876-05](#)

[01-4119-00](#)

[38073501](#)

[Ctm 010/01-2471-10](#)

[Cp-01-02810](#)

[Cf40-026-54ce](#)

[01-3389-50](#)

[200-525 V 01-1211-01](#)

[01-3688-11](#)

[38057400](#)

[Vfx48-026](#)

[44909400](#)

[01-1500-50](#)

[01-2902-04](#)

Fdu48-090	FREQUENCY CONVERTER Max. Motor power (NORMAL): 45 kW Output rated current: 90A Max. Engine power (HEAVY): 37 kW Output rated current: 72A Current limit ICL: 108 A Mains voltage: 380-480V (+ 10% / - 15%) Mains frequency: 45/65 Hz Output voltage: 0 - mains voltage Output frequency: 0 - 400 Hz Dimensions [HxWxD]: 950x285x314 mm Weight: 56 kg Configuration: FDU48-090 54GB --- A-NNNNA-090-A Degree of protection IP54 PPU Option D: PPU 4-Line EMC Filter E: EMC 2.Environment Stat.-No .: 85044088
52214610	
01-3389-10	
01-4136-01 (Terminal Cover M20 Kit)	
15013901	
01-3784-50	
01-1484-10	
090-109 01-3543-00	
01-3595-00 48-250b	
01-3189-00	
200-525 V 01-1849-00	
01-3595-10 69-175b-A	
40-018 01-2675-21	
E080024	
52214400	
200-690 V 01-4659-00	
01-2675-53	
10117011	
10425808	
01-3170-50	
01-2942-20	
01-1484-15	
01-4412-00	
01-4104-00	
01-3195-20	
380573	

030 01-1794-20
10432102
01-3425-00
01-3595-20 48-175b-L
10094510
Ctm 050 /01-2471-30
01-3406-04
44910200
01-3406-01
E080092
01-1211-50
01-1484-11
01-1660-20
01-4992-00
Ctm 025 Current Transformer (01-2471-20)
40-008 10140410
01-3358-50
01-3446-00
X3 380573
01-3595-10 69-175--A
01-3406-03
51108600
01-3595-10 69-109b-L
15010803
01-3687-50
01-3166-00
B 01-4603-00
51007100
Fdu48-109 55
10431704

39251000	
25001-1796-30	
10116599	
01-1859-10	
Fdu48-375	
01-3359-50	
39240100	
52216610	
01-3028-10	
01-3595-00 48-175b	
570 01-1796-70	
200a52214200	
01-1890-00	
40-013 01-2675-21	
38127102	
01-4104-10	
Msf1105252cnau	STARTER
50106900	
X5 10095502	
50903300	
01-3595-10 69-175bvl	
01-3595-10 69-175--L	
01-1211-00	
01-3721-00	
Vfx48250 (Vfx48-250 54ceb-A-Pnna-250-N)	
231n22k 52018200	
01-3808-00	
10117799	
50-037 01-2675-34	
01-3195-10	

Vsc48-013	DRIVE 5.5KW 13AMP 3PHASE 0-480V 50/60HZ
111447	
01-3595-10 69-109bva	
01-3986-00	
01-1208-50	
41277400	
01-3170-00	
52216800	
01-2942-20	
Vfx48-006	
10140501	
40-004 01-1505-02	
Vfx48-090	
52017600	
44910901	
01-3181-20	
01-4107-10	
Vfx69500	
01-4997-00	
01-3663-00	
01-3618-20	
01-3595-10 69-109bvl	
01-1859-50	
01-4076-00	
835 01-1796-90	
V 154055601	
01-4122-60	
75a 01-3578-01	
090-109 01-3544-20	
10117611	
50-060 52018400	

150a 52214100
01-3578-52
10117299
01-3406-06
10095899
400a 52214400
52216800
Stromwandler Ctm 25
01-1500-00
10116511
10094610
01-3406-10
10117099
Ctm 100 Current Transformer (01-2471-40)
Vfx69250
Fdu48-1k15
400a52214400
01-1211-60
01-4659-50
200-525 V 01-4659-10
10116311
15015099
01-3406-08
01-3406-09
01-1660-50
01-2801-00
01-1660-50
01-4932-62
381136
01-1598-12

10116999
10140201
01-3688-00
100946
01-3595-00 48-175
01-3028-50
01-3355-50
10431704
200-690 V 01-2414-00
01-4237-00
01-3720-00
01-2160-00
01-3406-08
Emotron-Vfx-48-018-54ceb-Saa-Snnpap
01-1505-07
Dfe23-02
01-3181-10
Vfx48-175 54ceb-A-Nnna-175-N
10096301
01-3720-60
01-1665-10
01-1484-14
01-1484-13
10428502
01-3720-80
111449
111360
Ctm 010 Current Transformer
415v01-3439-00
01-3595-00 48-250-V

52215500
01-4932-12
450 01-1796-60
01-2675-64
300a 52214300
01-2675-63
01-3606-01