



Ero Electronic

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Ero Electronic Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Ero Electronic Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
LFS937135000	
3508	MODEL (3508) 3508 process controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 8 (1) 1 control circuit APPLICATIONS (VP) Step controller function NUMBER OF PROGRAMS (1) 1 recipe FRONT COLOR (S) Silver EA SLOT (RR) Dual relay unconfigured EA SLOT (RR) Dual relay INTERFACE H (Y2) 2 wire RS485 Modbus INTERFACE J (A2) RS232 Modbus USER LANGUAGE (E) GUARANTEE) Standard warranty period CONFIGURATION (STD) Standard configuration code: / A2 / XX / ENG / ENG / XXXXX / XXXXX / XXXXX / XXXXXX / STD /XXXXXXXXXXXXXXXXXXXX
P116	P116/CC/VH/LRX/R/XXX/XXXXX/XXXXXX/XXXXXX/XXXXXX/XXXXXX/O/X/X/X/X/X/X P116 (P116) VOLTAGE (VH) 85-264Vac OUTPUT (LRX) OP1 Logic OP2 Relay RELAY (R) - Changeover Relay (
MODEL (LFSSV) 1/16 DIN PID controller	SERVO OUTPUTS (LFS8321) SERVO-RELAY SERVO OPTIONS (4) RS485 (or 2 Logic Input) SERVO ERO version Code: LFSSV/LFS832143000
3216I XXL	MODEL (3216I) Display and alarm unit FUNCTION (AL) Alarm unit SUPPLY VOLTAGE (VL) 20-24 outputs COMMUNICATION (XXL) Digital input A FRONT COLOR (G) Green USER LANGUAGE (GE Code: 3216I / AL / VL / RRXX / X / XXL / G / GER / GER / XX / XXXXX / XXXXX / XXXXX / XXXX
3216I 4XL	MODEL (3216I) Display and alarm unit FUNCTION (AL) Alarm unit SUPPLY VOLTAGE (VL) 20-24 outputs COMMUNICATION (4XL) RS485 + digital input A FRONT COLOR (G) Green USER LANGUAGE (German code: 3216I / AL / VL / RRXX / X / 4XL / G / GER / GER / XX / XXXXX / XXXXX / XXXX
LHL9111050000	
LHL910050R00	
LHL911050R00	
LHL911150R00	
400/57	WALL BRACKET FOR REGULATOR 2116 / 2216E 1/16
P108/CC/VL/LRR/R/XXX/XXXXX	P108 P108 (P108) 1/8 DIN Controller FUNCTION (CC) Controller SUPPLY VOLTAGE (VL) 24Vac/ - Changeover Relay QUICK START (O) Quick start at Start up DIGITAL INPUT 2 (X) Unconfigured
P116 (P116) 1/16 DIN Controller	
EPKC-611200300	
LDS 491130000	
LFSmA	
P116/CC/VH/RRX/R/4CL/XXXXX	P116 P116 (P116) 1/16 DIN controller FUNCTION (CC) Controller SUPPLY VOLTAGE (VH) 85-264V Changeover Relay OPTIONS (4CL) RS485 + CT and Digital Input QUICK START (O) Quick start
MODELL (3504) 3504	Process controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 85-264Vac mains supply NUMBER OF PROGRAMS (1) 1 program with 20 segments NUMBER OF RECIPES (1) 1 recipe FRONT unconfigured SLOT 2 EA SLOT (RR) Dual relay unconfigured SLOT 3 EA SLOT (RR) Dual relay unconfigured SLOT 6 EA SLOT (AM) Analogue input module INTERFACE H (A2) RS232 Modbus OPERATOR LANGUAGE WARRANTY (XXXXX) Standard Warranty Period CONFIGURATION (STD) Standard configuration code: 3504/CC/VH/1/XX/1/1/XXX/S/D6/RR/RR/MS/XX/AM/A2/XX/XX/ ENG/ENG/XXXX
Ero Electronic	
PKC 611272300 EI58595 ASCON	
EPC3016	MODEL (EPC3016) 1/16 DIN Controller TYPE (CC) Controller only SUPPLY VOLTAGE (VH) 100 - with external snubber) I/O 2 (R2) Relay (with snubber) OUTPUT 3 (XX) Form C SERIAL COMMS ETHERNET, COMMS AND REMOTE SP (C2) CT Input, Digital In, and RS485 (3 wire) BEZEL (ST) EPC3016/CC/VH/R2/R2/XX/XX/XX/C2/XX/XX/ XXX/ST/XXXXX/XXXXXX/XX/X/X/X/X/X/X/X/X/X/X
P116	P116 (P116) 1/16 DIN Controller FUNCTION (CC) Controller SUPPLY VOLTAGE (VL) 24Vac/dc OUTPUT Relay QUICK START (O) Quick start at Start up Code: P116/CC/VL/RRX/R/XXX/XXXXX/XXXXXX
TKS931143000	
LFS mA LFS937133000	
MODELL (3508) 3508	3508/CC/VH/1/XX/1/1/XXX/G/D4/RR/RR/Y2/A2/XX/ENG/ ENG/XXXXX/XXXXX/XXXXX/XXXXXX/S VOLTAGE (VH) 85-264Vac mains supply NUMBER OF CONTROL CIRCUITS (1) 1 control circuit NUMBER OF RECIPES (1) 1 recipe FRONT COLOR (G) Green IO SLOT (D4) Continuous output unconfigured INTERFACE H (Y2) 2 wire RS485 Modbus INTERFACE J (A2) RS232 INSTRUCTION MANUAL (ENG) English WARRANTY (XXXXX) Standard warranty period CONFIGURATION

LFS8321430_BT	
ITOOLS/NONE/USB/////XXXXX	MODELL (ITOOLS) Konfigurationskabel CONFIGURATION KIT (USB) USB CPI CLIP
LFS8321430_BT	
LFS8321430BT	
3508	MODEL (3508) 3508 Process Controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 8 (1) 1 control circuit APPLICATIONS (VP) Step controller function NUMBER OF PROGRAMS (1) 1 recipe FRONT COLOR (S) Silver EA SLOT (RR) Dual relay unconfigured EA SLOT (RR) Dual relay INTERFACE H (Y2) 2 wire RS485 Modbus OPERATOR LANGUAGE (ENG) English INSTRUCTION N Preconfigured at factory FUNCTION CONTROL CIRCUIT 1 (FX) VP controller with feedback SENS RANGE 0 MAXIMUM RANGE 1200 DISPLAY UNIT CIRCUIT 2 (X) Without display unit FUNCTION SENSOR INPUT CIRCUIT 2 (X) Unconfigured ALARM 1 (1FH) Maximum alarm control circuit 1 AL FUNCTION 1 1VT SLOT FUNCTION 2 A12 SLOT FUNCTION 3 1VF Code:3508/CC/VH/1/VP/1/1/XXX/S/RR/RR/VU/Y2/XX/XX/ENG/ENG/XXXXX/XXXXX/XXXXX/XXXX
3504	MODEL (3504) 3504 Process controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 8 (1) 1 control loop NUMBER OF PROGRAMS (1) 1 program with 20 segments NUMBER OF RECIPI (D4) continuous output unconfigured SLOT 2 EA SLOT (RR) dual relay unconfigured SLOT 3 EA triple contact input SLOT 5 EA SLOT (MS) 24Vdc transmitter supply SLOT 6 EA SLOT (AM) Anal OPERATOR LANGUAGE (ENG) English INSTRUCTION MANUAL (ENG) English CONFIGURATION (3504/CC/VH/1/XX/1/1/XXX/S/D4/RR/RR/TK/MS/AM/A2/XX/ XX/ENG/ENG/XXXXX/XXXXX/XXXXX/
ERO Electronic LFS832143000	
TKS937133000	
LFS 93 214 3000	
TFS931143000	
MODEL:3508	Programmable Temperature Controller UNCTION:CCE - Enhanced Controller (V4 or Higher) SUP APPLICATION:VP - Dual Valve Positioning PROGRAMS:1 - 1 program - 20 segments RECIPES:X FASCIA COLOUR:G - Eurotherm Green IO SLOTS:TL - triple logic input H COMMS SLOT:Y2 - 2 v MANUAL LANGUAGE (INSTALL SHEET):ENG - English WARRANTY:XXXXX - Standard CONFIG:CF LOOP 1 FUNCTION:FX - Single Channel Valve +Feedback LOOP 2 FUNCTION:XX - Single Loop
EPC3016 - 1/16 DIN Controller	TYPE:CC - Controller only SUPPLY VOLTAGE:VH - 100 - 230Vac +/-15% (48 to 62Hz) I/O 1:R2 (with snubber) FUTURE:X - Future TOOL KIT BLOCKS:TK - Standard BEZEL:ST - Standard GAIN APPLICATION:V - VPU INPUT 1 SENSOR TYPE:K - Type K Thermocouple INPUT 1 RANGE:X - No A FUNCTION:X - Not used UNITS:C - °Celsius WARRANTY:XX - Standard warranty
PKP111170300	
Lfs 937133000	
Lfs93112500n	
Lfs93111500n	
Esr 080400000	
Lfs9311450bo	
Code: Lfsma/Lfs937113000 (Lfsma) 1/16 Din Pid Regler	
Tms431115000	
Lfs936b4300n	
Pkc611252300	
Lfs9361330bo	
Lhl911150000 (Ex Lhl910050r00)	
399999 Rm 100.135.025 Vy 4276w010-G06, Version 1	
Code: Tms/Tms431103000 (Tms) 1/8 Din Pid Regler	
Lfs93612500n	
Lfs931103ron	
Lfs937113000	
7100I Modell (7100I) Thyristorschalter	
Lme496130000	
Lfs 931133000	
Lfs936b03ron	
Lfs93612300	
Lms4911300a	
3216	
Lfs8321430bt	
Lfs931135rbo	

Tks937123000	
Lhi_911130000	
Lfs9311230bo	
Lfs931b13ron	
Lfs9311050on	
399999 Rm 100.135.025 Vy 4276w010-G06, Version 2	
Lfs9311330bo	
33dps59115000	
Lfs9311430bo	
Lfs931b25rbo	
Pkp.1.1.1.1.7.0.3.00	
Lfs931b050bo	
Dps-391110000	
M6150	
Pkc Pkc611172300	
Lfs936113ron	
Code: Tkssv/Tks932123000	TKSSV MODEL (TKSSV) 1/8 DIN step controller OUTPUT (TKS9321) 1RLYOUT + 3DIG.INP. OPT: 100/240 VAC CUSTOMIZATION (000) ERO VERSION
Lfs936b050on	
Pkc.6.1.1.2.0.0.3.00	
Lfs936b350bo	
Lfs936b130bo	
Code: Pkc/Pkc111171300 (Pkc) 1/8 Din Pid Regler	
Lfs931b150on	
32h8i (Ex.1760.Iuo.Tis.1c)	
Fks61130000	
Lfs9361230bo	
Apkc611200300	
Lfs936b330on	
P108	The requested controller type TKS93112300 is no longer included in our delivery. Alternatively (P108) 1/8 DIN Controller FUNCTION (CC) Controller SUPPLY VOLTAGE (VH) 85-264Vac OUTPU Changeover Relay OPTIONS (XCL) CT and Digital Input QUICK START (O) Quick Start at Start VH / RRR / R / XCL / XXXXX / XXXXXX / XXXXX / XXXXX / XXXXXX / O / X / X / X / X / X / X /
399999 Rm 100.135.025 Vy 4276w010-G06, Version 3	
Lfs936b230bo	
60? Otr 060 600 000 Optosimistor	
Lfs936b13ron	
Pkc 111171300	
Lfs936b250on	
Etr060600000	
Lfs936b25rbo	
950500531401ah-Tfs931145000	
Pkc111171300	
Lfssv	MODELL (LFSSV) 1/16 DIN PID Regler SERVO OUTPUTS (LFS8321) SERVO-RELAY SERVO OPTIC (3) 100/240 VAC CUSTOMISATION (000) ERO Version Code: LFSSV/LFS832143000
Lfs9311250bo	
Lfs931b450on	
Lfs931123ron	
Tismk1	
Lfs931b230bo	
Convx/Convxmk13000 Obsolete, Replacement Kd485	

[Pkc 611201300](#)

[/Lfs832143000](#)

[Lfs936b350on](#)

[Lfs9361350on](#)

[Lfs931b23ron](#)

[Lsd 49113000](#)

[V6150](#)

[Lfs9361150bo](#)

[\(Mkp\) 1/4 Din Programmregler](#)

[Lfs9311350on](#)

[Timk1/Tis 800015000](#)

Code:
[P108/Cc/Vh/Rrc/R/4cl/Xxxxx/Xxxxx/Xxxxx/Xxxxx/Xxxxx/O/X/X/X/X/X/X/X/X](#)
[P108 \(P1](#)

[Lfs9311350bo](#)

[Lfs936123ron](#)

[Lfs9311050bo](#)

[32h8](#)

[Lfs9311450on](#)

[Lfs9311430on](#)

[Lfs931b050on](#)

[Lfs936b150bo](#)

[Lfs931b430on](#)

Code: [Ssm1a445bd](#)

[Esrt12240000](#)

[Pkc611200300](#)