



Esa

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Esa Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Esa Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

| rn | Aıklama |
|---|--|
| S 530.551 | CNC S 530 x PPG 4A 32+32 I/O+BL. |
| 23378 | ESA ESTRO-A + EXP-2 230V 50/60Hz Bulletin : E7014P DWG ESTROA2 S010303CN2/02RPUAB0//159E//22L// |
| Tar-10 230v 50/60hz Ign.Transformer | Bulletin : E5004 DWG |
| Serio Tpf-05-1-2-Dd/-2-///-///// | Bulletin : X0166 DWG C012539-R1 |
| Esa Uv- 2 Pyroteck | High sensitivity flame detector, from serie ESA UV-2 Pyroteck - Complete reference: ESA UV-2 - Housing: aluminum, plug and coupling connections for warning light - Spectral response: 185,260nm - Indicator light Connections: Ø 3/4 "gas - Voltage Recommended use: 325 ± 25V - Operating temperature: - 20 ÷ 60 ° C - Sensitivity: 5000 cpm (> 1pW) |
| VALF 220VAC,11VA | |
| EVP/NC DN15 | |
| 22172 | ESA ESTRO-B 115/230V 50/60Hz Bulletin : E7014P DWG ESTROB2 A100505CN2/00RCUBB0//104E///// |
| 21913 | TAR-10 230V 50/60Hz IGN.TRANSFORMER |
| ESA ESTRO-Q 115/230V 50/60Hz | 22174 Bulletin : E7014 DWG ESTROQ2 S000303CN2/00RCBBB0//299E///// |
| TAR-10 230V 50/60Hz | |

| | |
|---|---|
| IGN.TRANSFORMER | 21913 Bulletin : E5004 DWG |
| 8RK-BZR | Bulletin : E5101 DWG 9001CO12 |
| 12RK-BZR | Bulletin : E5101 DWG 9001CO13 |
| IT107T0121 | |
| ESTRO-Q + TAR-10 230V 50/60Hz | Bulletin : E7014 DWG |
| RVT155-01 | |
| DATALOGGER,ESAWARE,EW410 | |
| Pcmachine-4096 | 4096 TAGS |
| Vt320wap000 | OPERATOR INTERFACE PANEL LCD COLOR |
| It107w0111 | 7 WIDE TFT, 65K COLORS, SP1, SP2, USB A, USB B, ETH, SD/MMC SLOT |
| Et5800lx | OPERATOR INTERFACE 14.1INCH GRAPHIC LCD 65K COLOR |
| It107t0511 | 7,5 TFT, 65K COLORS, COM0, SP2, USB A, USB B, ETH, SD/MMC SLOT |
| Vt310wap000 | MSP (RS232/422/485/TTY), ASP (RS232/485), LPT (CENTRONICS) |
| Orm-800 | Esacontrol Board SM9-3055.006.00 |
| Vt565wap000 | COLORS, MSP (RS232/422/485/TTY), ASP (RS232/485), LPT (CENTRONICS) |
| Vt555wap0dp | MSP (RS232/422/485/TTY), ASP (RS232/485), LPT (CENTRONICS), PROFIBUS-DP NETWORK |
| Tasarimi İã199;In Yazilim: | |
| It107w0101b | 7 WIDE TFT, 65K COLORI, SP1, USB A, USB B, ETH, SLOT SD/MMC, BATTERY |
| It112ty1120 | 12,1 TFT, STAINLESS STEEL BEZEL, 65K COLORS, SP1, SP2, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| E7001-Uv-2+chlg2-Bsp Uv-Flammenfuhler ¥;Quot; | |
| Tria-6000 | INDUSTRIAL COMPUTER CRT SCREEN 5.5IN 2FLOPPY |
| It107w0111b | 7 WIDE TFT, 65K COLORS, SP1, SP2, USB A, USB B, ETH, SD/MMC SLOT, BATTERY |
| It112ty1220 | 12,1 TFT, STAINLESS STEEL BEZEL, 65K COLORS, SP1, CAN INTERFACE, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| 8522981000000 X0031-Evo/Nc-Dn10-230vac-Coil | |

| | |
|--|---|
| Estro B A-003-03-03-C-N-1 By B2-A-03-03-03-Cn-1-/00r-Cbbb-0//1-04e | |
| E5201-Sr6-48-Bsp | |
| C2 A-03-03-03-Cy-2-/00/R-Cbbb-0//1-04e-//T//// | |
| Polymathkit | 9 POLES MALE ADAPTER, CVAD |
| It115t01120 | 15 TFT, 65K COLORS, SP1, SP2, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| Vt585w0ptcn | MSP (RS232/422/485/TTY), CAN INTERFACE, LPT (CENTRONICS), TFT |
| Vt330wapt00 | MSP (RS232/422/485/TTY), ASP (RS232/485), LPT (CENTRONICS) |
| It112tx1120 | 12,1 TFT, STAINLESS STEEL BEZEL,65K COLORS, SP1, SP2, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| B2-A-30-05-03-Cn-2-/00r-Cbbb-0//1-04e/ | |
| Ip54, Ser No. 6023, 0694/12, Pin 0694bt1227 | |
| Vt5txm128 | |
| It107t0121 | 7,5 TFT, 65K COLORS, SP1, CAN INTERFACE, USB A, USB B, ETH, SD/MMC SLOT |
| Vt585wbptet | MSP (RS232/422/485/TTY), LPT (CENTRONICS), ETHERNET 10/100 |
| Estroa2 S-02-05-03-Cn-2-/02r-Cubb-0//1-59e | S/N 3386 |
| Xs715sf A21020 | |
| It110t01220 | 10,4 TFT, 65K COLORS, SP1, CAN INTERFACE, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| A-001-05-C-N-230-C | ESA GENIO |
| It110t11220 | 10,4 TFT, 65K COLORS, SP1, CAN INTERFACE, 2XUSB A, USB B, 2XETH,SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| Crrt4096oem | PC RUNTIME OEM LICENCE 4096 TAGS (ESA HARDWARE) |
| It107wx111 | 7 WIDE TFT, STAINLESS STEEL BEZEL, 65K COLORS, SP1, SP2, USB A, USB B, ETH, SD/MMC SLOT |
| It112t01320 | 12,1 TFT, 65K COLORS, SP1, PROFIBUS-DP NETWORK, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| It107w0121 | 7 WIDE TFT, 65K COLORS, SP1, CAN INTERFACE, USB A, USB B, ETH, SD/MMC SLOT |

| | |
|--|---|
| Vt585wbptcn | MSP (RS232/422/485/TTY), LPT (CENTRONICS), CAN INTERFACE |
| Flame Detector Uv-2 | |
| Vt185w00000 | |
| It115t01520 | 15 TFT, 65K COLORS, SP1, PROFINET NETWORK, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| It110t11120 | 10,4 TFT, 65K COLORS, SP1, SP2, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| It112t11220 | 12,1 TFT, 65K COLORS, SP1, CAN INTERFACE, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| Estroc-Etn-Y Estroc-A-000-005-003-Cn1/000/Ctbb0//204e/Y/ | |
| It107w0131 | 7 WIDE TFT, 65K COLORS, SP1, PROFIBUS-DP NETWORK, ETH, USB A, USB B, ETH, SD/MMC SLOT |
| Vt4401sf000 | OPERATOR INTERFACE 22FUNCTION 8-1/2X6-13/16IN |
| Vt300wa0000 | DISPLAY MODULE 24VDC |
| Vt580w0ptdp | MSP (RS232/422/485/TTY), LPT (CENTRONICS), PROFIBUS-DP NETWORK |
| Vt585waps00 | OPERATOR INTERFACE |
| Vt555wa0000 | MSP (RS232/422/485/TTY), ASP (RS232/485) |
| It112t11320 | 12,1 TFT, 65K COLORS, SP1, PROFIBUS-DP NETWORK, 2XUSB A, USB B, 2XETH,SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| Vt160w000dp | MSP (RS232/422/485/TTY), PROFIBUS-DP NETWORK |
| Vt190wa0000 | OPERATOR INTERFACE 19INCH LCD 90-264VAC |
| Estro-B Exp2 | |
| Obsolete Vt190w Replacement It105tk111 | |
| Xt105t0501 | 5,7 TFT, 65K COLORS, COM0, USB A, USB B, ETH, SLOT SD/MMC |
| Vt580w0ptcn | MSP (RS232/422/485/TTY), LPT (CENTRONICS), INTERFACCIA CAN |
| E5806ã247;Wand-Lg 500ã247;700 Elektrode A188;Quot; | |
| Vt585wapt00 | MSP (RS232/422/485/TTY), ASP (RS232/485), LPT (CENTRONICS), TFT |
| Vt595w-Optet | OPERATOR INTERFACE TOUCH SCREEN 24VDC |
| | 7,5 TFT, 65K COLORS, SP1, PROFINET NETWORK, USB A, USB |

| | |
|--|--|
| It107t0151 | B, ETH, SD/MMC SLOT |
| Vt505w000000039 | Operator Interface Panel |
| It105t0151 | 5,7 TFT, 65K COLORS, SP1, PROFINET NETWORK,USB A, USB B, ETH, SD/MMC SLOT |
| It115t11220 | 15 TFT, 65K COLORS, SP1, CAN INTERFACE, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| Vt525w00000 | MSP (RS232/422/485/TTY), ASP-8 (RS232) |
| It107wx121 | 7 WIDE TFT, STAINLESS STEEL BEZEL, SP1, CAN INTERFACE, USB A, USB B, ETH, SD/MMC SLOT |
| Estroa2 S-01-03-03-Cn-2-/02r-Puab-0//1-59e-//221// | S/N 3276 |
| It105tk111 | 5,7" TFT, 65K COLORS, KEYBOARD, SP1, SP2, USB A, USB B, ETH, SD/MMC SLOT |
| Evo/Nc Dn15 | |
| It115t01320 | 15 TFT, 65K COLORS, SP1, PROFIBUS-DP NETWORK, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| It110t01120 | 10,4 TFT, 65K COLORS, SP1, SP2, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| Vt55000p0 | OPERATOR INTERFACE |
| 185 - 260 Mm ,Flame Detector | |
| Vt585wbpt00 | MSP (RS232/422/485/TTY), ASP (RS232/485), LPT (CENTRONICS) |
| It107t0131 | 7,5 TFT, 65K COLORS, SP1, PROFIBUS-DP NETWORK, ETH, USB A, USB B, ETH, SD/MMC SLOT |
| It105tk131 | 5,7" TFT, 65K COLORS, KEYBOARD, SP1, PROFIBUS-DP NETWORK, USB A, USB B, ETH, SD/MMC SLOT |
| It105tk121 | 5,7" TFT, 65K COLORS, KEYBOARD, SP1, CAN INTERFACE, USB A, USB B, ETH, SD/MMC SLOT |
| Vt310wa0000 | MSP (RS232/422/485/TTY), ASP (RS232/485) |
| It112t01120 | 12,1 TFT, 65K COLORS, SP1, SP2, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| Sc110a0111 | 10.1 WIDE TFT, 65K FARBEN,PORT 1 (RS232/485/COM0), PORT 2 (RS232/485/COM0), USB A, USB B, ETH, SD/MMC SLOT |
| E7020-Genio+tar10-230 V | |
| Crrtunloem | PC RUNTIME OEM LICENCE UNLIMITED TAGS (ESA HARDWARE) |
| It112t01520 | 12,1 TFT, 65K COLORS, SP1, PROFINET NETWORK, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |

| | |
|---|--|
| 8522173000000 | |
| Espro C-A-001-03-03-C-N-230-000-/-R000000///10004, Sn:7773 Obsolete, Replacement 8522173000000 + 8522217000000!!! | |
| Vt560wa0000 | COLORS, MSP (RS232/422/485/TTY), ASP (RS232/485) |
| It110t01320 | 10,4 TFT, 65K COLORS, SP1, PROFIBUS-DP NETWORK, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| Vt555w000cn | MSP (RS232/422/485/TTY), CAN INTERFACE |
| It115t11120 | 15 TFT, 65K COLORS, SP1, SP2, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| It112t01220 | 12,1 TFT, 65K COLORS, SP1, CAN INTERFACE, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| It115t01220 | 15 TFT, 65K COLORS, SP1, CAN INTERFACE, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| Tria460 | DISPLAY MODULE |
| It115t11320 | 15 TFT, 65K COLORS, SP1, PROFIBUS-DP NETWORK, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| 8522450000000 E7020-Genio-Standard A-001-05-C-N-230-/- | |
| Vt585wbptdp | MSP (RS232/422/485/TTY), LPT (CENTRONICS), PROFIBUS-DP NETWORK |
| Spare Part Cd | |
| 8522217000000 | |
| It107wx101 | 7 WIDE TFT, STAINLESS STEEL BEZEL, 65K COLORS, SP1, USB A, USB B, ETH, SD/MMC SLOT |
| Xb300sf 431040 + Xwin7p01en1 | |
| Vt525w000dp | ASP-8 (RS232), PROFIBUS-DP NETWORK |
| Vt505h00000 | PENDANT STATION LCD TOUCH SCREEN 16ROW 40CHAR 10M |
| Vt525h00000 | MSP (RS232/422/485/TTY), ASP (RS232/485). ONLY WITH VTHCB000000 |
| Estro B S-03-03-03-Cn-1-/00r-Cbbb-0//1-04e-///// | |
| Vt580wapt00 | MSP (RS232/422/485/TTY), ASP (RS232/485), LPT (CENTRONICS) |
| It112tx1320 | 12,1 TFT, STAINLESS STEEL BEZEL, 65K COLORS, SP1, PROFIBUS-DP NETWORK, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |

| | |
|---|--|
| Tria-4000 | INDUSTRIAL COMPUTER CRT SCREEN 5.5IN 2FLOPPY |
| B2-A-03-03-03-Cn-1-/00r-Cbbb-0//1-04e | |
| Trafo T-Tar-01-230 | |
| Vt155w00000n | OPERATOR INTERFACE TOUCH SCREEN 800MA 18-32VDC |
| It107wx131 | 7 WIDE TFT, STAINLESS STEEL BEZEL, 65K COLORS, SP1, PROFIBUS-DP NETWORK, ETH, USB A, USB B, ETH, SD/MMC SLOT |
| Vt5txm64 | |
| Bridge-F Fdp-16-230 | S/N 518 |
| Mms-E00 | MMS Interface Module SM9-8005.049.00 |
| Vt525w000et | OPERATOR TERMINAL ETHERNET 10/100 ASP-8 (RS232) |
| Sc210a0112 | 10,1 WIDE TFT, 65K COLORS, PORT 1 (RS232/RS485/COM0), PORT 2 (RS232/RS485/MPI), USB A, USB B, ETH, SD/MMC SLOT |
| Crrt8192oem | PC RUNTIME OEM LICENCE 8192 TAGS (ESA HARDWARE) |
| Estroc2 S-01-05-03-Cn-2-/00/-Chbr-0h/1-54e-//T//// ,Bcu | |
| Pc820-N4000 | OPERATOR INTERFACE PANEL CPU200 128MB |
| Xt107t0501 | 7,5 TFT, 65K COLORS, COM0, USB A, USB B, ETH, SLOT SD/MMC |
| Vt595w0ptet | |
| Vt580w0ptet | MSP (RS232/422/485/TTY), LPT (CENTRONICS), ETHERNET 10/100 |
| E7014-Estro-B-Standard Brennersteuerung B2-A-15-03-05-Dn-2/00/-Cbbb-0-04e | |
| A-Sm9804001700 | SM9 I/O Module SS4.8440.069.01 |
| Vt560wa0m00 | TONES OF BLUE, MSP (RS232/422/485/TTY), ASP (RS232/485) |
| It112t11120 | 12,1 TFT, 65K COLORS, SP1, SP2, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| Vt525w000cn | ASP-8 (RS232), CAN INTERFACE |
| It110t01520 | 10,4 TFT, 65K COLORS, SP1, PROFINET NETWORK, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| It110t11320 | 10,4 TFT, 65K COLORS, SP1, PROFIBUS-DP NETWORK, 2XUSB A, USB B, 2XETH,SD/MMC SLOT, CF SLOT, WIN CE PRO PLUS |
| Pb12mu1.3 | |

| | |
|---|---|
| Vt5500000 | IND WORKSTATION |
| 6fcr-Reg-11-Std Dn20 | S/N 566 |
| It107t0111 | 7,5 TFT, 65K COLORS, SP1, SP2, USB A, USB B, ETH, SD/MMC SLOT |
| Vt505h000cn | MSP (RS232/422/485/TTY), CAN INTERFACE, WITHOUT VTHCB000000 |
| 10019728 ,Sparking Unit | |
| Tria-7600v | OPERATOR INTERFACE 12INCH 1.7AMP 220VAC 50/60HZ |
| Vts-450-E-250 | REGULATOR HEAVY DUTY |
| Rvt595-02 | |
| It112tx1220 | 12,1 TFT, STAINLESS STEEL BEZEL,65K COLORS, SP1, CAN INTERFACE, 2XUSB A, USB B, 2XETH, SD/MMC SLOT, CF SLOT |
| Vt5dm32 | |