

## Esab

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Esab** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Esab Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*





¼r¼n	Açıklama
<a href="#">OK E71T-1</a>	
<a href="#">9010</a>	Servo amplifier 4/100
<a href="#">53000000190024</a>	4/2 way solenoid valve G1/8
<a href="#">9010</a>	Pinion z=44 t=4 d=35H7
<a href="#">Welding wire Autrod 5183</a>	AlMg4,5 Mn Ø 1,2 mm 7kg MIG welding wire for AlMg and AlMgMn alloys. Magnesium works increasing strength, the Mn content improves stability at higher temperatures. The weld metal is seawater resistant and is preferred used in shipbuilding. Versatile for Aluminum constructions higher Strength can be used, but not for elevated temperatures. Eligibility tested for the temperature range of -196°C up to +80°C. Not

	suitable for the anodic post-treatment, Mn leads to a white to light gray color.
<a href="#">4.450.024</a>	40-75mm
<a href="#">2834 G 3/8 RH f.O2.</a>	Prop valve
<a href="#">OXYGEN VALVE G1/2 RH</a>	
<a href="#">1008 kg, 56 Rollers SG2 1mm</a>	
<a href="#">CC17 WELDİNG CABLE PLUG 0700606402</a>	
<a href="#">Clamp earthing esab 465/ 600A</a>	
<a href="#">circular cutting device, deluxe</a>	7-8910
<a href="#">protective cap, MaximumLife</a>	9-8237
<a href="#">GPS421-04-11-01-01-009-04-A.</a>	Tech Master Single Stage High Pressure Cylinder regulator
<a href="#">GPS421-04-10-01-01-009-04-A.</a>	Tech Master Single Stage High Pressure Cylinder regulator
<a href="#">55002535G0</a>	98849046 ELECTRODE, WELDING ROD, ESAB E7018-1H4 R, 2.50 MM X 350 MM, 10.2 KG PACKAGE (6 X 1.7 KG) ELECTRODE, WELDING ROD, ESAB E7018-1H4 R, 2.50 MM X 350 MM, 10.2 KG PACKAGE (6 X 1.7 KG) SFA/AWS A5.1: E7018-1H4R / EN ISO 2560-A: E 46 5 B 32 H5
<a href="#">Switch For Lcf 1200</a>	
<a href="#">0004450545</a>	
<a href="#">57002478</a>	CPU CARD
<a href="#">13.23 777000</a>	
<a href="#">004400110</a>	
<a href="#">20751</a>	
<a href="#">5500404500</a>	
<a href="#">055 800 3718</a>	
<a href="#">487343-005</a>	
<a href="#">0558003718</a>	
<a href="#">57001055</a>	
<a href="#">147640880</a>	
<a href="#">Ok Tigrod 12.64</a>	
<a href="#">67453230t0</a>	
<a href="#">0413510001</a>	
<a href="#">0218510283</a>	
<a href="#">Nipple For Lcf 1200</a>	
<a href="#">Caddy Mig C200i</a>	
<a href="#">0558003722</a>	
<a href="#">74.75 Elektrod/E9018-D1</a>	
<a href="#">Aws A5.5~e-7018-A1</a>	
<a href="#">Smaw Cs,E6010, Size 1.6mm</a>	

<a href="#">0000020039</a>
<a href="#">01546230006</a>
<a href="#">Grunter Car For Aristo Mig C3000i -U82</a>
<a href="#">157123054</a>
<a href="#">Smaw Cs,E6010, Size 3.2mm</a>
<a href="#">56998107</a>
<a href="#">588000744</a>
<a href="#">Armature For Lcf 1200</a>
<a href="#">0000020038</a>
<a href="#">055 800 3722</a>
<a href="#">92183230ko</a>
<a href="#">487388-004 Cs</a>
<a href="#">120388</a>
<a href="#">365310045</a>
<a href="#">C-59-48-75nrf</a>
<a href="#">0458470882</a>
<a href="#">Ampermeter For Lcf 1200</a>
<a href="#">Ok Autrod 308l 3.2 Mm</a>
<a href="#">Smaw Cs,E7018, Size 2.4mm</a>
<a href="#">319876 - 880k ( - No )</a>
<a href="#">Voltmeter For Lcf 1200</a>
<a href="#">0218810181</a>
<a href="#">2118702</a>
<a href="#">2134809</a>
<a href="#">Aristo Mig 5000iw</a>
<a href="#">Smaw Cs,E7018, Size 4.0mm</a>
<a href="#">948142</a>
<a href="#">0004450043</a>
<a href="#">0212900001</a>
<a href="#">00000.478.729</a>
<a href="#">Ceramic Nozzle N6 Caddy Tig 2200i Ac / Dc</a>
<a href="#">Smaw Cs,E7018, Size 1.6mm</a>
<a href="#">701380050</a>
<a href="#">Citobasico</a>
<a href="#">156705006</a>

<a href="#">Smaw Cs,E6010, Size 2.4mm</a>
<a href="#">Ceramic Nozzle N6 For Caddy Tig 2200i Ac / Dc</a>
<a href="#">004615039</a>
<a href="#">0000020035</a>
<a href="#">5500253500</a>
<a href="#">0700 005 008</a>
<a href="#">Mig 502c</a>
<a href="#">0701 416 256 - Obsolete</a>
<a href="#">0365 310 044</a>
<a href="#">L405</a>
<a href="#">0218400801</a>
<a href="#">Ok Flux 10.92</a>
<a href="#">0004450041</a>
<a href="#">316 L-17 Diam 2.5</a>
<a href="#">0004450045</a>
<a href="#">0004450044</a>
<a href="#">0558003714</a>
<a href="#">0701 416 254 - Obsolete</a>
<a href="#">308 L-17 Diam 3.2</a>
<a href="#">0700016774</a>
<a href="#">Aristo Mig C3000i-U82</a>
<a href="#">0145221881</a>
<a href="#">0157 12 029</a>
<a href="#">469397001 Lka 180/240</a>
<a href="#">57001004</a>
<a href="#">157123053</a>
<a href="#">0215201209</a>
<a href="#">0000009017</a>
<a href="#">20763</a>
<a href="#">0701 416 255 - Obsolete</a>
<a href="#">0458470883</a>
<a href="#">E 309I Sfa</a>
<a href="#">Buddy Arc 400i Xc</a>
<a href="#">21301</a>
<a href="#">0218810182</a>
<a href="#">145063906</a>

<a href="#">0002254196</a>	
<a href="#">818426882</a>	
<a href="#">0458470884</a>	
<a href="#">67.45 Elektrod</a>	
<a href="#">0004450042</a>	
<a href="#">Hanger System For Aristo Mig C3000i -U82</a>	
<a href="#">245019864</a>	(PRICE/DR, 600LB/DR)DS 710X-M 1/16X600#OMP
<a href="#">Smaw Cs,E6010, Size 4.0mm</a>	
<a href="#">0004450546</a>	
<a href="#">416679001</a>	
<a href="#">20755</a>	
<a href="#">064337</a>	
<a href="#">Smaw Cs,E7018, Size 3.2mm</a>	
<a href="#">055 800 3714</a>	
<a href="#">5500324500</a>	
<a href="#">8-6583</a>	MAIN BODY ASSY 6B 70
<a href="#">35sn128900</a>	(PRICE/SO, 220LB/SO)ARC MC309LSI 045X220#SPOP
<a href="#">0700 005 006</a>	
<a href="#">Aristo Tech 5-13</a>	
<a href="#">316 L-17 Diam 3.2</a>	
<a href="#">0000020036</a>	